

```

=====
{===== 参数 =====}
=====
P1 := 5;
P2 := 10;
P3 := 60;
P4 := 120;
N := 27;

NDKSD := 10;
NDKLD := 20;
Ndkdea:= 6;

{C,drawnull;}
{=====}
{===== 定义 =====}
{=====}
{MA}
MA1 := MA(CLOSE,P1),DRAWNULL;
MA2 := MA(CLOSE,P2),DRAWNULL;
MID := MA(CLOSE,N),DRAWNULL;
MA3 := MA(CLOSE,P3),DRAWNULL;
MA4 := MA(CLOSE,P4),DRAWNULL;
CUPMA1:=MA1>=REF(MA1,1);
CUPMA2:=MA2>=REF(MA2,1);
CUPMA3:=MA3>=REF(MA3,1);
CUPMA4:=MA4>=REF(MA4,1);
CUPMID:=MID>=REF(MID,1);
CDNMA1:=MA1<=REF(MA1,1);
CDNMA2:=MA2<=REF(MA2,1);
CDNMA3:=MA3<=REF(MA3,1);
CDNMA4:=MA4<=REF(MA4,1);
CDNMID:=MID<=REF(MID,1);

{CPX}
CPBX := EMA(C,2);
CPSX := EMA(SLOPE(C,21)*20+C,42);
CPZDX:= EMA((EMA(CLOSE,4)+EMA(CLOSE,6)+EMA(CLOSE,12)+EMA(CLOSE,24))/4,2);

{DK}
A := (3*C+L+O+H)/6;
DKXB := (20*A+19*REF(A,1)+18*REF(A,2)+17*REF(A,3)+16*REF(A,4)+15*REF(A,5)+14*REF(A,6)
+13*REF(A,7)+12*REF(A,8)+11*REF(A,9)+10*REF(A,10)+9*REF(A,11)+8*REF(A,12)
+7*REF(A,13)+6*REF(A,14)+5*REF(A,15)+4*REF(A,16)+3*REF(A,17)+2*REF(A,18)+
REF(A,20))/210;
DKSD := MA(DKXB,NDKSD);
DKLD := MA(DKXB,NDKLD);

CUPDKXB :=DKXB>=REF(DKXB,1);
CUPDKSD :=DKSD>=REF(DKSD,1);
CUPDKLD :=DKLD>=REF(DKLD,1);

{SHORT DKX-MACD}
DKdif := MIN(100,100* (DKXB/DKSD-1)),COLORWHITE;

```

```

DKdea := EMA(DKdif,Ndkdea);
DKmacd := (DKdif-DKdea),drawnull;
DKmmacd := SMA(DKmacd,4,2);
CUPDKdif := DKdif >= REF(DKdif,1);
CUPDKdea := DKdea >= REF(DKdea,1);
CUPDKmmacd := DKmmacd >= REF(DKmmacd,1);

```

```

{LONG DKX-MACD}
DKLdif := MIN(200,100* (DKXB/DKLD-1));
DKLdea := EMA(DKLdif,NDKdea);
DKLmacd := (DKLdif-DKLdea),drawnull;
DKLmmacd := SMA(DKLmacd,4,2);
CUPDKLdif := DKLdif >= REF(DKLdif,1);
CUPDKLdea := DKLdea >= REF(DKLdea,1);
CUPDKLmmacd := DKLmmacd >= REF(DKLmmacd,1);

```

```

{STD}
StdC := STD(CLOSE,N);
StdMA := MA(StdC,2);
CUPStdMA := StdMA >= REF(StdMA,1)*0.98;
CDNStdMA := StdMA <= REF(StdMA,1) ;

```

```

{BOLL}
BUUU := MID + 3*StdC;
BUU := MID + 2*StdC;
BU := MID + 1*StdC;
BL := MID - 1*StdC;
BLL := MID - 2*StdC;
BLLL := MID - 2.9*StdC;

```

```

{MACD}
DIF := 100* (EMA(C,12)/EMA(C,26)-1);
DEA := EMA(DIF,9);
MACD := (DIF-DEA);
MMACD := SMA(MACD,4,2);
CUPDIF := DIF>=REF(DIF,1);
CUPDEA := DEA>=REF(DEA,1);
CUPMACD := MACD>=REF(MACD,1);
CUPMMACD := MMACD>=REF(MMACD,1);

```

```

{KDJ}
RSV = (CLOSE-LLV(LOW,9))/(HHV(HIGH,9)-LLV(LOW,9))*100;
K := SMA(RSV,3,1);
D := SMA(K,3,1);
J := 3*K-2*D;
CUPK := K>=REF(K,1);
CUPD := D>=REF(D,1);
CUPJ := J>=REF(J,1);

```

```

{VOLUME}
VMA1:=MA(VOL,P1);
VMA2:=MA(VOL,P2);
VMA3:=MA(VOL,N);
CUPVMA1:=VMA1>REF(VMA1,1);

```

CUPVMA2:=VMA2>REF(VMA2,1);

CUPVMA3:=VMA3>REF(VMA3,1);

{CYC}

JJJ:=IF(DYNAINFO(8)>0.01,0.01*DYNAINFO(10)/DYNAINFO(8),DYNAINFO(3));

DDD:=(DYNAINFO(5)<0.01 || DYNAINFO(6)<0.01);

JJT:=IF(DDD,1,(JJJ<(DYNAINFO(5)+0.01) && JJJ>(DYNAINFO(6)-0.01)));

CYC1:=IF(JJT,0.01*EMA(AMOUNT,P1)/EMA(VOL,P1),EMA((HIGH+LOW+CLOSE)/3,P1));

CYC∞:=IF(JJT,DMA(AMOUNT/(100*VOL),100*VOL/FINANCE(7)),EMA((HIGH+LOW+CLOSE)/3,120));

{===== 基础线 =====}

PARTLINE(MA3,1,RGB(128, 0, 64));

PARTLINE(MA4,1,RGB(0, 200, 255));

{PARTLINE(DKXB,1,RGB(0, 255, 0));}

{PARTLINE(MA2, CUPMA2,RGB(255, 50, 0), 1, RGB(100, 0, 0));}

PARTLINE(BU, 1, RGB(0, 64, 128));

FILLRGN(BLL,BUUU,CPZDX>=MID ,RGB(20, 20, 20));

{=====}

{===== 周期分割 =====}

{=====}

VERTLINE(G=1 and (type=1 or STKLABEL='000300') and datatype<7 and TIME>145900,0),LINETHICK1;

VERTLINE(G=1 and (STRLEFT(STKLABEL,1)='I') and datatype<8 and TIME>151400,0),LINETHICK1;

VERTLINE(G=1 and STRLEFT(STKLABEL,2)='HK' and datatype<8 and TIME>155900,0),LINETHICK1;

VERTLINE(0 and type=1 and datatype=8 and weekday=5,0),LINETHICK2;

CTM := ((type=1 AND TIME>144500) AND BETWEEN(DATATYPE,5,7))

OR (STRLEFT(STKLABEL,2)='HK' AND BETWEEN(DATATYPE,5,7) and TIME>155900);

{=====}

{===== 区域划分 =====}

{=====}

操作区域: RGNC

系统区域: RGNB

突破区域: RGNA

方差区域: RGND

特信区域: RGNS

验证区域: RGNT}

RGNBU := MID;

RGNBL := BLL + 4*(MID-BLL)/6;

RGNCU := BLL + 4*(MID-BLL)/6;

RGNCL := BLL + (MID-BLL)/6;

RGNAU := BLL + (MID-BLL)/6;

RGNAL := BLL;

RGNDU := BLL;

RGNDL := BLL - (MID-BLL)/6;;

RGNSU := BU;

RGNSL := MID;

RGNTU := BUUU+2*StdC;

RGNTL := BUUU+1*StdC;

```
{=====}
{===== TT@RGNA =====}
{===== MA1|MA2 DKXB|MA3 MA4 : XXBXX =====}
{=====}
```

```
{-----| TT:大于DKXB -----}
TTXXBXX := C>DKXB AND C>DKSD AND C>MID,DRAWNULL;
FILLRGN(RGNAL, RGNAU-5*(RGNAU-RGNAL)/6,TTXXBXX ,RGB(0, 191, 255));
```

```
{-----| TT:大于MA3 -----}
TTXXB1X:= TTXXBXX AND C>MA3,DRAWNULL;
TT0XB1X:= TTXXB1X AND C<MA1,DRAWNULL;
TTX0B1X:= TTXXB1X AND C<MA2,DRAWNULL;
FILLRGN(RGNAU-5*(RGNAU-RGNAL)/6, RGNAU-3*(RGNAU-RGNAL)/6,TTXXB1X,RGB(0, 154, 205));
FILLRGN(RGNAU-5*(RGNAU-RGNAL)/6, RGNAU-3*(RGNAU-RGNAL)/6,TT0XB1X,RGB(100, 100, 0));
FILLRGN(RGNAU-5*(RGNAU-RGNAL)/6, RGNAU-3*(RGNAU-RGNAL)/6,TTX0B1X,RGB(100, 0, 0));
```

```
{-----| TT:大于MA4 -----}
TTXXB11 := TTXXB1X AND C>MA4,DRAWNULL;
TT0XB11 := TTXXB11 AND C<MA1,DRAWNULL;
TTX0B11 := TTXXB11 AND C<MA2,DRAWNULL;
FILLRGN(RGNAU-3*(RGNAU-RGNAL)/6, RGNAU,TTXXB11,RGB(0, 104, 139));
FILLRGN(RGNAU-3*(RGNAU-RGNAL)/6, RGNAU,TT0XB11,RGB(100, 100, 0));
FILLRGN(RGNAU-3*(RGNAU-RGNAL)/6, RGNAU,TTX0B11,RGB(100, 0, 0));
```

```
{=====}
{===== STD@RGND =====}
{=====}
{-----| Std变化 -----}
FILLRGN(RGNDL, RGNDU,
CDNStdMa, RGB(0, 40, 40),
CUPStdMa, RGB(40, 0, 0)
);
```

```
{-----| 阶段-1: 收敛阶段 -----}
WMWM:= CDNStdMa AND BETWEEN(C,BL,BUU)
AND (CUPDKmmacd or (DKmmacd>0 and CUPDKdif and CUPDKdea))
,DRAWNULL,COLORGRAY;
FILLRGN(RGNDL, RGNDU, WMWM, RGB(50,10,80));
```

```
{-----| 阶段1: 收敛阶段反攻的层次 -----}
FILLRGN(RGNDL+3*(RGNDU-RGNDL)/7, RGNDL+4*(RGNDU-RGNDL)/7,
WMWM and C>BU,RGB(0, 64, 128),
WMWM and C>MID,RGB(150, 150, 150),
WMWM and C>DKXB,RGB(0, 255, 0),
WMWM and C>MA2,RGB(255, 0, 0),
WMWM and C>MA1,RGB(255, 255, 0)
);
```

OO0:= TTXXB11 AND WMWM AND CPX>0,DRAWNULL,COLORGRAY;

```
{=====}  
{===== 主升@RGNA&RGND =====}  
{=====}
```

```
{----- C突破BOLL@RGNA -----}  
OO2 := CUPStdMa AND C>BU AND COUNT(C>BUU,5)=0,DRAWNULL,COLORGRAY; {阶段2}  
OO3 := CUPStdMa AND C>BUU,DRAWNULL,COLORGRAY; {阶段3}  
FILLRGN(RGNAL, RGNAU,  
OO2, RGB(205, 102, 0),  
OO3, RGB(255, 215, 0)  
);
```

```
{----- MA1突破BU@RGND -----}  
OO4 := MA1>=BU ,DRAWNULL,COLORGRAY; {阶段4}  
FILLRGN(RGNDL, RGNDU-(RGNDU-RGNDL)/8,  
OO4 AND COUNT(C<MA2,2)>1,RGB(139, 129, 76),  
OO4,RGB(255, 215, 0)  
);
```

```
{=====}  
{===== 特殊信号 =====}  
{=====}  
wDKJinchaqian:= C>MID AND DKdif>-2 AND BETWEEN(DKmacd,-0.9,0.1) ,drawnull;  
wDKJincha:= C>MID AND DKdif>-2 AND CROSS(DKdif,DKdea),drawnull;
```

```
{=====}  
{=====}  
{===== 信号系统 =====}  
{=====}  
{=====}
```

```
{----- 均线系统 -----}  
BMA :=  
DKXB>DKSD  
AND MA2>MID  
AND MA2>MA3  
,DRAWNULL,COLORGRAY;
```

```
{----- ZBDK系统 -----}  
BZBDK :=  
CUPDKXB  
AND (CUPDKDIF OR (DKDIF>0 AND BETWEEN(DKMACD,-0.3,0.5)))  
,DRAWNULL,COLORGRAY;
```

```
{----- 操盘线系统 -----}  
BCPX := CPX>0,,DRAWNULL,COLORGRAY;
```

```
{----- BS系统 -----}  
{----- 交易量系统 -----}
```

```
{----- 历史系统 -----}
```

```

BMY :=
MA1>MID AND
C>MA2 AND C>MID AND CUPMA1 AND CUPMA2
AND DKdif>-5
AND DKmacd>-1
AND
(
CUPDKMMACD
OR CUPDKdif
OR (DKdea>3 AND CUPMMACD)
),DRAWNULL,COLORGRAY;
STICKLINE(BMY AND BETWEEN(COUNT(C>BU,5),1,3) AND C<BUU,H,H+(H-L)/8,7,0)colorYELLOW;

```

```

{----- 画图 -----}
FILLRGN(RGNBL+4*(RGNBU-RGNBL)/6, RGNBL+6*(RGNBU-RGNBL)/6, BMY, RGB(100,181,246));
FILLRGN(RGNBL+2*(RGNBU-RGNBL)/6, RGNBL+4*(RGNBU-RGNBL)/6,BCPX, RGB(30,136,229));
FILLRGN(RGNBL+1*(RGNBU-RGNBL)/6, RGNBL+2*(RGNBU-RGNBL)/6, BZBDK, RGB(21,101,192));
FILLRGN(RGNBL, RGNBL+1*(RGNBU-RGNBL)/6, BMA, RGB(0,71,161));

```

```

{=====}
{=====}
{===== 选股 =====}
{=====}
{=====}

```

```

买:
(BZBDK AND BCPX AND BMY)
OR
(
(BMY OR (BCPX AND BMA))
AND BZBDK
AND (OO2 OR OO3 OR OO4)
)
,DRAWNULL,COLORYELLOW;

```

```

持:
BMY AND BCPX
AND OO4
,DRAWNULL,COLORYELLOW;

```

```

观:
(BZBDK AND BMA)
OR (OO2 OR OO3 OR OO4)
OR BMY
OR OO0
,DRAWNULL,COLORYELLOW;

```

```

丢:COUNT(C<MA1,2)=2,DRAWNULL,COLORRED;
{----- 画图 -----}
FILLRGN(RGNCL+3*(RGNCU-RGNCL)/5, RGNCL+5*(RGNCU-RGNCL)/5, 持, RGB(106,27,154));
FILLRGN(RGNCL+1*(RGNCU-RGNCL)/5, RGNCL+3*(RGNCU-RGNCL)/5, 买, RGB(156,39,176));
FILLRGN(RGNCL, RGNCL+1*(RGNCU-RGNCL)/5, 观, RGB(174,234,0));

```

FILLRGN(RGNTL+3*(RGNTU-RGNTL)/5, RGNTU, 持, RGB(255,0,0));
FILLRGN(RGNTL+1*(RGNTU-RGNTL)/5, RGNTL+3*(RGNTU-RGNTL)/5, 买, RGB(156,39,176));
FILLRGN(RGNTL, RGNTL+1*(RGNTU-RGNTL)/5, 观, RGB(174,234,0));

{=====}
{===== 布线 =====}
{=====}
PARTLINE(RGNAU, 1, RGB(20, 20, 20));
PARTLINE(RGNBU, 1, RGB(20, 20, 20));
PARTLINE(RGNCU, 1, RGB(20, 20, 20));

PARTLINE(BU, 1, RGB(0, 64, 128));
PARTLINE(BUU, 1, RGB(0, 64, 128));

PARTLINE(MID, 1, RGB(125, 125, 125))LINETHICK2;
PARTLINE(MA1, CUPMA1, RGB(255, 255, 0), 1, RGB(200, 200, 0));
PARTLINE(CPZDX, 1, RGB(0, 255, 0))LINETHICK1,CIRCLEDOT;

{----- 赋值 -----}
买自 : BMY, DRAWNULL, COLORWHITE;
买操 : BCPX, DRAWNULL, COLORWHITE;
买周 : BZBDK, DRAWNULL, COLORWHITE;
买均 : BMA, DRAWNULL, COLORWHITE;
破均 : OO4, DRAWNULL, COLORYELLOW;
破俩 : OO3, DRAWNULL, COLORYELLOW;
破阻 : OO2, DRAWNULL, COLORYELLOW;
收敛 : OO0, DRAWNULL, COLORGRAY;
指导线 : CPZDX, DRAWNULL, COLORwhite;
UU : TTXXBXX AND (C>MA1 AND C>MA2) AND C>MA3, DRAWNULL, COLORGRAY;
M1 : MA1, DRAWNULL, COLORGRAY;
M2 : MA2, DRAWNULL, COLORGRAY;

{----- 鸟瞰 -----}
STICKLINE(BIRDVIEW AND (买 OR 持 OR 观), C*BIRDVIEW, C*BIRDVIEW,9,0)colorblack;
{=====}
{=====}
{=====}