

```

=====}
===== 参数 =====}
=====}
P1 := 5;
P2 := 10;
P3 := 60;
P4 := 120;
N := 27;

NDKSD := 10;
NDKLD := 20;
Ndkdea:= 6;

SHOWBKG := 1;
SHOWTT := 0;

{C,drawnull;}
=====}
===== 定义 =====}
=====}
{MA}
MA1 := MA(CLOSE,P1),DRAWNULL;
MA2 := MA(CLOSE,P2),DRAWNULL;
MID := MA(CLOSE,N),DRAWNULL;
MA3 := MA(CLOSE,P3),DRAWNULL;
MA4 := MA(CLOSE,P4),DRAWNULL;
CUPMA1:=MA1>=REF(MA1,1);
CUPMA2:=MA2>=REF(MA2,1);
CUPMA3:=MA3>=REF(MA3,1);
CUPMA4:=MA4>=REF(MA4,1);
CUPMID:=MID>=REF(MID,1);
CDNMA1:=MA1<=REF(MA1,1);
CDNMA2:=MA2<=REF(MA2,1);
CDNMA3:=MA3<=REF(MA3,1);
CDNMA4:=MA4<=REF(MA4,1);
CDNMID:=MID<=REF(MID,1);

{CPX}
CPBX := EMA(C,2);
CPSX := EMA(SLOPE(C,21)*20+C,42);
CPZDX:= EMA((EMA(CLOSE,4)+EMA(CLOSE,6)+EMA(CLOSE,12)+EMA(CLOSE,24))/4,2);
OOCP := MA1>CPZDX AND CPBX>=CPSX,DRAWNULL,COLORGRAY;

{DK}
A := (3*C+L+O+H)/6;
DKXB := (20*A+19*REF(A,1)+18*REF(A,2)+17*REF(A,3)+16*REF(A,4)+15*REF(A,5)+14*REF(A,6)
+13*REF(A,7)+12*REF(A,8)+11*REF(A,9)+10*REF(A,10)+9*REF(A,11)+8*REF(A,12)
+7*REF(A,13)+6*REF(A,14)+5*REF(A,15)+4*REF(A,16)+3*REF(A,17)+2*REF(A,18)+
REF(A,20))/210;
DKSD := MA(DKXB,NDKSD);
DKLD := MA(DKXB,NDKLD);

CUPDKXB :=DKXB>=REF(DKXB,1);
CUPDKSD :=DKSD>=REF(DKSD,1);

```

CUPDKLD :=DKLD>=REF(DKLD,1);

{SHORT DKX-MACD}

DKdif := MIN(100,100* (DKXB/DKSD-1)),COLORWHITE;

DKdea := EMA(DKdif,Ndkdea);

DKmacd := (DKdif-DKdea),drawnull;

DKmmacd := SMA(DKmacd,4,2);

CUPDKdif := DKdif >= REF(DKdif,1);

CUPDKdea := DKdea >= REF(DKdea,1);

CUPDKmmacd := DKmmacd >= REF(DKmmacd,1);

{LONG DKX-MACD}

DKLdif := MIN(200,100* (DKXB/DKLD-1));

DKLdea := EMA(DKLdif,NDKdea);

DKLmacd := (DKLdif-DKLdea),drawnull;

DKLmmacd := SMA(DKLmacd,4,2);

CUPDKLdif := DKLdif >= REF(DKLdif,1);

CUPDKLdea := DKLdea >= REF(DKLdea,1);

CUPDKLmmacd := DKLmmacd >= REF(DKLmmacd,1);

{STD}

StdC := STD(CLOSE,N);

StdMA := MA(StdC,2);

CUPStdMA := StdMA >= REF(StdMA,1);

CDNStdMA := StdMA <= REF(StdMA,1) ;

{BOLL}

BUUU := MID + 3*StdC;

BUU := MID + 2*StdC;

BU := MID + 0.9*StdC;

BL := MID - 1*StdC;

BLL := MID - 2*StdC;

BLLL := MID - 2.9*StdC;

CUPBUUU := BUUU >= REF(BUUU,1),drawnull;

CDNBLLL := BLLL <= REF(BLLL,1),drawnull;

{MACD}

DIF := 100* (EMA(C,12)/EMA(C,26)-1);

DEA := EMA(DIF,9);

MACD := (DIF-DEA);

MMACD := SMA(MACD,4,2);

CUPDIF := DIF>=REF(DIF,1);

CUPDEA := DEA>=REF(DEA,1);

CUPMACD := MACD>=REF(MACD,1);

CUPMMACD := MMACD>=REF(MMACD,1);

{KDJ}

RSV = (CLOSE-LLV(LOW,9))/(HHV(HIGH,9)-LLV(LOW,9))*100;

K := SMA(RSV,3,1);

D := SMA(K,3,1);

J := 3*K-2*D;

CUPK := K>=REF(K,1);

CUPD := D>=REF(D,1);

CUPJ := J>=REF(J,1);

{VOLUME}

VMA1:=MA(VOL,P1);

VMA2:=MA(VOL,P2);

VMA3:=MA(VOL,N);

CUPVMA1:=VMA1>REF(VMA1,1);

CUPVMA2:=VMA2>REF(VMA2,1);

CUPVMA3:=VMA3>REF(VMA3,1);

{CYC}

CB1 := EMA(if(finance(0),amount/volunit,V*(h+l+c)/3),P1)/EMA(VOL,P1);

CB∞ := DMA(C,if(V/CAPITAL/100<0.5,V/CAPITAL/100,0.5));

CUPCB1 := CB1>REF(CB1,1);

{===== 基础线 =====}

PARTLINE(MA3,1,RGB(60, 60, 60));

PARTLINE(MA4,1,RGB(40, 40, 40));

FILLRGN(BLL,BUUU, CDNSTDMA, RGB(30, 30, 30));

{=====}

{===== 区域划分 =====}

{=====

操作区域: RGNC

系统区域: RGNB

突破区域: RGNA

方差区域: RGND

特信区域: RGNS

验证区域: RGNT}

RGNCU := MID;

RGNCL := BLL + 3*(MID-BLL)/6;

RGNBU := BLL + 3*(MID-BLL)/6;

RGNBL := BLL + 2*(MID-BLL)/6;

RGNAU := BLL + 2*(MID-BLL)/6;

RGNAL := BLL + 1*(MID-BLL)/6;

RGNDU := BLL + 1*(MID-BLL)/6;

RGNDL := BLL;

RGNSU := BU;

RGNSL := MID;

RGNTU := BUUU+StdC;

RGNTL := BUUU-StdC;

{=====}

{===== TT@RGNA =====}

{===== MA1|MA2 DKXB|MA3 MA4 : XXBXX =====}

{=====}

{-----| TT:大于DKXB -----}

TTXXBXX := C>DKXB AND C>DKSD AND C>MID,DRAWNULL;

FILLRGN(RGNAL, RGNAU-5*(RGNAU-RGNAL)/6, SHOWTT=1 AND TTXXBXX ,RGB(0, 191, 255));

{-----| TT:大于MA3 -----}

TTXB1X:= TTXXBXX AND C>MA3,DRAWNULL;

TT0XB1X:= TTXB1X AND C<MA1,DRAWNULL;

TTX0B1X:= TTXB1X AND C<MA2,DRAWNULL;

FILLRGN(RGNAU-5*(RGNAU-RGNAL)/6, RGNAU-3*(RGNAU-RGNAL)/6,SHOWTT=1 AND TTXB1X,RGB(0, 154, 205));

FILLRGN(RGNAU-5*(RGNAU-RGNAL)/6, RGNAU-3*(RGNAU-RGNAL)/6,SHOWTT=1 AND TT0XB1X,RGB(100, 100, 0));

FILLRGN(RGNAU-5*(RGNAU-RGNAL)/6, RGNAU-3*(RGNAU-RGNAL)/6,SHOWTT=1 AND TTX0B1X,RGB(100, 0, 0));

{-----| TT:大于MA4 -----}

TTXB11 := TTXB1X AND C>MA4,DRAWNULL;

TT0XB11 := TTXB11 AND C<MA1,DRAWNULL;

TTX0B11 := TTXB11 AND C<MA2,DRAWNULL;

FILLRGN(RGNAU-3*(RGNAU-RGNAL)/6, RGNAU,SHOWTT=1 AND TTXB11,RGB(0, 104, 139));

FILLRGN(RGNAU-3*(RGNAU-RGNAL)/6, RGNAU,SHOWTT=1 AND TT0XB11,RGB(100, 100, 0));

FILLRGN(RGNAU-3*(RGNAU-RGNAL)/6, RGNAU,SHOWTT=1 AND TTX0B11,RGB(100, 0, 0));

UU := TTXXBXX AND (C>MA1 AND C>MA2) AND C>MA3, DRAWNULL, COLORGRAY;

{=====}

{=====}

{===== 阶段@RGNA&RGND =====}

{=====}

{----- 阶段4: MA1突破BU -----}

OO4 := MA1>=BU;

{----- 阶段3: C突破BUU -----}

OO3 := C>BUU;

{----- 阶段2: C突破BU -----}

OO2 := C>BU AND C<BUU;

{----- 阶段1: 收敛阶段 -----}

OO1:= CDNStdMa

AND BETWEEN(C,MID,BUU)

AND MA1>=CPZDX

AND (CUPDKmmacd or (DKmmacd>0 and CUPDKdif and CUPDKdea))

,DRAWNULL,COLORGRAY;

{===== 画图 =====}

{----- 势@背景 -----}

DRAWGBK(SHOWBGK=1 AND

(CUPBUUU AND OOCp) and (OO2 AND CUPStdMa)

, RGB(0, 39, 78));

DRAWGBK(SHOWBGK=1 AND

(CUPBUUU AND OOCp) and (OO4 OR OO3)

, RGB(0, 49, 79));

{----- 周期 -----}

VERTLINE(SHOWTIME=1 and (type=1 or STKLABEL='000300') and datatype<7 and TIME>145900,0);

VERTLINE(SHOWTIME=1 and STRLEFT(STKLABEL,1)='I' and datatype<8 and TIME>151400,0);

VERTLINE(SHOWTIME=1 and STRLEFT(STKLABEL,2)='HK' and datatype<8 and TIME>155900,0);

VERTLINE(SHOWTIME=1 and type=1 and datatype<=8 and thisweek=1,0),color00090F;

VERTLINE(SHOWTIME=1 and type=1 and datatype<=9 and thismonth=1,0),color00090F;

VERTLINE(SHOWTIME=1 and type=1 and datatype<=10 and thisyear=1,0),color00090F;

{----- OO -----}

FILLRGN(RGNAL, RGNAU,
OO3, RGB(255, 215, 0),
OO2, RGB(205, 50, 0),
OO1, RGB(110, 0, 110)
);

FILLRGN(RGNDL-(RGNDU-RGNDL), RGNDL,
OO4 AND COUNT(C<MA2,2)>1,RGB(139, 129, 76),
OO4,RGB(255, 215, 0)
);
FILLRGN(RGNDL-(RGNDU-RGNDL)/2, RGNDL,
OO4 AND CDNBLL=0,
RGB(139, 129, 76)
);

{----- Std@RGND -----}

FILLRGN(RGNDL, RGNDU,
CUPStdMa AND C>MID, RGB(0, 139, 69),
1, RGB(0, 40, 40)
);

{对于下降，但没有下探BL的情况，根据收敛进行判断}

{=====}
{===== 特殊信号 =====}
{=====}

wDKJinchaqian:= C>MID AND DKdif>-2 AND BETWEEN(DKmacd,-0.9,0.1),drawnull;
wDKJincha:= C>MID AND DKdif>-2 AND CROSS(DKdif,DKdea),drawnull;

{=====}
{=====}
{===== 信号系统 =====}
{=====}

{----- ZBDK系统 -----}

OOZBDK :=
CUPDKXB
AND (
CUPDKMMACD
OR CUPDKDif
OR (DKdif>2 AND BETWEEN(DKMACD,-0.5,0.1)){并且没有背离}
),DRAWNULL,COLORGRAY;

{----- MY -----}

BMV :=
C>MA2 AND C>MID
AND CUPMA2
{AND MA2>MA3}
AND OOZBDK
,DRAWNULL,COLORGRAY;

{----- 操盘线系统 -----}

BCPX := CPX>0,DRAWNULL,COLORGRAY;

{===== 画图 =====}

FILLRGN(RGNCL+1*(RGNCU-RGNCL)/2, RGNCL+2*(RGNCU-RGNCL)/2, BMY, RGB(100,181,246));

FILLRGN(RGNCL, RGNCL+1*(RGNCU-RGNCL)/2, BCPX, RGB(21,101,192));

FILLRGN(RGNBL, RGNBL+2*(RGNBU-RGNBL)/2, OOCB, RGB(78, 238, 148));

{=====}

{=====}

{===== 选股 =====}

{=====}

{=====}

持: OOCB

AND CUPBUUU

AND (OO4 OR OO3 OR (OO2 AND CUPStdMa)),

DRAWNULL,COLORYELLOW;

买: OOCB

AND (BMY AND BCPX)

AND (OO2 OR OO3 OR OO4 OR OO1)

,DRAWNULL,COLORYELLOW;

观:

(CUPBUUU AND OOCB and (OO2 OR OO1)) {已验证}

OR BMY {已验证}

OR (OO3 OR OO4)

,DRAWNULL,COLORYELLOW;

卖:COUNT(C<CB1,2)=2

,DRAWNULL,COLORRED;

{----- 画图 -----}

FILLRGN(RGNTL+1*(RGNTU-RGNTL)/2, RGNTU, 买, RGB(22, 0, 22));

FILLRGN(RGNTL, RGNTL+1*(RGNTU-RGNTL)/2, 观, RGB(0, 22, 55));

{=====}

{===== 布线 =====}

{=====}

{
PARTLINE(RGNAU, 1, RGB(20, 20, 20));
PARTLINE(RGNBU, 1, RGB(20, 20, 20));
PARTLINE(RGNCU, 1, RGB(20, 20, 20));

};

FILLRGN(BUUU-StdC/50, BUUU, 1, RGB(0, 49, 79));

```
PARTLINE(BUU, 1, RGB(0, 64, 128));
PARTLINE(BU, 1, RGB(0, 64, 128));
```

```
PARTLINE(MID, 1, RGB(125, 125, 125))LINETHICK2;
{PARTLINE(MA1, CUPMA1, RGB(255, 255, 0), 1, RGB(160, 160, 0));}
PARTLINE(CB1, CUPCB1, RGB(255, 255, 0), 1, RGB(160, 160, 0));
PARTLINE(CPZDX, 1, RGB(0, 255, 0))LINETHICK1,CIRCLEDOT;
```

```
{===== 提示 =====}
DRAWTEXT(SHOWBS=1 AND cross(CPBX,CPSX),LOW,'+'),ALIGN1,VALIGN0,colorred,linethick3;
DRAWTEXT(SHOWBS=1 AND cross(CPSX,CPBX),HIGH,'='),ALIGN1,VALIGN2,colorgreen,linethick3;
```

```
DRAWTEXT(SHOWBS=1 AND cross(H,BUUU),H,'-'),ALIGN1,VALIGN2,Color666666;
DRAWTEXT(SHOWBS=1 AND cross(BUUU,H),H,'-'),ALIGN1,VALIGN2,Color666666;
DRAWTEXT(SHOWBS=1 AND cross(H,BUU),H,'-'),ALIGN1,VALIGN2,Color666666;
DRAWTEXT(SHOWBS=1 AND cross(C,BUU),H,'-'),ALIGN1,VALIGN2,Color666666;
```

```
{----- 赋值 -----}
```

```
买自 : BMY, DRAWNULL, COLORWHITE;
操盘 : BCPX, DRAWNULL, COLORWHITE;
分析 : CPBX>=CPSX, DRAWNULL, COLORWHITE;
扩张 : CUPSTDMA, DRAWNULL, COLORGRAY;
O4 : OO4, DRAWNULL, COLORYELLOW;
O3 : OO3, DRAWNULL, COLORYELLOW;
O2 : OO2, DRAWNULL, COLORYELLOW;
O1 : OO1, DRAWNULL, COLORGRAY;
```

```
轨升 : CUPBUUU, DRAWNULL, COLORGRAY;
轨降 : CDNBLLL, DRAWNULL, COLORGRAY;
```

```
换手 : DYNAINFO(37), DRAWNULL, COLORCYAN;
振幅 : DYNAINFO(13), DRAWNULL, COLORCYAN;
```

```
CC : C, DRAWNULL, COLORCYAN;
指导 : CPZDX, DRAWNULL, COLORwhite;
成本 : CB1, DRAWNULL, COLORwhite;
B2 : BUU, DRAWNULL, COLORBLUE;
B1 : BU, DRAWNULL, COLORBLUE;
M1 : MA1, DRAWNULL, COLORGRAY;
M2 : MA2, DRAWNULL, COLORGRAY;
M3 : MA3, DRAWNULL, COLORGRAY;
M4 : MA4, DRAWNULL, COLORGRAY;
```

```
{----- 鸟瞰 -----}
```

```
STICKLINE(SHOWBIRD AND (持 OR 买 OR 观), C*SHOWBIRD, C*SHOWBIRD,9,0)colorblack;
```

```
{=====}
{=====}
{=====}
```