

```

=====
===== 参数 =====
=====
P1 := 5;
P2 := 10;
P3 := 60;
P4 := 120;
N := 27;

NDKSD := 10;
NDKLD := 20;
Ndkdea:= 6;

SHOWBKG := 1;
SHOWTT := 0;

{C,drawnull;}

=====
=====
===== 定义 =====
=====
=====
{MA}
MA1 := MA(CLOSE,P1),DRAWNULL;
MA2 := MA(CLOSE,P2),DRAWNULL;
MA3 := MA(CLOSE,P3),DRAWNULL;
MA4 := MA(CLOSE,P4),DRAWNULL;
CUPMA1:=MA1>=REF(MA1,1);
CUPMA2:=MA2>=REF(MA2,1);
CUPMA3:=MA3>=REF(MA3,1);
CUPMA4:=MA4>=REF(MA4,1);
CDNMA1:=MA1<=REF(MA1,1);
CDNMA2:=MA2<=REF(MA2,1);
CDNMA3:=MA3<=REF(MA3,1);
CDNMA4:=MA4<=REF(MA4,1);
{MID}
MID := MA(CLOSE,N);
CUPMID:=MID>=REF(MID,1);
CDNMID:=MID<=REF(MID,1);

{STD}
StdC := STD(CLOSE,N);
StdMA := MA(StdC,2);
CUPStdMA := StdMA >= REF(StdMA,1);
CDNStdMA := StdMA <= REF(StdMA,1) ;

{BOLL}
BUUU := MID + 3*StdC;
BUU := MID + 2*StdC;
BU := MID + 1*StdC;
BL := MID - 1*StdC;
BLL := MID - 2*StdC;

```

```
BLLL := MID - 3*StdC;  
CUPBUUU := BUUU >= REF(BUUU,1);  
CDNBLLL := BLLL <= REF(BLLL,1);
```

```
{MACD}  
DIF := 100* (EMA(C,12)/EMA(C,26)-1);  
DEA := EMA(DIF,9);  
MACD := (DIF-DEA);  
MMACD := SMA(MACD,4,2);  
CUPDIF := DIF>=REF(DIF,1);  
CUPDEA := DEA>=REF(DEA,1);  
CUPMACD := MACD>=REF(MACD,1);  
CUPMMACD := MMACD>=REF(MMACD,1);
```

```
{KDJ}  
RSV = (CLOSE-LLV(LOW,9))/(HHV(HIGH,9)-LLV(LOW,9))*100;{进行改写，乘以std，用于替代c-mid/std}  
K := SMA(RSV,3,1);  
D := SMA(K,3,1);  
J := 3*K-2*D;  
CUPK := K>=REF(K,1);  
CUPD := D>=REF(D,1);  
CUPJ := J>=REF(J,1);
```

```
{DK}  
A := (3*C+L+O+H)/6;  
DKXB := (20*A+19*REF(A,1)+18*REF(A,2)+17*REF(A,3)+16*REF(A,4)+15*REF(A,5)+14*REF(A,6)  
+13*REF(A,7)+12*REF(A,8)+11*REF(A,9)+10*REF(A,10)+9*REF(A,11)+8*REF(A,12)  
+7*REF(A,13)+6*REF(A,14)+5*REF(A,15)+4*REF(A,16)+3*REF(A,17)+2*REF(A,18)+  
REF(A,20))/210;  
DKSD := MA(DKXB,NDKSD);  
DKLD := MA(DKXB,NDKLD);  
  
CUPDKXB := DKXB>=REF(DKXB,1);  
CUPDKSD := DKSD>=REF(DKSD,1);  
CUPDKLD := DKLD>=REF(DKLD,1);
```

```
{SHORT DKX-MACD}  
DKdif := MIN(100,100* (DKXB/DKSD-1));{是否与STD联系}  
DKdea := EMA(DKdif,NDkdea);  
DKmacd := (DKdif-DKdea),drawnull;  
DKmmacd := SMA(DKmacd,4,2);  
CUPDKdif := DKdif >= REF(DKdif,1);  
CUPDKdea := DKdea >= REF(DKdea,1);  
CUPDKmmacd := DKmmacd >= REF(DKmmacd,1);
```

```
{LONG DKX-MACD}  
DKLTdif := MIN(200,100* (DKXB/DKLD-1));{是否与STD联系}  
DKLTdea := EMA(DKLTdif,NDKdea);  
DKLTmacd := (DKLTdif-DKLTdea),drawnull;  
DKLTmmacd := SMA(DKLTmacd,4,2);  
CUPDKLTdif := DKLTdif >= REF(DKLTdif,1);  
CUPDKLTdea := DKLTdea >= REF(DKLTdea,1);  
CUPDKLTmmacd := DKLTmmacd >= REF(DKLTmmacd,1);
```

{CYC}

CB1 := EMA(if(finance(0),amount/volunit,V*(h+l+c)/3),P1)/EMA(VOL,P1);

CYC := DMA(C,if(V/CAPITAL/100<0.5,V/CAPITAL/100,0.5));

CUPCB1 := CB1>REF(CB1,1);

CUPCYC := CYC>REF(CYC,1);

{CPX}

CPBX := EMA(C,2);

CPSX := EMA(SLOPE(C,21)*20+C,42);

{ZDX}

ZDX:= EMA((EMA(CLOSE,4)+EMA(CLOSE,6)+EMA(CLOSE,12)+EMA(CLOSE,24))/4,2);

{VOLUME}

VMA1:=MA(VOL,P1);

VMA2:=MA(VOL,P2);

VMA3:=MA(VOL,N);

CUPVMA1:=VMA1>REF(VMA1,1);

CUPVMA2:=VMA2>REF(VMA2,1);

CUPVMA3:=VMA3>REF(VMA3,1);

{UU}

TTXXBXX := C>DKXB AND C>DKSD AND C>MID,DRAWNULL;

UU := TTXXBXX AND (C>MA1 AND C>MA2) AND C>MA3, DRAWNULL, COLORGRAY;

{===== Layer MA =====}

MA := EMA(C,5);

LMArear := (MA1-MID)/(1.9*StdMA);

LMA := MIN(1, MAX(0, LMArear));

CUPLMA := LMA>REF(LMA,1);

CDNLMA := LMA<REF(LMA,1);

{===== Layer C =====}

{确定C是否进入轨道BUU, BUUU}

LCreal := (C-MID)/(1.98*StdMA);

LC := MAX(0, LCreal);

{=====}

{===== 特殊信号 =====}

{=====}

wDKJinchaqian:= C>MID AND DKdif>-2 AND BETWEEN(DKmacd,-0.9,0.1),drawnull;

wDKJincha:= C>MID AND DKdif>-2 AND CROSS(DKdif,DKdea),drawnull;

{----- 收敛 -----}

LC0:= CDNStdMa

AND BETWEEN(C, MID, BUU)

AND MA1>=ZDX

AND (CUPDKmacd or (DKmmacd>0 and CUPDKdif and CUPDKdea));

{STD减少时BUUU与MA的方向运动, 收敛状态的总结}

```

=====
=====
===== 信号系统 =====
=====
{----- MACD系统 -----}
{需要重写}
OOMACD :=
DIF>0 AND
CUPDIF
AND (
CUPMMACD
OR CUPDKDif
OR (DKDif>2 AND BETWEEN(DKMACD,-0.5,0.1)){并且没有背离}
),DRAWNULL,COLORGRAY;
{----- ZBDK系统 -----}
OOZBDK :=
CUPDKXB
AND (
CUPDKMMACD
OR CUPDKDif
OR (DKDif>2 AND BETWEEN(DKMACD,-0.5,0.1)){并且没有背离}
),DRAWNULL,COLORGRAY;

{----- 操盘线系统 -----}
VCPX := CPX>0;
{----- 指导线系统 -----}
VZDX := MA1>ZDX;

=====
=====
===== 选股 =====
=====
=====

持: VZDX
AND CUPBUUU
AND (LMA>0.5 OR LC>1 OR (LC>1.5 AND CUPStdMa)),
DRAWNULL,COLORYELLOW;

买: VZDX
AND (VCPX)
AND (LC>1.5 OR LC>2 OR LMA>0.3 OR LC0)
,DRAWNULL,COLORYELLOW;

观:
(CUPBUUU AND VZDX and (LC>2 )) {已验证}
OR ((CUPBUUU AND VZDX) and (LMA>0.5 AND (LMA>0.3 OR CUPStdMa))) {已验证}

,DRAWNULL,COLORYELLOW;

```

卖:COUNT(C<CB1,2)=2
,DRAWNULL,COLORRED;

{=====}
{===== 区域划分 =====}
{=====}

操作区域: RGNo
方差区域: RGNstd
主升区域: RGNc
突破区域: RGNa
MABU区域: RGNm
特信区域: RGNs
验证区域: RGnt}

RGNmU := BLL + 10*(MID-BLL)/10;
RGNmL := BLL + 6*(MID-BLL)/10;

RGNCU := BLL + 6*(MID-BLL)/10;
RGNC L := BLL + 4*(MID-BLL)/10;

RGNoU := BLL + 4*(MID-BLL)/10;
RGNoL := BLL + 1*(MID-BLL)/10;

RGNstdU := BLL + 1*(MID-BLL)/10;
RGNstdL := BLL;

RGNaU := BLL;
RGNaL := BLL;
RGntU := BUUU+StdC;
RGntL := BUUU-StdC;

{=====}
{===== 画图 =====}
{=====}

{----- 基础线 -----}

PARTLINE(MA3,1,RGB(60, 60, 60));

PARTLINE(MA4,1,RGB(40, 40, 40));

{----- 背景 -----}

{全背景}

DRAWGBK(SHOWBGK=1, RGB(0, 18, 0));

{持}

{DRAWGBK(SHOWBGK=1 AND LM>0.9, RGB(0, 39, 78));}

DRAWGBK(SHOWBGK=1
AND VZDX
AND CUPBUUU
AND ((LMA>0.5 AND LC>1) OR (CUPStdMA AND LMA>0.7 AND LC>ZDX))
, RGB(0, 49, 79));

{运行区域}

FILLRGN(CPSX, BUUU,1, RGB(18, 0, 0));

PARTLINE(MA1, CUPMA1, RGB(255, 255, 0), 1, RGB(160, 160, 0));

{PARTLINE(CB1, CUPCB1, RGB(255, 255, 0), 1, RGB(160, 160, 0));}

PARTLINE(ZDX, 1, RGB(0, 255, 0));

FILLRGN(BLL, CPSX, 1, RGB(0, 10, 0));

FILLRGN(CPSX*0.99, CPSX, 1, RGB(0, 28, 0));

{CYC}

FILLRGN(CYC*0.98, CYC, SHOWCYC=1, RGB(238, 180, 180));

{----- 周期 -----}

{收盘时刻}

VERTLINE(SHOWTIME=1 and (type=1 or STKLABEL='000300') and datatype<7 and TIME>145900,0);

VERTLINE(SHOWTIME=1 and STRLEFT(STKLABEL,1)='I' and datatype<8 and TIME>151400,0);

VERTLINE(SHOWTIME=1 and STRLEFT(STKLABEL,2)='HK' and datatype<8 and TIME>155900,0);

{周开始}

VERTLINE(SHOWTIME=1 and type=1 and datatype<=8 and thisweek=1,0),color00090F;

{月开始}

VERTLINE(SHOWTIME=1 and type=1 and datatype<=9 and thismonth=1,0),color00090F;

{年开始}

VERTLINE(SHOWTIME=1 and type=1 and datatype<=10 and thisyear=1,0),color00090F;

{----- Std@RGNd -----}

FILLRGN(RGNstdL, RGNstdU,

CUPStdMa AND C>MID, RGB(0, 139, 69),

1, RGB(0, 40, 40)

);

{----- LM -----}

FILLRGN(RGNmL, RGNmL+(RGNmU-RGNmL)*LMA*LMA,

BETWEEN(LMA, 0.8, 2), RGB(255, 215, 0),

BETWEEN(LMA, 0.6, 0.8), RGB(220, 190, 0),

BETWEEN(LMA, 0.4, 0.6), RGB(200, 160, 0),

BETWEEN(LMA, 0.2, 0.4), RGB(185, 150, 0),

1, RGB(150, 120, 0)

);

{----- LC -----}

FILLRGN(RGNcU-(RGNcU-RGNcL)*LC/1.5, RGNcU,

BETWEEN(LC, 1.5, 10), RGB(255, 0, 0),

BETWEEN(LC, 1.25, 1.5), RGB(255, 40, 0),

BETWEEN(LC, 1, 1.25), RGB(255, 80, 0),

BETWEEN(LC, 0.75, 1), RGB(255, 120, 0),

BETWEEN(LC, 0.5, 0.75), RGB(255, 160, 0),

BETWEEN(LC, 0.3, 0.5) AND C>CPSX, RGB(255, 120, 100)

);

{===== 参考系统 =====}

{FILLRGN(RGNoL+2*(RGNoU-RGNoL)/3, RGNoU, BMY, RGB(100,181,246));}

FILLRGN(RGNoL+1*(RGNoU-RGNoL)/3, RGNoL+2*(RGNoU-RGNoL)/3, VCPX, RGB(21,101,192));

{FILLRGN(RGNoL, RGNoL+1*(RGNoU-RGNoL)/3, VZDX, RGB(78, 238, 148));}

{===== 综合系统 =====}

{FILLRGN(RGntL+1*(RGntU-RGntL)/2, RGntU, 买, RGB(22, 0, 22));}

FILLRGN(RGntL, RGntL+1*(RGntU-RGntL)/2, CPX>0, RGB(0, 22, 55));

{=====}

{=====}

{===== 布线 =====}

{=====}

{=====}

PARTLINE(BUUU, 1, RGB(0, 64, 128));

PARTLINE(BUU, 1, RGB(0, 64, 128));

PARTLINE(MID, 1, RGB(66, 66, 66))LINETHICK2;

{===== 提示 =====}

DRAWTEXT(SHOWBS=1 AND CPX=1,LOW,'+'),ALIGN1,VALIGN0,colorred,linethick3;

DRAWTEXT(SHOWBS=1 AND CPX=-1,HIGH,'='),ALIGN1,VALIGN2,colorgreen,linethick3;

DRAWTEXT(SHOWBS=1 AND cross(H,BUUU),H,'-'),ALIGN1,VALIGN2,Color666666;

DRAWTEXT(SHOWBS=1 AND cross(BUUU,H),H,'-'),ALIGN1,VALIGN2,Color666666;

DRAWTEXT(SHOWBS=1 AND cross(H,BUU),H,'-'),ALIGN1,VALIGN2,Color666666;

DRAWTEXT(SHOWBS=1 AND cross(C,BUU),H,'-'),ALIGN1,VALIGN2,Color666666;

DRAWTEXT(SHOWBS=1 AND CPX=1,RGNmL,'+'),ALIGN1,VALIGN0,Color666666;

DRAWTEXT(SHOWBS=1 AND CPX=-1,RGNmL,'='),ALIGN1,VALIGN0,Color666666;

{===== K线 =====}

stickline(C>BUUU and O>BUUU,MIN(O,C),MAX(O,C),10,0),coloryellow;

stickline(C>BUUU and BETWEEN(O,BUU,BUUU),O,BUUU,10,0),colorred;

stickline(C>BUUU and O<BUU,BUU,BUUU,10,0),colorred;

stickline(BETWEEN(C,BUU,BUUU) and O>BUUU,MIN(O,C),MAX(O,C),10,0),coloryellow;

stickline(BETWEEN(C,BUU,BUUU) and BETWEEN(O,BUU,BUUU),O,C,10,0),colorred;

stickline(BETWEEN(C,BUU,BUUU) and O<BUU,BUU,C,10,0),colorred;

{信达地产以及各种启动模式， 确定是否进入轨道}

{VERTLINE(C>=BUU AND BETWEEN(COUNT(C>=BUU,12),3,3),0),colorred; }

{----- 赋值 -----}

操盘线：CPX, DRAWNULL, COLORWHITE;

'LM['+LMA+']', DRAWNULL, COLORYELLOW;

'LC['+LC+']',DRAWNULL, COLORYELLOW;

NCUU: COUNT(C>BUU,10),DRAWNULL, COLORYELLOW;

扩张：CUPSTDMA, DRAWNULL, COLORGRAY;

轨升：CUPBUUU, DRAWNULL, COLORGRAY;

轨降：CDNBLLL, DRAWNULL, COLORGRAY;

振幅 : 100*(H-L)/REF(C,1), DRAWNULL, COLORCYAN;

CC : C, DRAWNULL, COLORCYAN;

指导 : ZDX, DRAWNULL, COLORwhite;

成本 : CB1, DRAWNULL, COLORwhite;

{

B2 : BUU, DRAWNULL, COLORBLUE;

B1 : BU, DRAWNULL, COLORBLUE;

M1 : MA1, DRAWNULL, COLORGRAY;

M2 : MA2, DRAWNULL, COLORGRAY;

M3 : MA3, DRAWNULL, COLORGRAY;

M4 : MA4, DRAWNULL, COLORGRAY;

}

{----- 鸟瞰 -----}

STICKLINE(SHOWBIRD AND (持 OR 买 OR 观), C*SHOWBIRD, C*SHOWBIRD,1,0)colorblack;

{=====}

{=====}

{=====}