

```

=====
===== 参数 =====
=====
P1 := 5;
P2 := 10;
P3 := 60;
P4 := 120;
N := 27;

NDKSD := 10;
NDKLD := 20;
Ndkdea:= 6;

SHOWBKG := 1;
SHOWTT := 0;
=====
=====
===== 定义 =====
=====
=====
{MA}
MA1 := EMA(CLOSE,P1),DRAWNULL;
MA2 := EMA(CLOSE,P2),DRAWNULL;
MA3 := EMA(CLOSE,P3),DRAWNULL;
MA4 := EMA(CLOSE,P4),DRAWNULL;
CUPMA1:=MA1>=REF(MA1,1);
CUPMA2:=MA2>=REF(MA2,1);
CUPMA3:=MA3>=REF(MA3,1);
CUPMA4:=MA4>=REF(MA4,1);
CDNMA1:=MA1<=REF(MA1,1);
CDNMA2:=MA2<=REF(MA2,1);
CDNMA3:=MA3<=REF(MA3,1);
CDNMA4:=MA4<=REF(MA4,1);
{MID}
MID := MA(CLOSE,N);
CUPMID:=MID>=REF(MID,1);
CDNMID:=MID<=REF(MID,1);

{STD}
StdC := STD(CLOSE,N);
StdMA := EMA(StdC,3);
CUPStdMA := StdMA >= REF(StdMA,1);
CDNStdMA := StdMA <= REF(StdMA,1) ;

{BOLL}
BUUU := MID + 3*StdC;
BUU := MID + 2*StdC;
BU := MID + 1*StdC;
BL := MID - 1*StdC;
BLL := MID - 2*StdC;
BLLL := MID - 3*StdC;
CUPBUUU := BUUU >= REF(BUUU,1);
CDNBLLL := BLLL <= REF(BLLL,1);

```

{MACD}

DIF := 100* (EMA(C,12)/EMA(C,26)-1);

DEA := EMA(DIF,9);

MACD := (DIF-DEA);

MMACD := SMA(MACD,4,2);

CUPDIF := DIF>=REF(DIF,1);

CUPDEA := DEA>=REF(DEA,1);

CUPMACD := MACD>=REF(MACD,1);

CUPMMACD := MMACD>=REF(MMACD,1);

{KDJ}

RSV = (CLOSE-LLV(LOW,9))/(HHV(HIGH,9)-LLV(LOW,9))*100;

{进行改写，乘以std，用于替代c-mid/std}

K := SMA(RSV,3,1);

D := SMA(K,3,1);

J := 3*K-2*D;

CUPK := K>=REF(K,1);

CUPD := D>=REF(D,1);

CUPJ := J>=REF(J,1);

{DK}

A := (3*C+L+O+H)/6;

DKXB := (20*A+19*REF(A,1)+18*REF(A,2)+17*REF(A,3)+16*REF(A,4)+15*REF(A,5)+14*REF(A,6)
+13*REF(A,7)+12*REF(A,8)+11*REF(A,9)+10*REF(A,10)+9*REF(A,11)+8*REF(A,12)
+7*REF(A,13)+6*REF(A,14)+5*REF(A,15)+4*REF(A,16)+3*REF(A,17)+2*REF(A,18)+
REF(A,20))/210;

DKSD := MA(DKXB,NDKSD);

DKLD := MA(DKXB,NDKLD);

CUPDKXB := DKXB>=REF(DKXB,1);

CUPDKSD := DKSD>=REF(DKSD,1);

CUPDKLD := DKLD>=REF(DKLD,1);

{SHORT DKX-MACD}

DKdif := MIN(100,100* (DKXB/DKSD-1)),COLORWHITE;

DKdea := EMA(DKdif,NDkdea);

DKmacd := (DKdif-DKdea),drawnull;

DKmmacd := SMA(DKmacd,4,2);

CUPDKdif := DKdif >= REF(DKdif,1);

CUPDKdea := DKdea >= REF(DKdea,1);

CUPDKmmacd := DKmmacd >= REF(DKmmacd,1);

{LONG DKX-MACD}

DKLTdif := MIN(200,100* (DKXB/DKLD-1));

DKLTdea := EMA(DKLTdif,NDKdea);

DKLTmacd := (DKLTdif-DKLTdea),drawnull;

DKLTmmacd := SMA(DKLTmacd,4,2);

CUPDKLTdif := DKLTdif >= REF(DKLTdif,1);

CUPDKLTdea := DKLTdea >= REF(DKLTdea,1);

CUPDKLTmmacd := DKLTmmacd >= REF(DKLTmmacd,1);

{CYC}

CB1 := EMA(if(finance(0),amount/volunit,V*(h+l+c)/3),P1)/EMA(VOL,P1);

CYC := DMA(C,if(V/CAPITAL/100<0.5,V/CAPITAL/100,0.5));

CUPCB1 := CB1>REF(CB1,1);

CUPCYC := CYC>REF(CYC,1);

{CPX}

CPBX := EMA(C,2);

CPSX := EMA(SLOPE(C,21)*20+C,42);

{ZDX}

ZDX:= EMA((EMA(CLOSE,4)+EMA(CLOSE,6)+EMA(CLOSE,12)+EMA(CLOSE,24))/4,2);

{----- others -----}

{VOLUME}

VMA1:=MA(VOL,P1);

VMA2:=MA(VOL,P2);

VMA3:=MA(VOL,N);

CUPVMA1:=VMA1>REF(VMA1,1);

CUPVMA2:=VMA2>REF(VMA2,1);

CUPVMA3:=VMA3>REF(VMA3,1);

{UU}

TTXBXBX := C>DKXB AND C>DKSD AND C>MID,DRAWNULL;

UU := TTXBXBX AND (C>MA1 AND C>MA2) AND C>MA3, DRAWNULL, COLORGRAY;

{----- C层 -----}

LCreal := (C-MID)/(1.98*StdMA);

LC := MAX(0, LCreal);

{----- MA层 -----}

MA := EMA(C,5);

LMAreal := (MA1-MID)/(1.9*StdMA);

LMA := MIN(1, MAX(0, LMAreal));

CUPLMA := LMA>REF(LMA,1);

CDNLMA := LMA<REF(LMA,1);

{=====}

{===== 特殊信号 =====}

{=====}

{----- 入轨 -----}

MAXoc := MAX(o,c);

MINoc := MIN(o,c);

TP2OC := IF(

MAXoc>MINoc,

(MAX(MAXoc, BUU) - MAX(MINoc, BUU)) / (MAXoc - MINoc),

IF(MAXoc>=BUU AND o>ref(c,1),1,0)

);

TP2STD := (MAX(MAXoc, BUU) - BUU) / StdC;

NTP := COUNT(TP2OC>0, 5);

NTPbuuu := COUNT(TP2STD>0, 5);

ISTP := TP2OC>0 OR (C>MA1 AND COUNT(TP2OC>0,5)>2);

```

{----- others -----}
wDKJinchaqian:= C>MID AND DKdif>-2 AND BETWEEN(DKmacd,-0.9,0.1),drawnull;
wDKJincha:= C>MID AND DKdif>-2 AND CROSS(DKdif,DKdea),drawnull;

{=====}
{=====}
{===== 信号系统 =====}
{=====}
{=====}
{----- 操盘线系统 -----}
VCPX := CPX>0 and C>MID;
{----- 指导线系统 -----}
VZDX := MA1>ZDX;
{----- ZBDK系统 -----}
OOZBDK :=
CUPDKXB
AND (
CUPDKMMACD
OR CUPDKDif
OR (DKDif>2 AND BETWEEN(DKMACD,-0.5,0.1)){并且没有背离}
),DRAWNULL,COLORGRAY;

{===== 仪轨 =====}
持 : VZDX
AND CUPBUUU AND (CUPStdMa OR REF(CUPStdMa,1)=1)
AND LMA>0.5
AND (LC>0.5 AND C>ZDX AND COUNT(LC>1, 10)>0)
,DRAWNULL, COLORWHITE;

敛 : VZDX
AND (CDNStdMa OR (CUPStdMa AND COUNT(CUPStdMa, 10)<7))
AND LMA>0.1
AND (DKmmacd>-2 AND DKdea>-4 AND CUPDKdif)
,DRAWNULL, COLORyellow;
{STD减少时BUUU与MA的方向运动, 收敛状态的总结}

安 : VCPX
,DRAWNULL, COLORWHITE;

卖 : COUNT(C<CB1,2)=2
,DRAWNULL,COLORgreen;

{=====}
{=====}
{===== Make Up =====}
{=====}
{=====}
{----- 区域 -----}
{
突破区域: RGNtp
操作区域: RGNo
方差区域: RGNstd
主升区域: RGNc

```

MABU区域: RGNm

特信区域: RGNs

验证区域: RGNt}

RGNtpU := MID + StdC/4;

RGNtpL := MID;

RGNoU := BLL + 10*(MID-BLL)/10;

RGNoL := BLL + 9*(MID-BLL)/10;

RGNmU := BLL + 9*(MID-BLL)/10;

RGNmL := BLL + 5*(MID-BLL)/10;

RGNcU := BLL + 1*(MID-BLL)/10;

RGNcL := BLL + 1*(MID-BLL)/10;

RGNSzfU := BLL + 2*(MID-BLL)/10;

RGNSzfL := BLL + 1*(MID-BLL)/10;

RGNstdU := BLL + 1*(MID-BLL)/10;

RGNstdL := BLL;

RGNtU := BUUU;

RGNtL := BUUU-StdC;

{=====}

{----- 全背景 -----}

DRAWGBK(SHOWBGK=1, RGB(0, 18, 0));

{----- 仪轨 -----}

DRAWGBK(SHOWBGK=1 AND 安, RGB(0, 20, 20));

DRAWGBK(SHOWBGK=1 AND 斂, RGB(0, 30, 40));

DRAWGBK(SHOWBGK=1 AND 持, RGB(0, 50, 80));

{----- 天地 -----}

FILLRGN(CPSX, BUUU,1, RGB(18, 0, 0));

FILLRGN(BLL, CPSX, 1, RGB(0, 10, 0));

FILLRGN(CPSX*0.99, CPSX, 1, RGB(0, 28, 0));

{CYC}

FILLRGN(CYC*0.98, CYC, SHOWCYC=1, RGB(238, 180, 180));

{----- 入轨信号 -----}

FILLRGN(RGNtpL, RGNtpU, istp, RGB(50, 205, 50));

{FILLRGN(MID, MID+StdC/2, TP2OC=1 and TP2STD<1, RGB(222, 0, 0));}

DRAWTEXT(TP2OC=1 and TP2STD<1, MID, '*'),ALIGN1,VALIGN2,Coloryellow;

{指导线}

FILLRGN(RGNoL, RGNoU, VZDX, RGB(21,101,192));

{信达地产以及各种启动模式, 确定是否进入轨道}

{VERTLINE(C>=BUU AND BETWEEN(COUNT(C>=BUU,12),3,3),0),colorred; }

```

=====
{----- 周期 -----}
{收盘时刻}
VERTLINE(SHOWTIME=1 and (type=1 or STKLABEL='000300') and datatype<7 and TIME>145900,0)colorblack;
VERTLINE(SHOWTIME=1 and STRLEFT(STKLABEL,1)='I' and datatype<8 and TIME>151400,0)colorblack;
VERTLINE(SHOWTIME=1 and STRLEFT(STKLABEL,2)='HK' and datatype<8 and TIME>155900,0)colorblack;

{周开始}
VERTLINE(SHOWTIME=1 and type=1 and datatype<=8 and thisweek=1,0),color00090F;

{月开始}
VERTLINE(SHOWTIME=1 and type=1 and datatype<=9 and thismonth=1,0),color00090F;

{年开始}
VERTLINE(SHOWTIME=1 and type=1 and datatype<=10 and thisyear=1,0),color00090F;

=====
{----- Std@RGNd -----}
FILLRGN(RGNstdL, RGNstdU,
CUPStdMa AND C>MID, RGB(0, 139, 69),
1, RGB(0, 40, 40)
);
{----- LM -----}
FILLRGN(RGNmL, RGNmL+(RGNmU-RGNmL)*LMA*LMA,
BETWEEN(LMA, 0.8, 2), RGB(255, 215, 0),
BETWEEN(LMA, 0.6, 0.8), RGB(220, 190, 0),
BETWEEN(LMA, 0.4, 0.6), RGB(200, 160, 0),
BETWEEN(LMA, 0.2, 0.4), RGB(185, 150, 0),
1, RGB(150, 120, 0)
);
PARTLINE(RGNmL+(RGNmU-RGNmL)*3/4, LMA*LMA>0.75, RGB(220, 190, 0));
PARTLINE(RGNmL+(RGNmU-RGNmL)*2/4, LMA*LMA>0.5, RGB(220, 190, 0));
PARTLINE(RGNmL+(RGNmU-RGNmL)*1/4, LMA*LMA>0.25, RGB(220, 190, 0));

{----- LC -----}
FILLRGN(RGNcU-(RGNcU-RGNcL)*LC/1.5, RGNcU,
BETWEEN(LC, 1.5, 10), RGB(255, 0, 0),
BETWEEN(LC, 1.25, 1.5), RGB(255, 40, 0),
BETWEEN(LC, 1, 1.25), RGB(255, 80, 0),
BETWEEN(LC, 0.75, 1), RGB(255, 120, 0),
BETWEEN(LC, 0.5, 0.75), RGB(255, 160, 0),
BETWEEN(LC, 0.3, 0.5) AND C>CPSX, RGB(255, 120, 100)
);
PARTLINE(RGNcL*1/3+RGNcU*2/3, LC>0.5, RGB(220, 190, 0));
PARTLINE(RGNcL*2/3+RGNcU*1/3, LC>1, RGB(220, 190, 0));
PARTLINE(RGNcL, LC>1.5, RGB(220, 190, 0));
}

=====
{===== 特殊 =====}
=====
FILLRGN(RGNSzfL, RGNSzfU,
(H-L)/L>0.2, RGB(255,205,0),

```

DATATYPE=8 and (H-L)/L>0.09, RGB(255,205,0)

);

{=====}

{===== 布线 =====}

{=====}

PARTLINE(BUUU, 1, RGB(0, 64, 128));

PARTLINE(BUU, 1, RGB(0, 64, 128));

PARTLINE(MID, 1, RGB(66, 66, 66))LINETHICK2;

PARTLINE(MA1, C>MID AND CUPMA1, RGB(255, 255, 0), C>MID, RGB(160, 160, 0));

{PARTLINE(CB1, C>MID AND CUPCB1, RGB(255, 255, 0), C>MID, RGB(160, 160, 0));}

PARTLINE(ZDX, C>MID, RGB(0, 255, 0));

{===== 提示 =====}

DRAWTEXT(SHOWBS=1 AND CPX=1,LOW,'B'),ALIGN1,VALIGN0,colorred,linethick3;

DRAWTEXT(SHOWBS=1 AND CPX=-1,HIGH,'S'),ALIGN1,VALIGN2,colorgreen,linethick3;

DRAWTEXT(SHOWBS=1 AND cross(H,BUUU),H,'-'),ALIGN1,VALIGN2,Color666666;

DRAWTEXT(SHOWBS=1 AND cross(BUUU,H),H,'-'),ALIGN1,VALIGN2,Color666666;

DRAWTEXT(SHOWBS=1 AND cross(H,BUU),H,'-'),ALIGN1,VALIGN2,Color666666;

DRAWTEXT(SHOWBS=1 AND cross(C,BUU),H,'-'),ALIGN1,VALIGN2,Color666666;

DRAWTEXT(SHOWBS=1 AND CPX=1,RGNstdL,'+'),ALIGN1,VALIGN0,Color666666;

DRAWTEXT(SHOWBS=1 AND CPX=-1,RGNstdL,'='),ALIGN1,VALIGN0,Color666666;

{===== K线 =====}

stickline(C>BUUU and O>BUUU,MIN(O,C),MAX(O,C),10,0),coloryellow;

stickline(C>BUUU and BETWEEN(O,BUU,BUUU),O,BUUU,10,0),colorred;

stickline(C>BUUU and O<BUU,BUU,BUUU,10,0),colorred;

stickline(BETWEEN(C,BUU,BUUU) and O>BUUU,MIN(O,C),MAX(O,C),10,0),coloryellow;

stickline(BETWEEN(C,BUU,BUUU) and BETWEEN(O,BUU,BUUU),O,C,10,0),colorred;

stickline(BETWEEN(C,BUU,BUUU) and O<BUU,BUU,C,10,0),colorred;

{----- 赋值 -----}

C,DRAWNULL, COLORCYAN;

突破 : ISTP, DRAWNULL, COLORyellow;

突数 : NTP, DRAWNULL, COLORyellow;

突自 : 100*TP2OC, DRAWNULL, COLORyellow;

突天 : 100*TP2STD, DRAWNULL, COLORyellow;

均层 : INTPART(100*LMA), DRAWNULL, COLORwhite;

价层 : INTPART(100*LC), DRAWNULL, COLORwhite;

振幅 : 100*(H-L)/REF(C,1), DRAWNULL, COLORwhite;

指导线 : ZDX, DRAWNULL, COLORgray;

成本线 : CB1, DRAWNULL, COLORgray;

无天 : UU and C>MA3, DRAWNULL, COLORblue;

IFS(CUPSTDMA>0, '扩张','收缩'), DRAWNULL, COLORblue;

IFS(CUPBUUU>0, '轨升','轨降'), DRAWNULL, COLORblue;

```
IFS(C>BU, 'BU之上','小于BU'), DRAWNULL, COLORwhite;  
IFS(C>MA3, '60日均线之上','小于60日均线'), DRAWNULL, COLORwhite;  
IFS(C>MA4, '120日均线之上','小于120日均线'), DRAWNULL, COLORwhite;  
{----- 鸟瞰 -----}  
STICKLINE(SHOWBIRD, C*SHOWBIRD, C*SHOWBIRD,1,0)colorblack;
```

```
{=====}  
{=====}  
{=====}
```