

```

=====
{===== 参数 =====}
=====
P1 := 5;
P2 := 10;
P3 := 60;
P4 := 120;
N := 27;

NDKSD := 10;
NDKLD := 20;
Ndkdea:= 6;

SHOWBKG := 1;
SHOWTT := 0;
=====
{===== 定义 =====}
=====
{MA}
MA1 := EMA(CLOSE,P1),DRAWNULL;
MA2 := EMA(CLOSE,P2),DRAWNULL;
MA3 := EMA(CLOSE,P3),DRAWNULL;
MA4 := EMA(CLOSE,P4),DRAWNULL;
CUPMA1 := MA1>=REF(MA1,1);
CUPMA2 := MA2>=REF(MA2,1);
CUPMA3 := MA3>=REF(MA3,1);
CUPMA4 := MA4>=REF(MA4,1);

{STD}
StdC := STD(CLOSE,N);
StdMA := EMA(StdC,3);
CUPStdMA := StdMA >= REF(StdMA,1);
CDNStdMA := StdMA <= REF(StdMA,1) ;

{MID}
MID := MA(CLOSE,N);
CUPMID := MID>=REF(MID,1);
{EMID}
EMID := EMA(CLOSE,N);
CUPEMID := EMID>=REF(EMID,1);
{DDMID}
DDMID := EMID - MID, DRAWNULL;
CUPDDMID := DDMID>=REF(DDMID,1);

{BOLL}
BUUU := MID + 3*StdC;
BUU := MID + 2*StdC;
BU := MID + 1*StdC;
BL := MID - 1*StdC;
BLL := MID - 2*StdC;
BLLL := MID - 3*StdC;

```

CUPBUUU := BUUU >= REF(BUUU,1);

CDNBLLL := BLLL <= REF(BLLL,1);

{MACD}

DIF := 100* (EMA(C,12)/EMA(C,26)-1);

DEA := EMA(DIF,9);

MACD := (DIF-DEA);

MMACD := SMA(MACD,4,2);

CUPDIF := DIF >= REF(DIF,1);

CUPDEA := DEA >= REF(DEA,1);

CUPMACD := MACD >= REF(MACD,1);

CUPMMACD := MMACD >= REF(MMACD,1);

{KDJ}

RSV = (CLOSE-LLV(LOW,9))/(HHV(HIGH,9)-LLV(LOW,9))*100;

K := SMA(RSV,3,1);

D := SMA(K,3,1);

J := 3*K-2*D;

CUPK := K >= REF(K,1);

CUPD := D >= REF(D,1);

CUPJ := J >= REF(J,1);

{DK}

A := (3*C+L+O+H)/6;

DKXB := (20*A+19*REF(A,1)+18*REF(A,2)+17*REF(A,3)+16*REF(A,4)+15*REF(A,5)+14*REF(A,6)
+13*REF(A,7)+12*REF(A,8)+11*REF(A,9)+10*REF(A,10)+9*REF(A,11)+8*REF(A,12)
+7*REF(A,13)+6*REF(A,14)+5*REF(A,15)+4*REF(A,16)+3*REF(A,17)+2*REF(A,18)+
REF(A,20))/210;

DKSD := MA(DKXB,NDKSD);

DKLD := MA(DKXB,NDKLD);

CUPDKXB := DKXB >= REF(DKXB,1);

CUPDKSD := DKSD >= REF(DKSD,1);

CUPDKLD := DKLD >= REF(DKLD,1);

{SHORT DKX-MACD}

DKdif := MIN(100,100* (DKXB/DKSD-1)),COLORWHITE;

DKdea := EMA(DKdif,NDkdea);

DKmacd := (DKdif-DKdea),drawnull;

DKmmacd := SMA(DKmacd,4,2);

CUPDKdif := DKdif >= REF(DKdif,1);

CUPDKdea := DKdea >= REF(DKdea,1);

CUPDKmmacd := DKmmacd >= REF(DKmmacd,1);

{LONG DKX-MACD}

DKLTdif := MIN(200,100* (DKXB/DKLD-1));

DKLTdea := EMA(DKLTdif,NDKdea);

DKLTmacd := (DKLTdif-DKLTdea),drawnull;

DKLTmmacd := SMA(DKLTmacd,4,2);

CUPDKLTdif := DKLTdif >= REF(DKLTdif,1);

CUPDKLTdea := DKLTdea >= REF(DKLTdea,1);

CUPDKLTmmacd := DKLTmmacd >= REF(DKLTmmacd,1);

{CYC}

CB1 := EMA(if(finance(0),amount/volunit,V*(h+l+c)/3),P1)/EMA(VOL,P1);

CYC := DMA(C,if(V/CAPITAL/100<0.5,V/CAPITAL/100,0.5));

CUPCB1 := CB1>REF(CB1,1);

CUPCYC := CYC>REF(CYC,1);

{CPX}

CPBX := EMA(C,2);

CPSX := EMA(SLOPE(C,21)*20+C,42);

{ZDX}

ZDX:= EMA((EMA(CLOSE,4)+EMA(CLOSE,6)+EMA(CLOSE,12)+EMA(CLOSE,24))/4,2);

{----- Kself -----}

lmax := MAX(o,c);

lmin := MIN(o,c);

ladd := lmax - lmin;

litt := H - L;

lchg := 100 * ladd/ref(c,1);

losc := 100 * litt/ref(c,1);

{----- others -----}

{VOLUME}

VMA1:=EMA(VOL,P1);

VMA2:=EMA(VOL,P2);

VMA3:=EMA(VOL,N);

CUPVMA1:=VMA1>REF(VMA1,1);

CUPVMA2:=VMA2>REF(VMA2,1);

CUPVMA3:=VMA3>REF(VMA3,1);

{UU}

UU := (C>MA1 AND C>MA2) AND C>MID AND C>MA3, DRAWNULL, COLORGRAY;

{----- C层 -----}

LCreal := (C-MID)/(1.98*StdMA);

LC := MAX(0, LCreal);

{----- MA层 -----}

MA := EMA(C,5);

LMAreal := (MA1 - MID)/(1.9*StdMA);

LMA := MIN(1, MAX(0, LMAreal));

CUPLMA := LMA>=REF(LMA,1);

CDNLMA := LMA<REF(LMA,1);

{=====}

{===== 特殊信号 =====}

{=====}

{----- 入轨 -----}

{实体大于BUU部分/实体}

TTC2dd := IF(

lmax > lmin,

(MAX(lmax, BUU) - MAX(lmin, BUU)) / ladd,

```
IF(lmax>=BUU AND o>ref(c,1), 1, 0)
);
```

{实体大于BUU部分/通道}

```
TTC2STD := ( MAX(lmax, BUU) - BUU ) / StdC;
```

{最高大于BUU部分/通道}

```
TTH2STD := ( MAX(H, BUU) - BUU ) / StdC;
```

```
TTNC := COUNT(TTC2STD>0, 5);
```

```
TTNH := COUNT(TTH2STD>0, 5);
```

```
TTIS :=
```

```
TTC2dd>0
```

```
OR (C>MA1 AND TTNH>2)
```

```
OR (C>MA1 AND TTNC>1);
```

```
{----- others -----}
```

```
wDKJinchaqian:= C>MID AND DKdif>-2 AND BETWEEN(DKmacd,-0.9,0.1) ,drawnull;
```

```
wDKJincha:= C>MID AND DKdif>-2 AND CROSS(DKdif,DKdea),drawnull;
```

```
{=====}
```

```
{=====}
```

```
{===== 信号系统 =====}
```

```
{=====}
```

```
{=====}
```

```
{----- 操盘线系统 -----}
```

```
VCPX := CPX>0 and C>MID;
```

```
{----- 指导线系统 -----}
```

```
VZDX := MA1>ZDX;
```

```
{----- ZACD系统 -----}
```

```
{----- ZBDK系统 -----}
```

```
OOZBDK :=
```

```
CUPDKXB
```

```
AND (
```

```
CUPDKMMACD
```

```
OR CUPDKDif
```

```
OR (DKDif>2 AND BETWEEN(DKMACD,-0.5,0.1)){并且没有背离}
```

```
),DRAWNULL,COLORGRAY;
```

```
{===== 仪轨 =====}
```

```
持 : VZDX
```

```
AND CUPBUUU AND (CUPStdMa OR REF(CUPStdMa,1)=1)
```

```
AND LMA>0.5
```

```
AND (LC>0.5 AND C>ZDX AND COUNT(LC>1, 10)>0)
```

```
,DRAWNULL, COLORWHITE;
```

```
敛 : VZDX
```

```
AND (CDNStdMa OR (CUPStdMa AND COUNT(CUPStdMa, 10)<7))
```

```
AND LMA>0.1
```

```
AND (DKmmacd>-2 AND DKdea>-4 AND CUPDKdif)
```

```
,DRAWNULL, COLORyellow;
```

{STD减少时BUUU与MA的方向运动，收敛状态的总结}

安 : VCPX
,DRAWNULL, COLORWHITE;

卖 : COUNT(C<CB1,2)=2
,DRAWNULL,COLORgreen;

```
{=====}  
{=====}  
{===== Make Up =====}  
{=====}  
{=====}  
{----- 区域 -----}
```

```
{  
突破区域: RGNtp  
全部提示区域: RGNx  
操作区域: RGNo  
方差区域: RGNstd  
主升区域: RGNc  
MABU区域: RGNm  
特信区域: RGNs  
验证区域: RGNt}
```

RGNtpU := MID + DDMID/2;
RGNtpL := MID;

RGNxU := MIN(MID,EMID);
RGNxL := BL;
II := RGNxU - RGNxL;

RGNoU := RGNxU - 0*II/10;
RGNoL := RGNxU - 1*II/10;
RGNmU := RGNxU - 1*II/10;
RGNmL := RGNxU - 5*II/10;
RGNcU := RGNxU - 5*II/10;
RGNcL := RGNxU - 5*II/10;

RGNStpU := RGNxU - 8*II/10;
RGNStpL := RGNxU - 8.5*II/10;
RGNSchgU := RGNxU - 8.5*II/10;
RGNSchgL := RGNxU - 9*II/10;

RGNstdU := RGNxU - 9*II/10;
RGNstdL := RGNxL;

```
{=====}  
{----- 全背景 -----}  
DRAWGBK(SHOWBGK=1, RGB(0, 0, 0));
```

```
{----- 仪轨 -----}  
DRAWGBK(SHOWBGK=1 AND 安, RGB(0, 20, 30));  
DRAWGBK(SHOWBGK=1 AND 斂, RGB(0, 30, 50));  
DRAWGBK(SHOWBGK=1 AND 持, RGB(0, 50, 80));
```

```

{----- 地下 -----}
FILLRGN(LLVALL(BLL), RGNxU, 1, RGB(0, 20, 20));
{----- 天地 -----}
FILLRGN(CPSX, BUUU,1, RGB(18, 0, 0));
FILLRGN(RGNxL, CPSX, 1, RGB(0, 10, 0));
FILLRGN(CPSX*0.99, CPSX, 1, RGB(0, 28, 0));

{CYC}
FILLRGN(CYC*0.98, CYC, SHOWCYC=1, RGB(238, 180, 180));

{指导线}
FILLRGN(RGNoL, RGNoU, VZDX, RGB(50,200,50));

{=====}
{----- 周期 -----}
{收盘时刻}
VERTLINE(SHOWTIME=1 and (type=1 or STKLABEL='000300') and datatype<7 and TIME>145900,0)colorblack;
VERTLINE(SHOWTIME=1 and STRLEFT(STKLABEL,1)='I' and datatype<8 and TIME>151400,0)colorblack;
VERTLINE(SHOWTIME=1 and STRLEFT(STKLABEL,2)='HK' and datatype<8 and TIME>155900,0)colorblack;

{周开始}
VERTLINE(SHOWTIME=1 and type=1 and datatype<=8 and thisweek=1,0),color00090F;

{月开始}
VERTLINE(SHOWTIME=1 and type=1 and datatype<=9 and thismonth=1,0),color00090F;

{年开始}
VERTLINE(SHOWTIME=1 and type=1 and datatype<=10 and thisyear=1,0),color00090F;

{停牌}
TP:= DATETOD1970(DATE) - DATETOD1970(REF(DATE,1)) > 7;
{VERTLINE(type=1 and datatype<=9 and TP,0),colorGRAY;}
stickline(TP, RGNxL*0.99, RGNxL, 0.5,0),colorWHITE;

{=====}
{----- MID -----}
FILLRGN(MID, EMID,
DDMID>0 AND CUPDDMID, RGB(205, 180, 0),
DDMID>0, RGB(150, 120, 0),
CUPDDMID, RGB(33, 33, 33),
1, RGB(22, 22, 22)
);
{----- Std -----}
FILLRGN(RGNstdL, RGNstdU,
CUPStdMa AND C>MID, RGB(50, 0, 0),
1, RGB(5, 0, 0));

{----- LM -----}
FILLRGN(RGNmL, RGNmL+(RGNmU-RGNmL)*LMA*LMA,
BETWEEN(LMA, 0.8, 2), RGB(180, 160, 0),
BETWEEN(LMA, 0.6, 0.8), RGB(160, 130, 0),
BETWEEN(LMA, 0.4, 0.6), RGB(120, 100, 0),
BETWEEN(LMA, 0.2, 0.4), RGB(100, 60, 0),
1, RGB(150, 120, 0)

```

```

);
{
PARTLINE(RGNmL+(RGNmU-RGNmL)*3/4, LMA*LMA>0.75, RGB(220, 190, 0));
PARTLINE(RGNmL+(RGNmU-RGNmL)*2/4, LMA*LMA>0.5, RGB(220, 190, 0));
PARTLINE(RGNmL+(RGNmU-RGNmL)*1/4, LMA*LMA>0.25, RGB(220, 190, 0));
}
{----- LC -----}
FILLRGN(RGNcU-(RGNcU-RGNcL)*LC/1.5, RGNcU,
BETWEEN(LC, 1.5, 10), RGB(255, 0, 0),
BETWEEN(LC, 1.25, 1.5), RGB(255, 40, 0),
BETWEEN(LC, 1, 1.25), RGB(255, 80, 0),
BETWEEN(LC, 0.75, 1), RGB(255, 120, 0),
BETWEEN(LC, 0.5, 0.75), RGB(255, 160, 0),
BETWEEN(LC, 0.3, 0.5) AND C>CPSX, RGB(255, 120, 100)
);
PARTLINE(RGNcL*1/3+RGNcU*2/3, LC>0.5, RGB(220, 190, 0));
PARTLINE(RGNcL*2/3+RGNcU*1/3, LC>1, RGB(220, 190, 0));
PARTLINE(RGNcL, LC>1.5, RGB(220, 190, 0));
}

{----- 入轨信号 -----}

FILLRGN(RGNtpL, RGNtpU, TTIS, RGB(180, 65, 65));

DRAWTEXT(TTC2dd=1 and TTC2STD<1, MID, '*'),ALIGN1,VALIGN2,ColorBLACK;

{信达地产以及各种启动模式, 确定是否进入轨道}
{VERTLINE(C>=BUU AND BETWEEN(COUNT(C>=BUU,12),3,3),0),colorred; }

{=====}
{===== 特殊 =====}
{=====}
{----- 涨幅 -----}
FILLRGN(RGNSchgL, RGNSchgU,
lchg >30, RGB(120,20,20),
lchg >17, RGB(120,80,0),
lchg >9.8, RGB(80,60,0)
);

{=====}
{===== 布线 =====}
{=====}
PARTLINE(BUUU, DDMID>=0,RGB(0, 60, 128), 1,RGB(0, 50, 100));
PARTLINE(BUU, DDMID>=0,RGB(0, 60, 128), 1,RGB(0, 50, 100));

PARTLINE(MID, 1, RGB(55, 55, 55))LINETHICK2;
PARTLINE(MA1, C>MID AND CUPMA1, RGB(255, 255, 0), C>MID, RGB(160, 160, 0));
PARTLINE(ZDX, C>MID, RGB(0, 200, 0));

{===== 提示 =====}
DRAWTEXT(SHOWBS=1 AND CPX=1,LOW,'B'),ALIGN1,VALIGN0,colorred,linethick3;

```

```
DRAWTEXT(SHOWBS=1 AND CPX=-1,HIGH,'S'),ALIGN1,VALIGN2,colorgreen,linethick3;
DRAWTEXT(SHOWBS=1 AND cross(H,BUUU),H,'-'),ALIGN1,VALIGN2,Color666666;
DRAWTEXT(SHOWBS=1 AND cross(BUUU,H),H,'-'),ALIGN1,VALIGN2,Color666666;
DRAWTEXT(SHOWBS=1 AND cross(H,BUU),H,'-'),ALIGN1,VALIGN2,Color666666;
DRAWTEXT(SHOWBS=1 AND cross(C,BUU),H,'-'),ALIGN1,VALIGN2,Color666666;
```

```
DRAWTEXT(SHOWBS=1 AND CPX=1,RGNstdL,'+'),ALIGN1,VALIGN0,Color666666;
DRAWTEXT(SHOWBS=1 AND CPX=-1,RGNstdL,'='),ALIGN1,VALIGN0,Color666666;
```

```
{===== K线 =====}
{----- 突破 -----}
stickline(C>BUUU and O>BUUU, Imin, Imax, 10,0),coloryellow;
stickline(C>BUUU and BETWEEN(O,BUU,BUUU),O,BUUU,10,0),colored;
stickline(C>BUUU and O<BUU,BUU,BUUU,10,0),colored;
stickline(BETWEEN(C,BUU,BUUU) and O>BUUU, Imin, Imax, 10,0),coloryellow;
stickline(BETWEEN(C,BUU,BUUU) and BETWEEN(O,BUU,BUUU),O,C,10,0),colored;
stickline(BETWEEN(C,BUU,BUUU) and O<BUU,BUU,C,10,0),colored;
{----- 无视 -----}
stickline(Imin<MID, Imin, MIN(Imax, MID),10,0),colorgray;
{===== 赋值 =====}
```

```
C,DRAWNULL, COLORCYAN;
```

```
突破 : TTIS, DRAWNULL, COLORyellow;
突数 : TTNC, DRAWNULL, COLORyellow;
突自 : 100*TTC2dd, DRAWNULL, COLORyellow;
突天 : 100*TTC2STD, DRAWNULL, COLORyellow;
```

```
均层 : INTPART(100*LMA), DRAWNULL, COLORwhite;
价层 : INTPART(100*LC), DRAWNULL, COLORwhite;
```

```
指导线 : ZDX, DRAWNULL, COLORgray;
成本线 : CB1, DRAWNULL, COLORgray;
```

```
中线差 : DDMID, DRAWNULL, COLORyellow;
U : UU and C>MA3, DRAWNULL, COLORyellow;
```

```
振幅 : 100*(H-L)/REF(C,1), DRAWNULL, COLORwhite;
```

```
IFS(CUPSTDMA>0, '扩张','收缩'), DRAWNULL, COLORblue;
IFS(CUPBUUU>0, '轨升','轨降'), DRAWNULL, COLORblue;
IFS(C>BU, 'BU之上','小于BU'), DRAWNULL, COLORwhite;
IFS(C>MA3, '60日均线之上','小于60日均线'), DRAWNULL, COLORwhite;
IFS(C>MA4, '120日均线之上','小于120日均线'), DRAWNULL, COLORwhite;
{----- 鸟瞰 -----}
STICKLINE(SHOWBIRD, HHVALL(H)*SHOWBIRD, HHVALL(H)*SHOWBIRD, 1,0)colorblack;
```

```
{=====}
{=====}
{=====}
X:date,DRAWNULL,COLORWHITE;
```