

A CLASSIC THESIS STYLE

ANDRÉ MIEDE



An Homage to The Elements of Typographic Style

December 2011 – version 4.0

André Miede: *A Classic Thesis Style*, An Homage to The Elements of
Typographic Style, © December 2011

Ohana means family.
Family means nobody gets left behind, or forgotten.
— Lilo & Stitch

Dedicated to the loving memory of Rudolf Miede.
1939–2005

ABSTRACT

Short summary of the contents...

PUBLICATIONS

Some ideas and figures have appeared previously in the following publications:

Put your publications from the thesis here. The packages `multibib` or `bibtopic` etc. can be used to handle multiple different bibliographies in your document.

*We have seen that computer programming is an art,
because it applies accumulated knowledge to the world,
because it requires skill and ingenuity, and especially
because it produces objects of beauty.*

— ? [?]

ACKNOWLEDGEMENTS

Put your acknowledgements here.

Many thanks to everybody who already sent me a postcard!

Regarding the typography and other help, many thanks go to Marco Kuhlmann, Philipp Lehman, Lothar Schlesier, Jim Young, Lorenzo Pantieri and Enrico Gregorio¹, Jörg Sommer, Joachim Köstler, Daniel Gottschlag, Denis Aydin, Paride Legovini, Steffen Prochnow, Nicolas Repp, Hinrich Harms, Roland Winkler, and the whole L^AT_EX-community for support, ideas and some great software.

Regarding L_YX: The L_YX port was initially done by *Nicholas Mariette* in March 2009 and continued by *Ivo Pletikosić* in 2011. Thank you very much for your work and the contributions to the original style.

¹ Members of GuIT (Gruppo Italiano Utilizzatori di T_EX e L^AT_EX)

CONTENTS

i	SOME KIND OF MANUAL	1
1	INTRODUCTION	3
1.1	Organization	4
1.2	Style Options	5
1.3	Customization	6
1.4	Issues	7
1.5	Future Work	8
1.6	License	8
ii	THE SHOWCASE	9
2	WATER BALANCE	11
2.1	Simple bucket model	12
2.2	Root zone water balance	12
2.3	Complex models	13
2.3.1	Study of Amazon Basin: a system in equilibrium	13
2.4	Water Balance Model for this Thesis	14
2.4.1	Data availability	14
2.4.2	Implementing water balance model	18
3	DATA INTEGRATION	21
3.1	Some Formulas	21
3.2	Various Mathematical Examples	22
iii	APPENDIX	23
A	APPENDIX TEST	25
A.1	Appendix Section Test	25
A.2	Another Appendix Section Test	26
	BIBLIOGRAPHY	27

LIST OF FIGURES

Figure 1	The hydrological cycle[1].	11
Figure 2	Schematic diagram of a catchment[1]. The box indicates the control volume of a root zone. S is water balance, ET is evapotranspiration, P is precipitation, Q is water runoff or flow.	12
Figure 3	Water balance from a study of a model basin near Manaus, Brazil[2]	13
Figure 4	Satellite View of location latitude: -42.61 and longitude: 147.39, in Tasmania, Australia. Acquired from Google Maps.	15
Figure 5	Time series of AWAP data: Rainfall, for location lat: -42.61, lon:147.39	15
Figure 6	Time series of AWAP data: Evapotranspiration of soil and vegetation, and Open water evapotranspiration, for location lat: -42.61, lon:147.39	16
Figure 7	Time series of AWAP data: Surface Runoff, for location lat: -42.61, lon:147.39	16
Figure 8	Time series of AWAP data: Rainfall and Surface Runoff, for location lat: -42.61, lon:147.39	17
Figure 9	Time series of AWAP data: Deep Drainage, for location lat: -42.61, lon:147.39	17
Figure 10	Time series of normalized AWAP data: Deep Drainage and Soil Moisture of low level, for location lat: -42.61, lon:147.39	18
Figure 11	Time series of calculated water balance index from AWAP data, for location lat: -42.61 lon:147.39	19
Figure 12	Histogram of calculated water balance index with fitted Gaussian Distribution	19

LIST OF TABLES

Table 1	Autem usu id	26
---------	--------------	--------------------

LISTINGS

Listing 1 A floating example [26](#)

ACRONYMS

DRY Don't Repeat Yourself

API Application Programming Interface

UML Unified Modeling Language

Part I

SOME KIND OF MANUAL

You can put some informational part preamble text here. Illo principalmente su nos. Non message *occidental* anglo-romanica da. Debitas effortio simplicate sia se, auxiliar summarios da que, se avantiate publicationes via. Pan in terra summarios, capital interlingua se que. Al via multo esser specimen, campo responder que da. Le usate medical addresses pro, europa origine sanctificate nos se.

INTRODUCTION

This template for L^AT_EX has two goals:

1. Provide students with an easy-to-use template for their Master's or PhD thesis (though it might also be used by other types of authors for reports, books, etc.).
2. Provide a classic, high-quality typographic style that is inspired by ?'s "*The Elements of Typographic Style*" [?].

*A Classic Thesis
Style version 4.0*

The bundle is configured to run with a *full* MiK_TE_X or T_EXLive installation right away and, therefore, it uses only freely available fonts.

People interested only in the nice style and not the whole bundle can now use the style stand-alone via the file `classicthesis.sty`. This works now also with "plain" L^AT_EX.

As of version 3.0, `classicthesis` can also be easily used with L_YX¹ thanks to Nicholas Mariette and Ivo Pletikosić. The L_YX version of this manual will contain more information on the details.

This should enable anyone with a basic knowledge of L^AT_EX₂_ε or L_YX to produce beautiful documents without too much effort. In the end, this is my overall goal: more beautiful documents, especially theses, as I am tired of seeing so many ugly ones.

The whole template and the used style is released under the GNU General Public License.

If you like the style then I would appreciate a postcard:

Andre Miede
Detmolder Strasse 32
31737 Rinteln
Germany

The postcards I received so far are available at:

<http://postcards.miede.de>

So far, many theses, some books, and several other publications have been typeset successfully with it. If you are interested in some typographic details behind it, enjoy Robert Bringhurst's wonderful book.

*A well-balanced line
width improves the
legibility of the text.
That's what
typography is all
about, right?*

IMPORTANT NOTE: Some things of this style might look unusual at first glance, many people feel so in the beginning. However, all things are intentionally designed to be as they are, especially these:

¹ <http://www.lyx.org>

- No bold fonts are used. Italics or spaced small caps do the job quite well.
- The size of the text body is intentionally shaped like it is. It supports both legibility and allows a reasonable amount of information to be on a page. And, no: the lines are not too short.
- The tables intentionally do not use vertical or double rules. See the documentation for the booktabs package for a nice discussion of this topic.²
- And last but not least, to provide the reader with a way easier access to page numbers in the table of contents, the page numbers are right behind the titles. Yes, they are *not* neatly aligned at the right side and they are *not* connected with dots that help the eye to bridge a distance that is not necessary. If you are still not convinced: is your reader interested in the page number or does she want to sum the numbers up?

Therefore, please do not break the beauty of the style by changing these things unless you really know what you are doing! Please.

1.1 ORGANIZATION

A very important factor for successful thesis writing is the organization of the material. This template suggests a structure as the following:

You can use these margins for summaries of the text body...

- Chapters/ is where all the “real” content goes in separate files such as Chapter01.tex etc.
- FrontBackMatter/ is where all the stuff goes that surrounds the “real” content, such as the acknowledgments, dedication, etc.
- gfx/ is where you put all the graphics you use in the thesis. Maybe they should be organized into subfolders depending on the chapter they are used in, if you have a lot of graphics.
- Bibliography.bib: the BibTeX database to organize all the references you might want to cite.
- classicthesis.sty: the style definition to get this awesome look and feel. Bonus: works with both L^AT_EX and pdfL^AT_EX... and L_YX.
- ClassicThesis.tcp a T_EXnicCenter project file. Great tool and it's free!

² To be found online at
<http://www.ctan.org/tex-archive/macros/latex/contrib/booktabs/>.

- `ClassicThesis.tex`: the main file of your thesis where all the content gets bundled together.
- `classicthesis-config.tex`: a central place to load all nifty packages that are used. In there, you can also activate backrefs in order to have information in the bibliography about where a source was cited in the text (i. e., the page number).

Make your changes and adjustments here. This means that you specify here the options you want to load `classicthesis.sty` with. You also adjust the title of your thesis, your name, and all similar information here. Refer to [Section 1.3](#) for more information.

This had to change as of version 3.0 in order to enable an easy transition from the “basic” style to L^AT_EX.

In total, this should get you started in no time.

1.2 STYLE OPTIONS

There are a couple of options for `classicthesis.sty` that allow for a bit of freedom concerning the layout:

- General:
 - `drafting`: prints the date and time at the bottom of each page, so you always know which version you are dealing with. Might come in handy not to give your Prof. that old draft.
- Parts and Chapters:
 - `parts`: if you use Part divisions for your document, you should choose this option. (Cannot be used together with `nochapters`.)
 - `nochapters`: allows to use the look-and-feel with classes that do not use chapters, e. g., for articles. Automatically turns off a couple of other options: `eulerchapternumbers`, `linedheaders`, `listsseparated`, and `parts`.
 - `linedheaders`: changes the look of the chapter headings a bit by adding a horizontal line above the chapter title. The chapter number will also be moved to the top of the page, above the chapter title.
- Typography:
 - `eulerchapternumbers`: use figures from Hermann Zapf’s Euler math font for the chapter numbers. By default, old style figures from the Palatino font are used.
 - `beramono`: loads Bera Mono as typewriter font. (Default setting is using the standard CM typewriter font.)

...or your supervisor might use the margins for some comments of her own while reading.

- `eulermath`: loads the awesome Euler fonts for math. (Palatino is used as default font.)
 - `pdfspacing`: makes use of `pdftex`' letter spacing capabilities via the `microtype` package.³ This fixes some serious issues regarding math formulæ etc. (e. g., “ß”) in headers.
 - `minionprospacing`: uses the internal `textssc` command of the `MinionPro` package for letter spacing. This automatically enables the `minionpro` option and overrides the `pdfspacing` option.
- Table of Contents:
 - `tocaligned`: aligns the whole table of contents on the left side. Some people like that, some don't.
 - `dottedtoc`: sets pagenumbers flushed right in the table of contents.
 - `manychapters`: if you need more than nine chapters for your document, you might not be happy with the spacing between the chapter number and the chapter title in the Table of Contents. This option allows for additional space in this context. However, it does not look as “perfect” if you use `\parts` for structuring your document.
 - Floats:
 - `listings`: loads the `listings` package (if not already done) and configures the List of Listings accordingly.
 - `floatperchapter`: activates numbering per chapter for all floats such as figures, tables, and listings (if used).
 - `subfig(ure)`: is passed to the `tocloft` package to enable compatibility with the `subfig(ure)` package. Use this option if you want use `classicthesis` with the `subfig` package.

The best way to figure these options out is to try the different possibilities and see, what you and your supervisor like best.

In order to make things easier in general, `classicthesis-config.tex` contains some useful commands that might help you.

1.3 CUSTOMIZATION

This section will give you some hints about how to adapt `classicthesis` to your needs.

The file `classicthesis.sty` contains the core functionality of the style and in most cases will be left intact, whereas the file `classicthesis-config.tex` is used for some common user customizations.

³ Use `microtype`'s `DVIoutput` option to generate DVI with `pdftex`.

The first customization you are about to make is to alter the document title, author name, and other thesis details. In order to do this, replace the data in the following lines of `classicthesis-config.tex`:

```
1 \newcommand{\myTitle}{A Classic Thesis Style\xspace}
  \newcommand{\mySubtitle}{An Homage to ...\xspace}
  \newcommand{\myDegree}{Doktor-Ingenieur (Dr.-Ing.)\xspace}
```

*Modifications in
classic-
thesis-config.tex*

Further customization can be made in `classicthesis-config.tex` by choosing the options to `classicthesis.sty` (see [Section 1.2](#)) in a line that looks like this:

```
\PassOptionsToPackage{eulerchapternumbers,listings,drafting,
  pdfspacing, subfig,beramono,eulermath,parts}{classicthesis}
```

If you want to use backreferences from your citations to the pages they were cited on, change the following line from:

```
\setboolean{enable-backrefs}{false}
```

to

```
\setboolean{enable-backrefs}{true}
```

Many other customizations in `classicthesis-config.tex` are possible, but you should be careful making changes there, since some changes could cause errors.

Finally, changes can be made in the file `classicthesis.sty`, although this is mostly not designed for user customization. The main change that might be made here is the text-block size, for example, to get longer lines of text.

*Modifications in
classicthesis.sty*

1.4 ISSUES

This section will list some information about problems using `classicthesis` in general or using it with other packages.

Beta versions of `classicthesis` can be found at the following Google code repository:

<http://code.google.com/p/classicthesis/>

There, you can also post serious bugs and problems you encounter.

Compatibility with the glossaries Package

If you want to use the `glossaries` package, take care of loading it with the following options:

```
\usepackage[style=long,nolist]{glossaries}
```

Thanks to Sven Staehs for this information.

Compatibility with the (Spanish) babel Package

Spanish languages need an extra option in order to work with this template:

```
\usepackage[spanish,es-lcroman]{babel}
```

Thanks to an unknown person for this information (via Google Code issue reporting).

Compatibility with the pdfsync Package

Using the pdfsync package leads to linebreaking problems with the `graffito` command. Thanks to Henrik Schumacher for this information.

1.5 FUTURE WORK

So far, this is a quite stable version that served a couple of people well during their thesis time. However, some things are still not as they should be. Proper documentation in the standard format is still missing. In the long run, the style should probably be published separately, with the template bundle being only an application of the style. Alas, there is no time for that at the moment. . . it could be a nice task for a small group of L^AT_EXnicians.

Please do not send me email with questions concerning L^AT_EX or the template, as I do not have time for an answer. But if you have comments, suggestions, or improvements for the style or the template in general, do not hesitate to write them on that postcard of yours.

1.6 LICENSE

GNU GENERAL PUBLIC LICENSE: This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but *without any warranty*; without even the implied warranty of *merchantability* or *fitness for a particular purpose*. See the GNU General Public License for more details.

Part II

THE SHOWCASE

You can put some informational part preamble text here. Illo principalmente su nos. Non message *occidental* anglo-romanian da. Debitas effortio simplicate sia se, auxiliar summarios da que, se avantiate publicationes via. Pan in terra summarios, capital interlingua se que. Al via multo esser specimen, campo responder que da. Le usate medical addresses pro, europa origine sanctificate nos se.

WATER BALANCE

In the study of hydrology, the water influx and efflux of a system can be described using **Water Balance Model**. The system can be one of various domains and scales, such as a drainage basin across a large surface area[3], or as small as the soil water balance in the root zone of a single plant[1].

A general equation of the water balance is given as

$$P = Q + E + \Delta S \quad (1)$$

Where P is the Precipitation, Q is runoff, E is Evapotranspiration and ΔS is the change in storage(in soil or bedrock).

The water balance model is essentially based on the law of conservation of mass: any change in the water content of a fixed soil volume during a specified period of time must be equal to the difference between the amount of water added to the soil and the amount of water extracted from it. As illustrated in Figure 1, in a hydrological cycle, the water content of the soil volume will increase from precipitation, and decrease from evapotranspiration or deep drainage.




Figure 1: The hydrological cycle[1].

A variety of water balance models that derived from Equation 1 exists, it can have different levels of complexity depending on the objectives of the study and data availability.

2.1 SIMPLE BUCKET MODEL

Simple bucket model is a widely-used water balance model in a simple conceptual scenario. It considers the controlled volume system as a bucket which is filled up from rainfall and emptied by evapotranspiration. If the bucket is full, extra water added is considered deep drainage. The only data that are necessary for this model are precipitation, evaporation, transpiration and the water storage capacity of the volume.

2.2 ROOT ZONE WATER BALANCE

The water balance model can also be applied in relatively small scaled field studies based on a specific root zone soil water balance equation [4], given as:

$$(\theta_t - \theta_{t-1})H = P + I - D - ET - R \quad (2)$$

Where

θ_t and θ_{t-1} are the initial and final depth-averaged soil water content of the root zone in one time step.

H is the root zone depth

P is the precipitation

I is the Irrigation

D is the drainage out of the root zone, the positive value of D means downward percolation out of the root zone, whereas the negative value of it indicates upward capillary rise into the root zone.

ET is the actual evapotranspiration

R is the surface runoff.

Figure 2 shows the relation of a root zone modelled by the root zone water balance Equation 2 as a plot-sized profile in a catchment. The catchment can be considered as a collection of such root zone profiles, of which the total recharge in the catchment is estimated by adding the recharge from each profile.




Figure 2: Schematic diagram of a catchment[1]. The box indicates the control volume of a root zone. S is water balance, ET is evapotranspiration, P is precipitation, Q is water runoff or flow.

This generalisation from root zone model is not applicable to catchments that contain complex lateral redistribution of water, thus it is

difficult to estimate the recharge at a catchment scale. In most cases, it is inappropriate to assume that the catchment-scale recharge is equal to the sum of plot-scale water balance recharges, without in-depth research of the hydrogeological condition of the catchment, such as the recharge pathways and spatial heterogeneity of soil properties[1].

2.3 COMPLEX MODELS

There are complex models that investigate not only the soil moisture dynamics but also the overall hydrological cycle over a large region of interest, they are designed to simulate interactions of different components within the system and to provide more thorough experimental results of many aspects[5].

2.3.1 Study of Amazon Basin: a system in equilibrium

For instance, the Water Balance Model can be applied to the entire Amazon Basin in Brazil, South America [6], which explains the status of water flow in the Amazon forest ecosystem in a quantitative manner, as shown in Figure 3.




Figure 3: Water balance from a study of a model basin near Manaus, Brazil[2]

This model applies to the horseshoe-shaped Amazon Basin as a whole system, it uses knowledge of different domains in Meteorology. However, due to the lack of proper infrastructure in Brazil when the study was conducted. Accurate measurements on precipitation, evapotranspiration and other hydrological attributes over a large area were not

available for analysis at a high precision level.

The measurements were taken from 1981 to 1983 in a controlled field in Barro-Branco watershed[7]. Precipitation data was obtained by use of a simple rain gauge installed at the reserve's meteorological station whereas the discharge was determined by use of a 0.8-m-wide rectangular weir and a water level recorder. Thus, the inferences of the influx and efflux of water in the area are based on assumptions made from wind conditions and a single point-based data as the averaged value over large areas which includes non-forest areas and are also influenced by other factors.

2.4 WATER BALANCE MODEL FOR THIS THESIS

There is a trade-off in choosing between complex models and simpler models such as the simple bucket model for conducting the analysis in this thesis. With greater functionality comes greater complexity, one of the issues with using a more complex water balance model is that there are more parameters required to complete the model, thus more data and man-hours are involved to understand and interpret the equation into a machine-readable form. If there isn't sufficient data of various parameters, then selecting a complex model is inappropriate for the objectives. The key to successful modelling is to match model complexity with data availability and the analysis objectives.

2.4.1 *Data availability*

The objective of analysis in this thesis primarily concentrates on Australia as opposed to any other regions. Thus, one of the main data source being used is the Australian Water Availability Project (AWAP), which provides historic temporal-spatial meteorology data for the entire Australia. The AWAP is a partnership between CSIRO Marine and Atmospheric Research (CMAR), the Bureau of Meteorology (BoM) and the Bureau of Rural Science (BRS), aiming to monitor the status and trend of the water balance of the Australian territories, using model-data fusion methods to combine measurements and model predictions. The AWAP data is discussed in more detail in [Chapter 3 DATA INTEGRATION](#).

The AWAP provides essential meteorology data for water balance calculations, such as the precipitation, evapotranspiration, surface runoff and deep drainage etc.

A farm location in Richmond, Tasmania, Australia, of geographic coordinate latitude: -42.61 and longitude: 147.39, is chosen for demon-

station purpose. The location is marked on Google Maps[8] as shown in Figure 4.




Figure 4: Satellite View of location latitude: -42.61 and longitude: 147.39, in Tasmania, Australia. Acquired from Google Maps.

For this given location, the following time-series data of meteorology attributes: precipitation, evapotranspiration of soil and vegetation, open water evapotranspiration, surface runoff and deep drainage are acquired from AWAP, plotted in Figure 5, Figure 6, Figure 7 and Figure 9 respectively.




Figure 5: Time series of AWAP data: Rainfall, for location lat: -42.61, lon:147.39

Figure 5 shows the rainfall data of this location, plotted from Year 2007 to 2014. It has shown a consistent amount of precipitation for each of the years. The maximum rainfall per day is 0.0152 m/day

which occurred during the week of 04-Jul-2011. Furthermore, year 2011-2012 has a slightly higher overall precipitation amount than the other years. In general, the chosen location has a dry start, then wet in Summer and Autumn throughout the year.




Figure 6: Time series of AWAP data: Evapotranspiration of soil and vegetation, and Open water evapotranspiration, for location lat: -42.61, lon:147.39

Figure 6 shows the evapotranspiration data of this location. The blue line indicates the combined evapotranspiration of soil and vegetation, which has a clear and consistent chronological pattern throughout the years. The evapotranspiration reaches its lowest point during Winter season and climbs up to the highest point in the Summer season, which then declines during Autumn thus forming a repetition pattern.

On the other hand, open water evapotranspiration is indicated by the green line, which remains as zero for this location, due to the lack of open water in the surrounding terrestrial environment.




Figure 7: Time series of AWAP data: Surface Runoff, for location lat: -42.61, lon:147.39

Figure 7 shows the surface runoff data of this location. Throughout

the timespan, most of the weeks' surface runoff are zero while there are a few spikes in the figure. According to the AWAP datasheet[9]:

Surface runoff (FWRun) is given by a step function: all precipitation runs off when the upper-layer soil is saturated, and there is no runoff otherwise.




Figure 8: Time series of AWAP data: Rainfall and Surface Runoff, for location lat: -42.61, lon:147.39

As shown in Figure 8, by comparing the rainfall data, as indicated by the blue line, and the surface runoff data, as indicated by the red line, we can confirm that the above statement is correct, because the spikes of surface runoff only occur where there are continuously heavier rainfalls. That is, surface water runoff occur only when the soil moisture is in saturation status due to heavy and continuous precipitation.




Figure 9: Time series of AWAP data: Deep Drainage, for location lat: -42.61, lon:147.39

Figure 9 shows the deep drainage data of this location. By observing the curve itself, there is not any linear or chronological pattern apparent in the data. Nevertheless, according to the AWAP datasheet:

Leaching (F_{WLch}) or drainage downward out of soil layer i is given by

$$F_{WLch\ i} = K_{Si} w_i^\gamma \quad (3)$$

Where γ is an exponent specifying the response of drainage to relative soil water w_i , and K_{Si} [m/day] is the saturated hydraulic conductivity of soil layer i .




Figure 10: Time series of normalized AWAP data: Deep Drainage and Soil Moisture of low level, for location lat: -42.61, lon:147.39

Figure 10 plots the normalized soil moisture of low level and normalized deep drainage on the same figure. There is an apparent direct correlation between the two meteorological attributes of the point of interest, which confirms the relationship defined in Equation 3. This means that deep drainage occur if the lower level of soil moisture is saturated.

2.4.2 Implementing water balance model

In this thesis, a water balance model is implemented from equation

$$\Delta\langle S \rangle = \langle P \rangle - \langle ET \rangle - \langle Q \rangle - \langle R \rangle \quad (4)$$

Where

$\Delta\langle S \rangle$ is the change in spatially averaged catchment water storage, which ideally is zero when there is perfect balanced influx and efflux of the system.

$\langle P \rangle$ is the spatially averaged precipitation, acquired from AWAP rainfall data, represented by the variable $\{rain\ AWAP\}$ in the integrated data source.

$\langle ET \rangle$ is the spatially averaged catchment evapotranspiration, acquired by adding two variables from AWAP, evapotranspiration of soil and vegetation & open water evapotranspiration, represented in the integrated data source as $\{Evap(soil+veg)AWAP + OpenWaEvap\ AWAP\}$.

$\langle Q \rangle$ is the spatially averaged catchment surface runoff, acquired from AWAP surface runoff data, represented by the variable $\{SurfRun\ AWAP\}$.

$\langle R \rangle$ is the spatially averaged catchment recharge, acquired

from AWAP deep drainage data, represented by the variable $\{DeepDrain\ AWAP\}$, while sub-surface flow is considered zero.




Figure 11: Time series of calculated water balance index from AWAP data, for location lat: -42.61 lon:147.39

Figure 11 plots the calculated water balance index for the given location from year 2007 to 2014, using Equation 4. For this point of interest, the water balance index fluctuates around the zero line, which means during the time when there is rainfall, the water balance is at higher level, and vice versa.




Figure 12: Histogram of calculated water balance index with fitted Gaussian Distribution

The histogram of the water balance index data is plotted with 50 bars, as shown in Figure 12. Two Gaussian distributions are generated to fit the data, both one term and two terms fittings, the parameters are given below.

$$f(x) = a_1 * e^{-((x-b_1)/c_1)^2} \quad (5)$$

$$g(x) = a_2 * e^{-((x-b_2)/c_2)^2} + a_3 * e^{-((x-b_2)/c_2)^2} \quad (6)$$

Where the coefficients (with 95% confidence bounds) are:

$$a_1 = 29.68 \text{ (26.58, 32.78)}$$

$$b_1 = -0.0006337 \text{ (-0.0007418, -0.0005256)}$$

$$c_1 = 0.001269 \text{ (0.001116, 0.001422)}$$

$$a_2 = 25.25 \text{ (20.61, 29.89)}$$

$$b_2 = -0.0007439 \text{ (-0.0008451, -0.0006426)}$$

$$c_2 = 0.0008972 \text{ (0.000711, 0.001083)}$$

$$a_3 = 7.916 \text{ (4.042, 11.79)}$$

$$b_3 = 0.0003042 \text{ (-0.00053, 0.001138)}$$

$$c_3 = 0.002693 \text{ (0.001877, 0.00351)}$$

From the Gaussian distribution fittings in [Figure 12](#), the data generally is normally distributed while slightly skewed to the right.

DATA INTEGRATION

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

3.1 SOME FORMULAS

Due to the statistical nature of ionisation energy loss, large fluctuations can occur in the amount of energy deposited by a particle traversing an absorber element¹. Continuous processes such as multiple scattering and energy loss play a relevant role in the longitudinal and lateral development of electromagnetic and hadronic showers, and in the case of sampling calorimeters the measured resolution can be significantly affected by such fluctuations in their active layers. The description of ionisation fluctuations is characterised by the significance parameter κ , which is proportional to the ratio of mean energy loss to the maximum allowed energy transfer in a single collision with an atomic electron:

$$\kappa = \frac{\xi}{E_{\max}} \quad (7)$$

E_{\max} is the maximum transferable energy in a single collision with an atomic electron.

$$E_{\max} = \frac{2m_e\beta^2\gamma^2}{1 + 2\gamma m_e/m_x + (m_e/m_x)^2},$$

where $\gamma = E/m_x$, E is energy and m_x the mass of the incident particle, $\beta^2 = 1 - 1/\gamma^2$ and m_e is the electron mass. ξ comes from the Rutherford scattering cross section and is defined as:

$$\xi = \frac{2\pi z^2 e^4 N_{\text{Av}} Z \rho \delta x}{m_e \beta^2 c^2 A} = 153.4 \frac{z^2}{\beta^2} \frac{Z}{A} \rho \delta x \quad \text{keV},$$

where

You might get unexpected results using math in chapter or section heads. Consider the pdfspacing option.

¹ Examples taken from Walter Schmidt's great gallery:
<http://home.vrweb.de/~was/mathfonts.html>

z	charge of the incident particle
N_{Av}	Avogadro's number
Z	atomic number of the material
A	atomic weight of the material
ρ	density
δx	thickness of the material

κ measures the contribution of the collisions with energy transfer close to E_{max} . For a given absorber, κ tends towards large values if δx is large and/or if β is small. Likewise, κ tends towards zero if δx is small and/or if β approaches 1.

The value of κ distinguishes two regimes which occur in the description of ionisation fluctuations:

1. A large number of collisions involving the loss of all or most of the incident particle energy during the traversal of an absorber.

As the total energy transfer is composed of a multitude of small energy losses, we can apply the central limit theorem and describe the fluctuations by a Gaussian distribution. This case is applicable to non-relativistic particles and is described by the inequality $\kappa > 10$ (i.e., when the mean energy loss in the absorber is greater than the maximum energy transfer in a single collision).

2. Particles traversing thin counters and incident electrons under any conditions.

The relevant inequalities and distributions are $0.01 < \kappa < 10$, Vavilov distribution, and $\kappa < 0.01$, Landau distribution.

3.2 VARIOUS MATHEMATICAL EXAMPLES

If $n > 2$, the identity

$$t[u_1, \dots, u_n] = t[t[u_1, \dots, u_{n-1}], t[u_n, \dots, u_n]]$$

defines $t[u_1, \dots, u_n]$ recursively, and it can be shown that the alternative definition

$$t[u_1, \dots, u_n] = t[t[u_1, u_2], \dots, t[u_{n-1}, u_n]]$$

gives the same result.

Part III

APPENDIX

APPENDIX TEST

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

A.1 APPENDIX SECTION TEST

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.

More dummy text

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse

LABITUR BONORUM PRI NO	QUE VISTA	HUMAN
fastidii ea ius	germano	demonstratea
suscipit instructor	titulo	personas
quaestio philosophia	facto	demonstrated

Table 1: Autem usu id.

Listing 1: A floating example

```

4 for i:=maxint to 0 do
  begin
    { do nothing }
  end;
```

viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

A.2 ANOTHER APPENDIX SECTION TEST

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum.

BIBLIOGRAPHY

- [1] Lu Zhang, GR Walker, and WR Dawes. Water balance modelling: concepts and applications. *ACIAR MONOGRAPH SERIES*, (84):31–47, 2002. URL http://www.researchgate.net/publication/228947764_Water_balance_modelling_concepts_and_applications/file/d912f51258ba62592b.pdf.
- [2] P.R Leopoldo, Franken.W, and E Salati. *Acta amazonica*. 1982. URL <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Acta+Amazonica#3>.
- [3] JM Kirby and A Van Dijk. balance accounts across the Murray-Darling Basin, 1990-2006. A report to the Australian Government from the CSIRO Murray-Darling Basin Sustainable Yields. Technical report, 2008. URL <http://www.csiro.co.uk/files/files/pnq6.pdf>.
- [4] Ying Ma, Shaoyuan Feng, and Xianfang Song. A root zone model for estimating soil water balance and crop yield responses to deficit irrigation in the North China Plain. *Agricultural Water Management*, 127:13–24, September 2013. ISSN 03783774. doi: 10.1016/j.agwat.2013.05.011. URL <http://linkinghub.elsevier.com/retrieve/pii/S0378377413001303>.
- [5] G.R. Walker and L. Zhang. *Plot-scale models and their application to recharge studies*. CSIRO Publishing., Melbourne, 2001.
- [6] E Salati and PB Vose. Amazon basin: a system in equilibrium. *Science*, 225(4658):129–138, 1984. URL <http://www.biology.ufl.edu/COURSES/pcb5356/2010Spring/Kitajima/SalatiVose84.pdf>.
- [7] PR Leopoldo, WK Franken, and NA Villa Nova. Real evapotranspiration and transpiration through a tropical rain forest in central Amazonia as estimated by the water balance method. *Forest Ecology and ...*, 73, 1995. URL <http://www.sciencedirect.com/science/article/pii/037811279403487H>.
- [8] Google Maps. Tasmania, Australia. Latitude: -42.61 , Longitude: 147.39, 2014. URL <https://www.google.com.au/maps/place/42%C2%B036'36.0%22S+147%C2%B023'24.0%22E/@-42.6200899,147.3998392,10892m/data=!3m1!1e3!4m2!3m1!1s0x0:0x0>.
- [9] M R Raupach, P R Briggs, V Haverd, E A King, M Paget, and C M Trudinger. *Australian Water Availability Project (AWAP): CSIRO Marine and Atmospheric Research Component : Final Report for Phase 3*. Number 013. 2009. ISBN 9781921605314.

COLOPHON

This document was typeset using the typographical look-and-feel classicthesis developed by André Miede. The style was inspired by Robert Bringhurst's seminal book on typography "*The Elements of Typographic Style*". classicthesis is available for both \LaTeX and \LyX :

<http://code.google.com/p/classicthesis/>

Happy users of classicthesis usually send a real postcard to the author, a collection of postcards received so far is featured here:

<http://postcards.miede.de/>

DECLARATION

Put your declaration here.

Darmstadt, December 2011

André Miede, March 17,
2014