# **XCRAM Use Case Specification**

#### Submitted to:

Prof. Ma. Rowena C. Solamo **Faculty Member** Department of Computer Science College of Engineering University of the Philippines, Diliman

> Submitted by: Agluba, Gerry Jr. P. Go, Sharleen Joy Y. Silverio, Robelle C.

In partial fulfillment of academic requirements for the course CS 191 Software Engineering I of the 1st Semester, AY 2016-2017

Page 1 Group: TaskOverflow Version: 1.0

## **Unique Reference:**

The documents are stored in the https://github.com/sharleengo/XCRAM

https://github.com/sharleengo/XCRAM/blob/master/02-Requirements-Engineering/3.0%20-%20Delete %20Task%20Schedule.pdf

## **Document Purpose:**

The purpose of this documentation is to give a description and explain the preconditions, flow of events, postconditions, relationships with other use-cases and special requirements of Use-Case 3.0 Delete Task Schedule found in the use-case model of the Task Scheduling System.

# **Target Audience:**

**Evaluators and Users** 

#### **Revision Control**

### History Revision:

Revision Date	Person Responsible	Version Number	Modification
9/28/16	Sharleen Joy Y. Go	1.0	Initial Document.

Page 2 Group: TaskOverflow Version: 1.0

Use-Case Name: 3.0 Delete Task Schedule

Description: The purpose of this use-case is to delete any information that the user had previously

entered into the system. This use-case handles all sorts of deletions that the user is

allowed to make in the Task Scheduler System.

Preconditions: Each of the three use-cases that extends to this use-case has its own unique

preconditions. Those are specified in the use-case specifications of those use-cases.

Flow of Events: Each of the three use-cases that extends to this use-case has its own unique flow of

events. Those are specified in the use-case specifications of those use-cases.

Postcondition: Each of the three use-cases that extends to this use-case has its own unique

postconditions. Those are specified in the use-case specifications of those use-cases.

Relationships: This use-case requires the functionalities of Use-cases: 3.1 Delete Task from

Schedule, 3.2 Clear Schedule and 3.3 Delete Saved Schedule. Those use-cases are

elaborated in their respective specifications.

[ Refer to the following documents: 3.1 - Delete Task from Schedule, 3.2 - Clear

Schedule and 3.3 - Delete Saved Schedule ]

Special Requirements: NONE

System: Task Scheduling System Page 3 Version: 10