

XCRAM

Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by:
Agluba, Gerry P.
Go, Sharleen Joy Y.
Silverio, Robelle C.

In partial fulfillment of academic requirements
for the course
CS 191 Software Engineering
I of the
1st Semester, AY 2016-2017

Unique Reference:

The documents are stored in the <https://github.com/sharleengo/XCRAM/tree/master/02-Requirements-Engineering>

Document Purpose:

The purpose of this document is to present the use case specification of 'View Saved Schedule' use case.

Target Audience:

Evaluators and users.

Revision Control*History Revision:*

Revision Date	Person Responsible	Version Number	Modification
09/29/16	Robelle Silverio	1.0	Specified purpose, target audience, use case name, use case precondition, flow of events (scenarios along with its description). Added activity diagram.
9/29/16	Sharleen Joy Go	1.1	Added use case description.
11/22/16	Robelle Silverio	2.0	Edited unique reference and use case name
11/26/16	Robelle Silverio	3.0	Edited flow of events and activity diagram.


Use-Case Name: Use-Case 6.1 View Saved Schedule

Description: This use-case will allow the User to view any of his saved schedules. The saved schedules' names would be listed and the User may choose to view any of them. The chosen schedule will be displayed in the same manner as the View Current Schedule use-case displays the current schedule.

Preconditions: At least one saved task schedule is existing.

Flow of Events:

Scenario Name	Description
Scenario 1 (Basic Flow) User chose to view saved schedule and hides the saved schedule after viewing it	<ol style="list-style-type: none">1. The User clicked reuse schedule.2. A list of schedule saved will be shown, represented by the name of a particular schedule.3. User will now decide which among of the listed saved schedule to display.4. The entire schedule is shown.5. Each block could be a block with task title (a task for that day) or a free task block (no task assigned) which corresponds with a specific time range.6. Uses military time.7. One day means 00:00 to 23:59.8. When User decided to hide saved schedule, then schedule for the entire day is no longer displayed.
Scenario 2 User chose to view saved schedule and didn't hide the saved schedule after viewing it	<ol style="list-style-type: none">1. The User clicked reuse schedule.2. A list of schedule saved will be shown, represented by the name of a particular schedule.3. User will now decide which among of the listed saved schedule to display.4. The entire schedule is shown.5. Each block could be a block with task title (a task for that day) or a free task block (no task assigned) which corresponds with a specific time range.6. Uses military time.7. One day means 00:00 to 23:59.8. When User decided not to hide saved schedule, then schedule for the entire day is still displayed.



Activity Diagram of the flow of events:

Post Condition: None

Relationship: None

Special Requirements: None