

SEA TO SUMMIT

NPD IMS Pre-Assessment Screening Report

Spark SP3 850fp Sleeping Bag

Sleeping Bags & Quilts · Stage 1 — Concept Pre-Screen

REGULATORY COMPLIANCE ISO 14001:2026 ENV MGMT ISO 9001:2015 QUALITY MGT ISO 45001:2018 OCC. HEALTH			
STAGE	OVERALL RISK	TARGET MARKETS	DATE PREPARED
Stage 1 — Concept Pre-Screen	HIGH	AU · EU · USA · UK · JP · CN 29 April 2026 · UAE	
PREPARED BY	PRODUCT CATEGORY	REVISION	CLASSIFICATION
STS NPD IMS Compliance Engine	Sleeping Bags & Quilts	Draft 1.0	CONFIDENTIAL

EXECUTIVE SUMMARY

The **Spark SP3 850fp Sleeping Bag** presents a combined **HIGH** risk profile across regulatory, environmental management, quality system, and occupational health dimensions. The most critical regulatory issues are the EU universal PFAS restriction on DWR coating chemistry, mandatory EU EPR packaging registration in seven member states, and GB/T 18401 textile safety testing for China. Under ISO 14001:2026 the BOM triggers significant environmental aspects across four life cycle stages; the new Clause 6.3 change management requirement means any DWR substitution must be formally assessed before actioning; and downstream end-of-life recyclability has not yet been addressed in the EMS scope. Quality management control gaps exist at supplier qualification and design review gate levels. A preliminary hazard identification under ISO 45001:2018 flags DWR coating chemistry and down processing dust as requiring formal HIRA before supplier nomination.

REGULATORY HIGH 5 product flags 4 packaging flags 8 certifications	ISO 14001:2026 HIGH 7 aspects 3 risks 3 opps 4 change triggers	ISO 9001:2015 MEDIUM 4 QMS control gaps	ISO 45001:2018 HIGH 3 hazard sources 2 supplier plants
--	--	---	--

IMS FINDINGS REGISTER — ALL FRAMEWORKS CONSOLIDATED

All findings across all four frameworks in a single register. Framework column identifies primary domain. Cross-cutting findings are tagged once, not repeated.

Finding	Severity	Framework	Clause / Ref	Scope	Action Required
EU PFAS Restriction — DWR Coating	CRITICAL	REG	REACH Art.68 / PFAS Restriction	EU / UK / NO / CH	Commission PFAS-free DWR trials immediately; EMS Cl.6.3 required on substitution
EU EPR Registration — 7 Member States	CRITICAL	REG	Directive 94/62/EC + National	EU 7 countries	Register with each national EPR scheme before first shipment
China GB/T 18401 Textile Safety	CRITICAL	REG	GB/T 18401-2010 + GB 31701	China	CNAS lab testing; Mandarin label artwork
DWR Substitution — EMS Change Trigger	CRITICAL	EMS	ISO 14001:2026 Cl.6.3	EMS — all markets	Formal Change Impact Assessment required before substitution is actioned
Lifecycle Scope — End-of-Life Gap	HIGH	EMS	ISO 14001:2026 Cl.4.3	EMS scope	Document end-of-life recyclability boundary in EMS scope definition
Down Sourcing — Biodiversity Aspect	HIGH	EMS	ISO 14001:2026 Cl.6.1.2	Supply chain	Assess biodiversity impact in formal Aspects Register; RDS path required
Supplier Qualification Gaps	HIGH	QMS	ISO 9001:2015 Cl.8.4	All markets	Establish supplier qualification records and acceptance criteria

Finding	Severity	Framework	Clause / Ref	Scope	Action Required
Design Review Gate — Missing	HIGH	QMS	ISO 9001:2015 Cl.8.3.4	All markets	Add regulatory compliance checkpoint to design review process
DWR Chemical Exposure — Worker Hazard	HIGH	OHS	ISO 45001:2018 Cl.6.1.2	Supplier plants	Commission formal HIRA for DWR coating process at supplier nomination
US 16 CFR 1610 Flammability	HIGH	REG	16 CFR Part 1610 — CPSC	USA / Canada	A2LA lab flammability testing at proto stage
UK Plastic Packaging Tax	HIGH	REG	HMRC PPT Act 2021	United Kingdom	Specify 30% recycled content in polybag to avoid GBP 217.85/tonne levy
France AGECE — Triman Mark	HIGH	REG	Decree 2021-835	France	Add Triman + Info-Tri QR to all packaging sold in France
Down Processing — Dust / Allergen	MEDIUM	OHS	ISO 45001:2018 Cl.8.1	Supplier plants	Request SDS and dust monitoring records from down processor
Nylon Resource Use Aspect	MEDIUM	EMS	ISO 14001:2026 Cl.6.1.2	Manufacturing	Include petrochemical resource use in formal Aspects Register

SECTION 1 – REGULATORY COMPLIANCE FLAGS

EU PFAS Universal Restriction — DWR Coating

CRITICAL

R
E
G

E
M
S

REACH Reg (EC) 1907/2006 – Universal PFAS Restriction · ECHA 2023

Markets: EU, UK, Norway, Switzerland

DWR treatment on 15D nylon face fabric likely uses C6 fluorinated chemistry. EU universal PFAS restriction phases out all fluorinated DWR by 2025-2027. UK REACH mirrors this under retained law. Material assessment is immediately required.

→ Identify DWR supplier chemistry. Commission PFAS-free alternative performance trials. EMS CI.6.3 Change Assessment required when substitution is selected.

China GB/T 18401 — Mandatory Textile Safety

CRITICAL

R
E
G

Q
M
S

GB/T 18401-2010 / GB 31701-2015 – SAMR China

Markets: China

Mandatory testing for pH, colour fastness, formaldehyde, and azo dyes. Category B (non-direct skin contact) classification likely applies. All labelling must be in Simplified Chinese (Mandarin).

→ Submit fabric samples to CNAS-accredited lab. Prepare Mandarin label artwork. QMS: add to Inspection & Test Plan (CI.8.6).

US Flammability — 16 CFR Part 1610 + Prop 65

HIGH

R
E
G

Q
M
S

16 CFR Part 1610 – CPSC USA · California Proposition 65

Markets: USA, Canada

15D nylon face fabric must meet Class 1 minimum. California Prop 65 chemical screening required for all materials including DWR chemistry and dyes.

→ Commission A2LA-accredited 16 CFR 1610 testing and Prop 65 panel at prototype stage. Add flammability plan to QMS design inputs (CI.8.3.4).

EU EPR Registration — 7 Member States

CRITICAL

R
E
G

Packaging & Packaging Waste Directive 94/62/EC + National EPR Schemes

Markets: Germany, France, Austria, Belgium, Netherlands, Spain, Italy

Producer registration required in each EU member state where products are sold. Germany (Lucid/ZSVR), France (REP Emballages), Austria (ARA), Belgium (Fost Plus), Netherlands (Afvalfonds), Spain (Ecoembes), Italy (CONAI). Annual packaging weight reporting.

→ Register before first shipment. Budget EUR 2,000-8,000 per country per year. If packaging specification changes, EMS CI.6.3 data update is required.

PACKAGING REGULATORY LANDSCAPE

EPR / Producer Responsibility	EU: 7-country registration required (DE, FR, AT, BE, NL, ES, IT). UK: OPRA registration if >1 tonne/year. Australia: APCO membership if >AUD 5M revenue.
Plastic Taxes & Levies	UK: GBP 217.85/tonne on plastic packaging with <30% recycled content. Italy: EUR 0.45/kg on non-recycled plastic. Spain: EUR 0.45/kg on non-reusable plastic.
Mandatory Labelling	France: Triman + Info-Tri mandatory. Germany: Dual System symbol required. Australia: Australasian Recycling Label (ARL) recommended for APCO compliance.
Recycled Content Requirements	UK: 30% recycled to avoid PPT. EU Packaging Regulation (2024): mandatory thresholds from 2030. APCO 2025: 50% average recycled content target — plan ahead.

SECTION 2 – ISO 14001:2026 ENVIRONMENTAL MANAGEMENT PRE-SCREEN

Preliminary environmental aspects identification and risks/opportunities screening based on BOM and target markets. This is a **screening input** to the STS EMS — not a substitute for the formal Aspects & Impacts Register (Cl.6.1.2) or Risks & Opportunities Register (Cl.6.1.4). The EHS team must formally assess significance and complete both registers in the EMS before design sign-off.

2.1 Preliminary Aspects Identification Summary — Cl.6.1.2

Material / Activity	Environmental Aspect	Potential Impact	Life Cycle Stages	Significance*	Compliance Obligation
Goose down — sourcing	Animal welfare / land use	Biodiversity loss / deforestation risk	Raw Material, Manufacturing	High	14001:2026 Cl.4.1 — biodiversity context
Nylon 6.6 face & lining	Petrochemical resource extraction	Resource depletion / GHG emissions	Raw Material	High	14001:2026 Cl.4.1 — resource availability
DWR / PFAS coating	Persistent chemical emission	Soil, water & aquatic contamination	Manufacturing, End of Life	Critical	REACH PFAS restriction + Cl.6.1.2
Polybag — virgin PE	Plastic packaging waste	Landfill / marine pollution	Distribution, End of Life	High	EU Packaging Dir + UK Plastic Packaging Tax
Product lifespan / EoL	Synthetic textile waste	Landfill if non-recyclable	Use, End of Life	Medium	14001:2026 Cl.4.3 — lifecycle scope boundary
Down insulation in use	Microfibre shedding	Microfibre waterway contamination	Use	Medium	EU Microplastics Restriction (ECHA)
Outer carton	Paper / cardboard waste	Recyclable — low residual impact	Distribution, End of Life	Low	APCO 2025 recyclability targets

* Significance to be formally determined by EHS team using STS significance criteria (magnitude x probability x regulatory sensitivity). This column is screening-level only.

2.2 Risks & Opportunities Register — Cl.6.1.4 (NEW in ISO 14001:2026)

ISO 14001:2026 Clause 6.1.4 requires risks and opportunities to be recorded separately from environmental aspects. The following have been identified and must be incorporated into the formal EMS R&O Register.

Type	Risk / Opportunity Description	Clause	Recommended Action
Risk	PFAS DWR restriction creates material non-compliance risk across all REACH-aligned markets	Cl.6.1.2 + 6.1.4	Qualify PFAS-free alternative; EMS Cl.6.3 change assessment required on selection
Risk	Down from non-RDS farms creates escalating biodiversity and animal welfare regulatory exposure	Cl.6.1.4	Initiate RDS certification; add biodiversity requirement to supplier procurement criteria
Risk	Virgin nylon dependency creates resource-use aspect and future recycled content mandate exposure	Cl.6.1.4	Assess 50% recycled nylon feasibility with materials team

Type	Risk / Opportunity Description	Clause	Recommended Action
Opportunity	Fluorine-free DWR improves environmental performance and removes PFAS restriction risk	Cl.6.1.4	Include fluorine-free DWR as preferred specification in material trials
Opportunity	Recycled nylon (rPA6.6) reduces virgin resource aspect; supports ESPR recycled content criteria	Cl.6.1.4	Engage rPA6.6 suppliers; assess performance vs virgin specification
Opportunity	Designing for repairability aligns with EU ESPR durability criteria and STS repair programme	Cl.6.1.4	Add repairability requirements to design brief (replaceable zips, field-repairable seams)

2.3 Change Management Flags — Cl.6.3 (NEW in ISO 14001:2026)

ISO 14001:2026 Clause 6.3 requires a structured assessment for any change that could affect EMS outcomes. Each recommendation below triggers a Cl.6.3 Change Impact Assessment before it can be actioned.

Proposed Change	Why It Triggers Cl.6.3	Owner	EMS Requirement
DWR chemistry substitution (PFAS-free)	Changes significant EMS aspect (DWR/PFAS). New material must be assessed before approval.	R&D; / Regulatory	Cl.6.3 EMS Change Impact Assessment required before proto approval
Down supplier switch or new tier-2 farm	Affects biodiversity aspect, RDS certification chain, and Cl.8.1 operational controls.	Supply Chain	Cl.6.3 + Cl.8.1 review; updated supplier environmental requirement
Packaging specification change	Affects EPR data, UK PPT calculation, and APCO recyclability reporting.	Packaging	Cl.6.3 EMS Change Assessment + EPR data update required
Addition of new target market	New legal obligations (Cl.6.1.3 legal register) and new environmental aspects (logistics).	Regulatory	Cl.6.1.3 legal register update required before first market entry

Handoff → EHS team to formally complete Aspects Register (Cl.6.1.2), R&O Register (Cl.6.1.4), and establish Cl.6.3 Change Management procedure before design sign-off. These are EMS system requirements — this screening provides identified inputs only.

SECTION 3 – ISO 9001:2015 QUALITY MANAGEMENT SYSTEM GAPS

Screening-level QMS control gaps identified at concept stage. The NPD Quality team must establish the relevant documented controls within the STS QMS before design freeze. References are to ISO 9001:2015; forward-compatible with anticipated ISO 9001:2026 (expected September 2026, transition deadline September 2029).

QMS Control Area	Clause	Gap Identified	Action Required
Design & Development Controls	Cl. 8.3.4	No formal design review stage with regulatory compliance checkpoint. Flammability test plan absent from design inputs.	Establish design review checklist with regulatory gate before design freeze.
Supplier / External Provider Controls	Cl. 8.4.1 / 8.4.2	Down supplier and DWR coating supplier qualification records not confirmed. No acceptance criteria for fill power, fibre composition, or DWR performance.	Establish supplier qualification records for all tier-1 BOM materials; define acceptance criteria in product specification.
Release of Products	Cl. 8.6	No Inspection & Test Plan covering mandatory regulatory tests (16 CFR 1610, GB/T 18401, RDS audit) prior to market release.	Create product-specific ITP referencing all mandatory tests. Assign responsibility for release sign-off.
Climate Change Context (ISO 9001:2026 DIS)	Cl. 4.1 (2026 DIS)	Climate change impact on down supply regions and nylon production not yet assessed as part of QMS context — anticipated requirement for 9001:2026.	Include climate-related supply chain risk in next QMS context review.

Handoff → Quality Manager to establish design review gate (Cl. 8.3.4), supplier qualification records (Cl. 8.4), and Inspection & Test Plan (Cl. 8.6) in the STS QMS before design freeze.

SECTION 4 – ISO 45001:2018 PRELIMINARY HAZARD IDENTIFICATION

Preliminary hazard identification only — not a formal HIRA. A full Hazard Identification and Risk Assessment (HIRA) under ISO 45001:2018 Clause 6.1.2 must be conducted by the EHS team and/or relevant supplier before production approval.

Hazard Source	Hazard Type	Who Is Exposed	Classification / Limit	Control / Action
DWR / fluorinated coating application	Chemical — PFAS / fluorinated compounds	Supplier coating workers	GHS Cat.1 reproductive toxicant (some PFAS). ACGIH / NIOSH PELs apply.	Engineering controls + PPE + SDS required at supplier. ISO 45001 or equivalent recommended.
Down processing — opening, blending, filling	Physical / biological — dust, allergen	Supplier down processing workers	Airborne down fibres / dust. Allergen and respiratory sensitiser risk.	Respiratory protection required. COSHH / SDS review. Supplier dust monitoring records required.

Hazard Source	Hazard Type	Who Is Exposed	Classification / Limit	Control / Action
Nylon dyeing — reactive dyes, fixing agents	Chemical — irritant / sensitiser	Supplier dyeing facility workers	Reactive dyes may include known skin sensitisers. Azo dye restriction (REACH Annex XVII).	Supplier SDS + REACH compliance confirmation. Include in supplier OHS audit scope.
Lithium battery (if electronics integration)	Physical — thermal runaway	Retail handlers / warehouse / consumers	IATA Class 9 DG. Thermal runaway risk in storage and transport.	DG classification, labelling, SDS required. Retail induction material advised.

Handoff → EHS Manager and Supply Chain to request SDS, exposure monitoring records, and HIRA summaries from DWR coating and down processing suppliers at nomination stage. Formal HIRA required under ISO 45001:2018 Cl.6.1.2 before production approval.

MARKET READINESS OVERVIEW – FOUR DIMENSIONS

REG = Regulatory (product + packaging) | EMS = ISO 14001:2026 aspects & legal obligations | QMS = ISO 9001 design controls | OHS = ISO 45001 hazard identification & supplier controls

Market	REG Product	REG Packaging	QMS	OHS	Key Blockers / Notes
Australia	✓ READY	✓ READY	✓ READY	✓ READY	ACCC mandatory standard check only
USA	✗ ACTION	✓ READY	✗ ACTION	✓ READY	16 CFR flammability + Prop 65 pending; QMS test plan absent
Germany	✗ ACTION	✗ ACTION	✗ ACTION	✓ READY	PFAS DWR critical; Lucid EPR registration required
France	✗ ACTION	✗ ACTION	✗ ACTION	✓ READY	PFAS DWR; Triman mark missing; EPR registration
United Kingdom	✗ ACTION	✗ ACTION	✗ ACTION	✓ READY	UKCA assessment needed; UK PPT applies; PFAS DWR
Japan	✓ READY	✓ READY	✓ READY	✓ READY	Japanese label translation required
China	✗ ACTION	✓ READY	✗ ACTION	✓ READY	GB/T 18401 testing; Mandarin labelling
UAE	✓ READY	✓ READY	✓ READY	✓ READY	GSO conformity mark check recommended

INTEGRATED ACTION PLAN – ALL FRAMEWORKS

Priority-ordered actions across all four frameworks. Each action includes framework tags and names the downstream system or process it feeds into.

#	Action + Frameworks	Owner	Timeline	What to Do / Triggers
1	Commission PFAS-free DWR chemistry trials REG EMS	R&D; / Materials	Before design freeze	Identify 2-3 fluorine-free alternatives. Performance test vs C6. Triggers: (PFAS restriction), Cl.6.3 change assessment required on selection.
2	Initiate RDS down supply chain certification REG EMS QMS	Supply Chain	Within 30 days	Engage Control Union or equivalent. Identify responsible down farm. Triggers: (EU ESRP / CA AB 44), Cl.6.1.2 biodiversity aspect, Cl.8.4 supplier approval.
3	EU + UK EPR and packaging compliance brief REG EMS	Packaging / Regulatory	Before packaging brief issued	EU 7-country EPR, France Triman, UK PPT 30% recycled content, APCO 2025. Triggers: Cl.6.3 triggered if packaging specification changes.
4	US flammability + Prop 65 testing REG QMS	Regulatory / QA	At prototype stage	A2LA-accredited 16 CFR 1610 + Prop 65 chemical panel. Triggers: (CPSC), Cl.8.6 test plan, Cl.8.3.4 design control gate.

#	Action + Frameworks	Owner	Timeline	What to Do / Triggers
5	China GB/T 18401 testing + Mandarin label REG QMS	Regulatory / QA	At prototype stage	CNAS-accredited testing. Mandarin label artwork. Triggers: (SAMR China), Cl.8.6 release requirements.
6	Formal EMS Aspects Register completion EMS	EHS Manager	Before design sign-off	Formally assess and record all identified aspects in STS Aspects Register (Cl.6.1.2). Determine significance. Update R&O; Register (Cl.6.1.4). Triggers: ISO 14001:2026 Cl.6.1.2 + Cl.6.1.4.
7	Supplier OHS documentation request QMS	Supply Chain / EHS	At supplier nomination	Request SDS, dust monitoring records, and HIRA summaries from down processor and DWR supplier. Triggers: ISO 45001:2018 Cl.8.1, Cl.8.4.
8	QMS design review gate — regulatory checkpoint	NPD / Quality	Before design freeze	Establish formal design review with regulatory compliance sign-off. Add flammability test plan to design inputs. Triggers: ISO 9001:2015 Cl.8.3.4 + Cl.8.6.



SCREENING DOCUMENT DISCLAIMER: This report is generated by the Sea to Summit NPD IMS Pre-Assessment Compliance Engine and is a point-in-time screening document intended to identify compliance flags and IMS system gaps to inform NPD decision-making. It does not constitute legal advice, a formal EMS Aspects & Impacts Register, a Risks & Opportunities Register, a QMS Control Plan, or a HIRA under ISO 45001:2018. All findings must be verified with qualified regulatory counsel, the STS EHS team, and the STS Quality Manager before design freeze and market entry. ISO 14001:2026 published April 2026 — transition deadline May 2029. ISO 9001:2026 expected September 2026 — this report is compatible with the anticipated DIS. ISO 45001:2018 is the current standard. Regulatory requirements change frequently.