

STATE URBAN DEVELOPMENT AUTHORITY

Tender Reference: NIT/2027/PWD/272

Name of Work: Design and Development of Integrated Command and Control Centre

NOTICE INVITING TENDER

State Urban Development Authority, Hyderabad, invites online bids from eligible and experienced bidders for the work titled 'Design and Development of Integrated Command and Control Centre' under reference number NIT/2027/PWD/272.

The last date and time for submission of bids is 24 January 2027 at 11:00 hours IST.

A pre-bid meeting shall be convened on 28 December 2027 at the office of the State Urban Development Authority.

A non-refundable tender document fee of Rs. 2,000 shall be paid online at the time of bid submission.

Bidders shall register on the e-procurement portal and obtain a valid digital signature certificate of Class III or above prior to submission.

SPECIAL CONDITIONS OF CONTRACT

8.1 Nothing in this document shall be construed as creating any obligation on the part of the Purchaser to shortlist, negotiate with, or award a contract to any bidder responding hereto.

12.2 The Purchaser may, at its discretion, extend the deadline for submission of bids by issuing a corrigendum, in which case all rights and obligations of the Purchaser and the bidders shall stand extended to the revised deadline.

6.3 The contractor shall conduct 4 structured training sessions for a minimum of 30 designated personnel, and shall furnish training material in editable soft-copy format.

10.4 No escalation in rates shall be admissible on account of variation in statutory levies, exchange rates or market prices during the currency of the contract, unless expressly provided herein.

3.5 All pages of the bid document shall be serially numbered and signed by the authorised signatory of the bidder. Any interlineation, erasure or overwriting shall be valid only if initialled by the person signing the bid.

7.6 Physical security of the installation shall include access control with audit logging retained for a minimum of 180 days, and surveillance coverage of all equipment rooms.

7.7 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder or bidders.

10.8 The bidder shall maintain complete confidentiality in respect of all data, drawings and specifications received from the Purchaser, and shall not disclose the same to any third party without prior written consent.

9.9 All active components shall be rack-mountable in standard 47U enclosures and shall support front-to-rear airflow. Operating temperature range shall be 5 to 45 degrees Celsius at relative humidity of up to 90 percent non-condensing.

2.10 Bids shall be submitted online through the designated e-procurement portal. Physical bids sent by post, courier, facsimile or electronic mail shall not be entertained under any circumstances.

4.11 The contractor shall not assign or transfer the contract or any part thereof, or any benefit or interest therein, without the prior written consent of the Purchaser.

6.12 Redundancy shall be provided such that no single point of failure exists. Availability of not less than 99.9 percent shall be maintained on a monthly basis, excluding pre-approved maintenance windows not exceeding 8 hours per month.

7.13 Upon completion, the contractor shall remove all temporary works, surplus materials and debris from the site and restore the premises to the satisfaction of the engineer-in-charge.

1.14 Conditional bids, bids with deviations from the mandatory technical specifications, and bids received after the prescribed deadline shall be summarily rejected without further correspondence.

2.15 Backup of all configuration and transactional data shall be taken at intervals not exceeding 12 hours, with a recovery time objective of 2 hours for the primary application tier.

7.16 The successful bidder shall depute a full-time project manager for the entire duration of the contract. Any replacement of key personnel shall require prior written approval of the Purchaser.

10.17 The Purchaser shall provide reasonable access to the site and to such existing records as are necessary for execution of the work, subject to the contractor's compliance with prevailing security and safety protocols.

10.18 All software supplied shall be licensed in the name of the Purchaser in perpetuity, with entitlement to updates and patches for a period of not less than 5 years from commissioning.

12.19 The contractor shall comply with all applicable labour laws, minimum wage notifications and workmen's compensation requirements in respect of personnel deployed at site.

5.20 Any clarification sought by prospective bidders shall be addressed to the office of the undersigned in writing. Responses to material clarifications shall be published as a corrigendum on the portal and shall form an integral part of this document.

9.21 The contractor shall carry out preventive maintenance at least once every 6 months during the support period, and shall submit a signed checklist after each visit.

1.22 The Purchaser may, at its discretion, extend the deadline for submission of bids by issuing a corrigendum, in which case all rights and obligations of the Purchaser and the bidders shall stand extended to the revised deadline.

6.23 Bidders are advised to read all instructions contained in this document carefully before preparing and submitting their bids. Non-compliance with any instruction may render a bid liable to rejection at the sole discretion of the Purchaser.

9.24 The proposed solution shall sustain a minimum of 1000 concurrent transactions per second at a ninety-fifth percentile response time not exceeding 500 milliseconds, as demonstrated during acceptance testing.

1.25 All pages of the bid document shall be serially numbered and signed by the authorised signatory of the bidder. Any interlineation, erasure or overwriting shall be valid only if initialled by the person signing the bid.

7.26 The bidder shall be deemed to have satisfied itself as to the correctness and sufficiency of the bid and of the rates and prices quoted, which shall cover all its obligations under the contract.

4.27 All cabling shall conform to the applicable structured cabling standard and shall be tested end-to-end. Test reports for a minimum of 2400 ports shall be submitted in soft copy prior to commissioning.

SECTION III · FINANCIAL REQUIREMENTS

The financial pre-qualification thresholds are tabulated below.

Minimum Average Annual Turnover	Rs. 1200 lakhs
Earnest Money Deposit (EMD)	Rs. 25,00,000
Bid Validity Period	90 days

A bank solvency certificate issued by a scheduled commercial bank within the preceding six months is mandatory and shall be enclosed with the technical bid.

Where a bidder is exempted from furnishing earnest money under a subsisting government notification, a bid security declaration shall be submitted in lieu thereof. The notional value of such declaration shall be reckoned as Rs. 27,50,000 solely for record-keeping purposes.

Bids shall remain valid for a period of 90 days from the date of opening of the technical bid.

INSTRUCTIONS TO BIDDERS

2.1 Conditional bids, bids with deviations from the mandatory technical specifications, and bids received after the prescribed deadline shall be summarily rejected without further correspondence.

1.2 The contractor shall not assign or transfer the contract or any part thereof, or any benefit or interest therein, without the prior written consent of the Purchaser.

5.3 All software supplied shall be licensed in the name of the Purchaser in perpetuity, with entitlement to updates and patches for a period of not less than 3 years from commissioning.

9.4 The bidder shall be deemed to have satisfied itself as to the correctness and sufficiency of the bid and of the rates and prices quoted, which shall cover all its obligations under the contract.

1.5 Upon completion, the contractor shall remove all temporary works, surplus materials and debris from the site and restore the premises to the satisfaction of the engineer-in-charge.

11.6 All active components shall be rack-mountable in standard 45U enclosures and shall support front-to-rear airflow. Operating temperature range shall be 0 to 45 degrees Celsius at relative humidity of up to 80 percent non-condensing.

1.7 The contractor shall comply with all applicable labour laws, minimum wage notifications and workmen's compensation requirements in respect of personnel deployed at site.

2.8 The bidder shall maintain complete confidentiality in respect of all data, drawings and specifications received from the Purchaser, and shall not disclose the same to any third party without prior written consent.

10.9 Redundancy shall be provided such that no single point of failure exists. Availability of not less than 99.5 percent shall be maintained on a monthly basis, excluding pre-approved maintenance windows not exceeding 6 hours per month.

4.10 Bidders are advised to read all instructions contained in this document carefully before preparing and submitting their bids. Non-compliance with any instruction may render a bid liable to rejection at the sole discretion of the Purchaser.

7.11 Bids shall be submitted online through the designated e-procurement portal. Physical bids sent by post, courier, facsimile or electronic mail shall not be entertained under any circumstances.

8.12 Helpdesk support shall be available on a 24x7 basis, with first response within 15 minutes for critical incidents and resolution within 4 hours.

4.13 Any clarification sought by prospective bidders shall be addressed to the office of the undersigned in writing. Responses to material clarifications shall be published as a corrigendum on the portal and shall form an integral part of this document.

1.14 The Purchaser may, at its discretion, extend the deadline for submission of bids by issuing a corrigendum, in which case all rights and obligations of the Purchaser and the

bidders shall stand extended to the revised deadline.

10.15 The proposed solution shall sustain a minimum of 500 concurrent transactions per second at a ninety-fifth percentile response time not exceeding 300 milliseconds, as demonstrated during acceptance testing.

9.16 Insurance cover for the full replacement value of all materials in transit and at site shall be arranged by the contractor at its own cost, with the Purchaser named as co-insured.

3.17 Force majeure events shall include acts of God, war, civil commotion, epidemic and any order of a competent authority that renders performance impossible. Notice shall be given within fifteen days of the occurrence of such event.

2.18 The contractor shall conduct 3 structured training sessions for a minimum of 20 designated personnel, and shall furnish training material in editable soft-copy format.

4.19 The contractor shall submit monthly progress reports in the prescribed format, along with an updated project schedule reflecting actual progress against planned milestones.

4.20 The Purchaser shall provide reasonable access to the site and to such existing records as are necessary for execution of the work, subject to the contractor's compliance with prevailing security and safety protocols.

3.21 Physical security of the installation shall include access control with audit logging retained for a minimum of 365 days, and surveillance coverage of all equipment rooms.

10.22 The contractor shall not assign or transfer the contract or any part thereof, or any benefit or interest therein, without the prior written consent of the Purchaser.

10.23 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder or bidders.

5.24 The contractor shall carry out preventive maintenance at least once every 3 months during the support period, and shall submit a signed checklist after each visit.

10.25 Upon completion, the contractor shall remove all temporary works, surplus materials and debris from the site and restore the premises to the satisfaction of the engineer-in-charge.

8.26 The successful bidder shall depute a full-time project manager for the entire duration of the contract. Any replacement of key personnel shall require prior written approval of the Purchaser.

7.27 All cabling shall conform to the applicable structured cabling standard and shall be tested end-to-end. Test reports for a minimum of 1200 ports shall be submitted in soft copy prior to commissioning.

4.28 The bidder shall maintain complete confidentiality in respect of all data, drawings and specifications received from the Purchaser, and shall not disclose the same to any third party without prior written consent.

12.29 All pages of the bid document shall be serially numbered and signed by the authorised signatory of the bidder. Any interlineation, erasure or overwriting shall be valid only if initialled by the person signing the bid.

10.30 Backup of all configuration and transactional data shall be taken at intervals not exceeding 24 hours, with a recovery time objective of 4 hours for the primary application tier.

2.31 Bids shall be submitted online through the designated e-procurement portal. Physical bids sent by post, courier, facsimile or electronic mail shall not be entertained under any circumstances.

5.32 Any notice required to be given under this contract shall be in writing and shall be deemed to have been served when delivered by hand against acknowledgement or by registered

post.

10.33 All software supplied shall be licensed in the name of the Purchaser in perpetuity, with entitlement to updates and patches for a period of not less than 7 years from commissioning.

9.34 The Purchaser may, at its discretion, extend the deadline for submission of bids by issuing a corrigendum, in which case all rights and obligations of the Purchaser and the bidders shall stand extended to the revised deadline.

7.35 No escalation in rates shall be admissible on account of variation in statutory levies, exchange rates or market prices during the currency of the contract, unless expressly provided herein.

SECTION IV · PAYMENT TERMS

Payments shall be released against milestones as follows: 10% as mobilisation advance against an equivalent bank guarantee, 50% on delivery and installation, and the balance 40% on final acceptance testing and handover.

All payments shall be subject to deduction of tax at source as applicable. Invoices shall be raised only after written certification of the corresponding milestone by the project officer.

The contract shall be executed over a period of 24 months from the date of issue of the letter of award.

GENERAL CONDITIONS OF CONTRACT

9.1 Nothing in this document shall be construed as creating any obligation on the part of the Purchaser to shortlist, negotiate with, or award a contract to any bidder responding hereto.

1.2 All pages of the bid document shall be serially numbered and signed by the authorised signatory of the bidder. Any interlineation, erasure or overwriting shall be valid only if initialled by the person signing the bid.

11.3 The proposed solution shall sustain a minimum of 1000 concurrent transactions per second at a ninety-fifth percentile response time not exceeding 300 milliseconds, as demonstrated during acceptance testing.

10.4 The contractor shall submit monthly progress reports in the prescribed format, along with an updated project schedule reflecting actual progress against planned milestones.

1.5 Bids shall be submitted online through the designated e-procurement portal. Physical bids sent by post, courier, facsimile or electronic mail shall not be entertained under any circumstances.

8.6 Helpdesk support shall be available on a 24x7 basis, with first response within 15 minutes for critical incidents and resolution within 24 hours.

2.7 No escalation in rates shall be admissible on account of variation in statutory levies, exchange rates or market prices during the currency of the contract, unless expressly provided herein.

7.8 Conditional bids, bids with deviations from the mandatory technical specifications, and bids received after the prescribed deadline shall be summarily rejected without further correspondence.

6.9 All cabling shall conform to the applicable structured cabling standard and shall be tested end-to-end. Test reports for a minimum of 2400 ports shall be submitted in soft copy prior to commissioning.

10.10 The bidder shall be deemed to have satisfied itself as to the correctness and sufficiency of the bid and of the rates and prices quoted, which shall cover all its

obligations under the contract.

5.11 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder or bidders.

10.12 Physical security of the installation shall include access control with audit logging retained for a minimum of 180 days, and surveillance coverage of all equipment rooms.

11.13 Bidders are advised to read all instructions contained in this document carefully before preparing and submitting their bids. Non-compliance with any instruction may render a bid liable to rejection at the sole discretion of the Purchaser.

3.14 The Purchaser may, at its discretion, extend the deadline for submission of bids by issuing a corrigendum, in which case all rights and obligations of the Purchaser and the bidders shall stand extended to the revised deadline.

12.15 All software supplied shall be licensed in the name of the Purchaser in perpetuity, with entitlement to updates and patches for a period of not less than 5 years from commissioning.

5.16 Force majeure events shall include acts of God, war, civil commotion, epidemic and any order of a competent authority that renders performance impossible. Notice shall be given within fifteen days of the occurrence of such event.

8.17 Upon completion, the contractor shall remove all temporary works, surplus materials and debris from the site and restore the premises to the satisfaction of the engineer-in-charge.

4.18 Backup of all configuration and transactional data shall be taken at intervals not exceeding 4 hours, with a recovery time objective of 4 hours for the primary application tier.

2.19 The contractor shall not assign or transfer the contract or any part thereof, or any benefit or interest therein, without the prior written consent of the Purchaser.

7.20 Any clarification sought by prospective bidders shall be addressed to the office of the undersigned in writing. Responses to material clarifications shall be published as a corrigendum on the portal and shall form an integral part of this document.

5.21 The contractor shall carry out preventive maintenance at least once every 3 months during the support period, and shall submit a signed checklist after each visit.

6.22 All pages of the bid document shall be serially numbered and signed by the authorised signatory of the bidder. Any interlineation, erasure or overwriting shall be valid only if initialled by the person signing the bid.

7.23 The contractor shall comply with all applicable labour laws, minimum wage notifications and workmen's compensation requirements in respect of personnel deployed at site.

10.24 The contractor shall conduct 4 structured training sessions for a minimum of 30 designated personnel, and shall furnish training material in editable soft-copy format.

4.25 Bids shall be submitted online through the designated e-procurement portal. Physical bids sent by post, courier, facsimile or electronic mail shall not be entertained under any circumstances.

11.26 Any notice required to be given under this contract shall be in writing and shall be deemed to have been served when delivered by hand against acknowledgement or by registered post.

5.27 Redundancy shall be provided such that no single point of failure exists. Availability of not less than 99.9 percent shall be maintained on a monthly basis, excluding pre-approved maintenance windows not exceeding 6 hours per month.

10.28 Conditional bids, bids with deviations from the mandatory technical specifications, and bids received after the prescribed deadline shall be summarily rejected without further

correspondence.

1.29 Insurance cover for the full replacement value of all materials in transit and at site shall be arranged by the contractor at its own cost, with the Purchaser named as co-insured.

11.30 All active components shall be rack-mountable in standard 45U enclosures and shall support front-to-rear airflow. Operating temperature range shall be 0 to 50 degrees Celsius at relative humidity of up to 95 percent non-condensing.

9.31 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder or bidders.

1.32 The bidder shall maintain complete confidentiality in respect of all data, drawings and specifications received from the Purchaser, and shall not disclose the same to any third party without prior written consent.

7.33 The proposed solution shall sustain a minimum of 5000 concurrent transactions per second at a ninety-fifth percentile response time not exceeding 800 milliseconds, as demonstrated during acceptance testing.

SECTION VI · DISPUTE RESOLUTION AND GENERAL CONDITIONS

Any dispute arising out of or in connection with this contract shall be referred to arbitration under the Arbitration and Conciliation Act, 1996, with Hyderabad as the seat of arbitration.

All bid documents, correspondence and deliverables shall be submitted in English or Hindi.

The contract shall be governed by and construed in accordance with the laws of India. The courts at the seat of arbitration shall have exclusive jurisdiction.

TECHNICAL SPECIFICATIONS

9.1 Any notice required to be given under this contract shall be in writing and shall be deemed to have been served when delivered by hand against acknowledgement or by registered post.

10.2 Insurance cover for the full replacement value of all materials in transit and at site shall be arranged by the contractor at its own cost, with the Purchaser named as co-insured.

4.3 The proposed solution shall sustain a minimum of 5000 concurrent transactions per second at a ninety-fifth percentile response time not exceeding 300 milliseconds, as demonstrated during acceptance testing.

11.4 The contractor shall not assign or transfer the contract or any part thereof, or any benefit or interest therein, without the prior written consent of the Purchaser.

12.5 Nothing in this document shall be construed as creating any obligation on the part of the Purchaser to shortlist, negotiate with, or award a contract to any bidder responding hereto.

6.6 All cabling shall conform to the applicable structured cabling standard and shall be tested end-to-end. Test reports for a minimum of 250 ports shall be submitted in soft copy prior to commissioning.

9.7 The bidder shall maintain complete confidentiality in respect of all data, drawings and specifications received from the Purchaser, and shall not disclose the same to any third party without prior written consent.

1.8 No escalation in rates shall be admissible on account of variation in statutory levies, exchange rates or market prices during the currency of the contract, unless expressly provided herein.

2.9 Backup of all configuration and transactional data shall be taken at intervals not exceeding 24 hours, with a recovery time objective of 4 hours for the primary application

tier.

3.10 Bids shall be submitted online through the designated e-procurement portal. Physical bids sent by post, courier, facsimile or electronic mail shall not be entertained under any circumstances.

3.11 Upon completion, the contractor shall remove all temporary works, surplus materials and debris from the site and restore the premises to the satisfaction of the engineer-in-charge.

3.12 Physical security of the installation shall include access control with audit logging retained for a minimum of 180 days, and surveillance coverage of all equipment rooms.

4.13 The successful bidder shall depute a full-time project manager for the entire duration of the contract. Any replacement of key personnel shall require prior written approval of the Purchaser.

6.14 Conditional bids, bids with deviations from the mandatory technical specifications, and bids received after the prescribed deadline shall be summarily rejected without further correspondence.

9.15 All active components shall be rack-mountable in standard 47U enclosures and shall support front-to-rear airflow. Operating temperature range shall be 5 to 50 degrees Celsius at relative humidity of up to 90 percent non-condensing.

10.16 Any clarification sought by prospective bidders shall be addressed to the office of the undersigned in writing. Responses to material clarifications shall be published as a corrigendum on the portal and shall form an integral part of this document.

7.17 Bidders are advised to read all instructions contained in this document carefully before preparing and submitting their bids. Non-compliance with any instruction may render a bid liable to rejection at the sole discretion of the Purchaser.

4.18 All software supplied shall be licensed in the name of the Purchaser in perpetuity, with entitlement to updates and patches for a period of not less than 7 years from commissioning.

5.19 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder or bidders.

10.20 The Purchaser shall provide reasonable access to the site and to such existing records as are necessary for execution of the work, subject to the contractor's compliance with prevailing security and safety protocols.

8.21 Helpdesk support shall be available on a 24x7 basis, with first response within 45 minutes for critical incidents and resolution within 24 hours.

12.22 Insurance cover for the full replacement value of all materials in transit and at site shall be arranged by the contractor at its own cost, with the Purchaser named as co-insured.

3.23 The Purchaser may, at its discretion, extend the deadline for submission of bids by issuing a corrigendum, in which case all rights and obligations of the Purchaser and the bidders shall stand extended to the revised deadline.

5.24 Redundancy shall be provided such that no single point of failure exists. Availability of not less than 99.9 percent shall be maintained on a monthly basis, excluding pre-approved maintenance windows not exceeding 8 hours per month.

10.25 Nothing in this document shall be construed as creating any obligation on the part of the Purchaser to shortlist, negotiate with, or award a contract to any bidder responding hereto.

3.26 The contractor shall submit monthly progress reports in the prescribed format, along with an updated project schedule reflecting actual progress against planned milestones.

5.27 The contractor shall conduct 3 structured training sessions for a minimum of 50

designated personnel, and shall furnish training material in editable soft-copy format.

6.28 No escalation in rates shall be admissible on account of variation in statutory levies, exchange rates or market prices during the currency of the contract, unless expressly provided herein.

2.29 The contractor shall comply with all applicable labour laws, minimum wage notifications and workmen's compensation requirements in respect of personnel deployed at site.

11.30 The contractor shall carry out preventive maintenance at least once every 3 months during the support period, and shall submit a signed checklist after each visit.

5.31 Upon completion, the contractor shall remove all temporary works, surplus materials and debris from the site and restore the premises to the satisfaction of the engineer-in-charge.

4.32 All pages of the bid document shall be serially numbered and signed by the authorised signatory of the bidder. Any interlineation, erasure or overwriting shall be valid only if initialled by the person signing the bid.

3.33 The proposed solution shall sustain a minimum of 1000 concurrent transactions per second at a ninety-fifth percentile response time not exceeding 500 milliseconds, as demonstrated during acceptance testing.

8.34 Conditional bids, bids with deviations from the mandatory technical specifications, and bids received after the prescribed deadline shall be summarily rejected without further correspondence.

4.35 Force majeure events shall include acts of God, war, civil commotion, epidemic and any order of a competent authority that renders performance impossible. Notice shall be given within fifteen days of the occurrence of such event.

12.36 All cabling shall conform to the applicable structured cabling standard and shall be tested end-to-end. Test reports for a minimum of 1200 ports shall be submitted in soft copy prior to commissioning.

SECTION II · ELIGIBILITY CRITERIA

The bidder shall satisfy each of the following pre-qualification requirements. Documentary evidence for every criterion shall be enclosed with the technical bid.

The bidder shall have a minimum of 10 years of experience in executing projects of a similar nature in the field of Smart Cities.

The bidder shall hold valid ISO 9001:2015 and ISO 14001:2015 certifications as on the date of bid submission.

Joint ventures and consortium bids are permitted, subject to a maximum of two members and submission of a registered joint venture agreement.

Sub-contracting of the awarded work is permitted only up to 25% of the total contract value, and only with the prior written approval of the Purchaser.

For the limited purpose of empanelling sub-contractors, an indicative annual turnover of Rs. 13,00,00,000 is suggested. This is a guidance value only and is not a pre-qualification requirement for the bidder.

ANNEXURE · FORMATS AND DECLARATIONS

7.1 Bids shall be submitted online through the designated e-procurement portal. Physical bids sent by post, courier, facsimile or electronic mail shall not be entertained under any circumstances.

8.2 Insurance cover for the full replacement value of all materials in transit and at site shall be arranged by the contractor at its own cost, with the Purchaser named as co-insured.

10.3 The proposed solution shall sustain a minimum of 2500 concurrent transactions per second at a ninety-fifth percentile response time not exceeding 300 milliseconds, as

demonstrated during acceptance testing.

2.4 The contractor shall not assign or transfer the contract or any part thereof, or any benefit or interest therein, without the prior written consent of the Purchaser.

10.5 Any clarification sought by prospective bidders shall be addressed to the office of the undersigned in writing. Responses to material clarifications shall be published as a corrigendum on the portal and shall form an integral part of this document.

12.6 Backup of all configuration and transactional data shall be taken at intervals not exceeding 12 hours, with a recovery time objective of 2 hours for the primary application tier.

10.7 Upon completion, the contractor shall remove all temporary works, surplus materials and debris from the site and restore the premises to the satisfaction of the engineer-in-charge.

6.8 The Purchaser may, at its discretion, extend the deadline for submission of bids by issuing a corrigendum, in which case all rights and obligations of the Purchaser and the bidders shall stand extended to the revised deadline.

1.9 All cabling shall conform to the applicable structured cabling standard and shall be tested end-to-end. Test reports for a minimum of 500 ports shall be submitted in soft copy prior to commissioning.

12.10 The successful bidder shall depute a full-time project manager for the entire duration of the contract. Any replacement of key personnel shall require prior written approval of the Purchaser.

1.11 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder or bidders.

8.12 All software supplied shall be licensed in the name of the Purchaser in perpetuity, with entitlement to updates and patches for a period of not less than 3 years from commissioning.

4.13 The contractor shall comply with all applicable labour laws, minimum wage notifications and workmen's compensation requirements in respect of personnel deployed at site.

5.14 Bidders are advised to read all instructions contained in this document carefully before preparing and submitting their bids. Non-compliance with any instruction may render a bid liable to rejection at the sole discretion of the Purchaser.

3.15 Physical security of the installation shall include access control with audit logging retained for a minimum of 365 days, and surveillance coverage of all equipment rooms.

2.16 Any notice required to be given under this contract shall be in writing and shall be deemed to have been served when delivered by hand against acknowledgement or by registered post.

10.17 Nothing in this document shall be construed as creating any obligation on the part of the Purchaser to shortlist, negotiate with, or award a contract to any bidder responding hereto.

9.18 The contractor shall conduct 8 structured training sessions for a minimum of 30 designated personnel, and shall furnish training material in editable soft-copy format.

9.19 Force majeure events shall include acts of God, war, civil commotion, epidemic and any order of a competent authority that renders performance impossible. Notice shall be given within fifteen days of the occurrence of such event.

8.20 The bidder shall be deemed to have satisfied itself as to the correctness and sufficiency of the bid and of the rates and prices quoted, which shall cover all its obligations under the contract.

5.21 Helpdesk support shall be available on a 12x6 basis, with first response within 30

minutes for critical incidents and resolution within 4 hours.

3.22 Insurance cover for the full replacement value of all materials in transit and at site shall be arranged by the contractor at its own cost, with the Purchaser named as co-insured.

7.23 The contractor shall submit monthly progress reports in the prescribed format, along with an updated project schedule reflecting actual progress against planned milestones.

3.24 Redundancy shall be provided such that no single point of failure exists. Availability of not less than 99.95 percent shall be maintained on a monthly basis, excluding pre-approved maintenance windows not exceeding 8 hours per month.

6.25 Any clarification sought by prospective bidders shall be addressed to the office of the undersigned in writing. Responses to material clarifications shall be published as a corrigendum on the portal and shall form an integral part of this document.

4.26 The bidder shall maintain complete confidentiality in respect of all data, drawings and specifications received from the Purchaser, and shall not disclose the same to any third party without prior written consent.

11.27 All active components shall be rack-mountable in standard 45U enclosures and shall support front-to-rear airflow. Operating temperature range shall be 10 to 40 degrees Celsius at relative humidity of up to 85 percent non-condensing.

8.28 The Purchaser may, at its discretion, extend the deadline for submission of bids by issuing a corrigendum, in which case all rights and obligations of the Purchaser and the bidders shall stand extended to the revised deadline.

8.29 No escalation in rates shall be admissible on account of variation in statutory levies, exchange rates or market prices during the currency of the contract, unless expressly provided herein.

12.30 The contractor shall carry out preventive maintenance at least once every 3 months during the support period, and shall submit a signed checklist after each visit.

7.31 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder or bidders.

9.32 The Purchaser shall provide reasonable access to the site and to such existing records as are necessary for execution of the work, subject to the contractor's compliance with prevailing security and safety protocols.

7.33 The proposed solution shall sustain a minimum of 500 concurrent transactions per second at a ninety-fifth percentile response time not exceeding 300 milliseconds, as demonstrated during acceptance testing.

8.34 Bidders are advised to read all instructions contained in this document carefully before preparing and submitting their bids. Non-compliance with any instruction may render a bid liable to rejection at the sole discretion of the Purchaser.

SECTION V · PENALTIES, GUARANTEES AND LIABILITY

In the event of delay in completion, liquidated damages shall be levied at 0.5% of the contract value per fortnight of delay, subject to an overall ceiling of 5% of the total contract value.

The successful bidder shall furnish a performance bank guarantee equal to 5% of the contract value, valid for 30 months from the date of award.

All supplied equipment shall carry a comprehensive on-site warranty of 2 years from the date of successful commissioning.

The aggregate liability of the contractor under this contract shall not exceed 100% of the total contract value, save in cases of fraud, wilful misconduct or breach of confidentiality obligations.

Separately, failure to depute the approved project manager within thirty days of award shall attract a one-time administrative penalty of 2% of the first milestone value, which shall be recovered from the next due payment and shall not count towards the liquidated damages ceiling.

ANNEXURE · FORMATS AND DECLARATIONS

9.1 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected bidder or bidders.

3.2 The contractor shall not assign or transfer the contract or any part thereof, or any benefit or interest therein, without the prior written consent of the Purchaser.

4.3 The contractor shall conduct 6 structured training sessions for a minimum of 30 designated personnel, and shall furnish training material in editable soft-copy format.

3.4 The bidder shall maintain complete confidentiality in respect of all data, drawings and specifications received from the Purchaser, and shall not disclose the same to any third party without prior written consent.

12.5 The contractor shall submit monthly progress reports in the prescribed format, along with an updated project schedule reflecting actual progress against planned milestones.

7.6 Helpdesk support shall be available on a 24x7 basis, with first response within 45 minutes for critical incidents and resolution within 8 hours.

4.7 Upon completion, the contractor shall remove all temporary works, surplus materials and debris from the site and restore the premises to the satisfaction of the engineer-in-charge.

10.8 Any clarification sought by prospective bidders shall be addressed to the office of the undersigned in writing. Responses to material clarifications shall be published as a corrigendum on the portal and shall form an integral part of this document.

8.9 The contractor shall carry out preventive maintenance at least once every 3 months during the support period, and shall submit a signed checklist after each visit.

4.10 The bidder shall be deemed to have satisfied itself as to the correctness and sufficiency of the bid and of the rates and prices quoted, which shall cover all its obligations under the contract.

7.11 The Purchaser shall provide reasonable access to the site and to such existing records as are necessary for execution of the work, subject to the contractor's compliance with prevailing security and safety protocols.

4.12 Redundancy shall be provided such that no single point of failure exists. Availability of not less than 99.95 percent shall be maintained on a monthly basis, excluding pre-approved maintenance windows not exceeding 4 hours per month.

12.13 The successful bidder shall depute a full-time project manager for the entire duration of the contract. Any replacement of key personnel shall require prior written approval of the Purchaser.

5.14 Force majeure events shall include acts of God, war, civil commotion, epidemic and any order of a competent authority that renders performance impossible. Notice shall be given within fifteen days of the occurrence of such event.

3.15 The proposed solution shall sustain a minimum of 2500 concurrent transactions per second at a ninety-fifth percentile response time not exceeding 300 milliseconds, as demonstrated during acceptance testing.

3.16 Conditional bids, bids with deviations from the mandatory technical specifications, and bids received after the prescribed deadline shall be summarily rejected without further correspondence.

8.17 The Purchaser may, at its discretion, extend the deadline for submission of bids by

issuing a corrigendum, in which case all rights and obligations of the Purchaser and the bidders shall stand extended to the revised deadline.

2.18 All software supplied shall be licensed in the name of the Purchaser in perpetuity, with entitlement to updates and patches for a period of not less than 5 years from commissioning.

6.19 Nothing in this document shall be construed as creating any obligation on the part of the Purchaser to shortlist, negotiate with, or award a contract to any bidder responding hereto.

7.20 Bids shall be submitted online through the designated e-procurement portal. Physical bids sent by post, courier, facsimile or electronic mail shall not be entertained under any circumstances.

7.21 All active components shall be rack-mountable in standard 42U enclosures and shall support front-to-rear airflow. Operating temperature range shall be 0 to 50 degrees Celsius at relative humidity of up to 90 percent non-condensing.

7.22 The contractor shall not assign or transfer the contract or any part thereof, or any benefit or interest therein, without the prior written consent of the Purchaser.

12.23 Bidders are advised to read all instructions contained in this document carefully before preparing and submitting their bids. Non-compliance with any instruction may render a bid liable to rejection at the sole discretion of the Purchaser.

1.24 Physical security of the installation shall include access control with audit logging retained for a minimum of 365 days, and surveillance coverage of all equipment rooms.

10.25 The contractor shall submit monthly progress reports in the prescribed format, along with an updated project schedule reflecting actual progress against planned milestones.

7.26 All pages of the bid document shall be serially numbered and signed by the authorised signatory of the bidder. Any interlineation, erasure or overwriting shall be valid only if initialled by the person signing the bid.

3.27 Backup of all configuration and transactional data shall be taken at intervals not exceeding 4 hours, with a recovery time objective of 8 hours for the primary application tier.

4.28 Any clarification sought by prospective bidders shall be addressed to the office of the undersigned in writing. Responses to material clarifications shall be published as a corrigendum on the portal and shall form an integral part of this document.