

Job Documentation

Generated by Talend Data Fabric

Project Name	Contoso_Integration	GENERATION DATE	Apr 30, 2016 4:19:03 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.1.1.20151214_1327

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


Project Description

Properties	Values
Name	Contoso_Integration
Language	java
Description	

Description

Properties	Values
Name	FactExchange_Load
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Apr 24, 2016 10:51:10 PM
Modification	Apr 28, 2016 2:56:14 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true

Catch user warnings	true

Context List

ContextDefault

Name Prompt Need Prompt? Type Value Source
--

Component List

Component Name	Component Type
CNTL_Job_Tracking_Stats_CHILD_1	CNTL_Job_Tracking_Stats_CHILD
tFileInputExcel_1	tFileInputExcel
tMSSqlInput_1	tMSSqlInput
tMSSqlOutput_1	tMSSqlOutput
tMSSqlOutput_2	tMSSqlOutput
tMap_1	tMap

Components Description

Component tFileInputExcel

XIS	UNIQUE NAME	tFileInputExcel_1	INPUT(S)	none

LABEL FactExchnageRate_SOR OUTPUT(S) tMap_1

Component Farameters:	
Properties	Values
Unique Name	tFileInputExcel_1
Component Name	tFileInputExcel
Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputExcel
Update components	true
IREPORT_PATH	

JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
!!!PROPERTY.NAME!!!	
Read excel2007 file format(xlsx)	true
File name/Stream	"C:/Users/Shafee/Desktop/Spring 2016/Data Warehouse & Intellegence/DWBI - FINAL PROJECT/Data Sources/Contoso_SOR_Files/FactExchangeRate.xlsx"
All sheets	true
Sheet list	
Header	1
Footer	0
Limit	
Affect each sheet(header&&footer)	false
First column	1

Last column	
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
!!!SCHEMA.NAME!!!	
!!!SCHEMA_REJECT.NAME!!!	null:errorCode errorMessage
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
Trim all columns	false
Check column to trim	[{TRIM=true, SCHEMA_COLUMN=CurrencyDateSK}, {TRISCHEMA_COLUMN=CurrencyDateKey}, {TRIM=true, SCHEMA_COLUMN=CurrencyKey}, {TRIM=true, SCHEMA_COLUMN=CurrencyName}, {TRIM=true, SCHEMA_COLUMN=EndOfDayRate}]
Convert date column to string	false
Check need convert date column	[{PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=CurrencyCONVERTDATE=false}, {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=CurrencyDateKey, CONVERTDATE={PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=CurrencyCONVERTDATE=false}, {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=CurrencyName, CONVERTDATE=fa {PATTERN="MM-dd-yyyy", SCHEMA_COLUMN=EndOfDateCONVERTDATE=false}]
Encoding	"UTF-8"

Read real values for numbers	false
Stop reading on encountering empty rows	false
Don't validate the cells	false
Ignore the warning	false
Generation mode	EVENT_MODE
Label format	FactExchnageRate_SOR
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
CurrencyDateSK	false	Integer	8		true	
CurrencyDateKey	false	String	7		true	
CurrencyKey	false	Integer	1		true	

CurrencyName	false	String	3		true	
EndOfDayRate	false	Float	6	5	true	

Original Function Parameters: Component tMSSqlInput

UNIQUE NAME	tMSSqlInput_1	INPUT(S)	none
LABEL	TABLE	OUTPUT(S)	tMap_1

Component Parameters:			
Properties	Values		
Unique Name	tMSSqlInput_1		
Component Name	tMSSqlInput		
Version	0.102 (ALPHA)		
Family	Databases/MS_SQL_Server		
Start	false		
Startable	true		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		

tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false
Component List	
Property Type	
Host	"localhost"
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"

Database	"Contoso_DW"
Username	"admin1"
Password	****
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Table Name	"DimDate"
Query Type	пп
Guess Schema	пп
Query	"SELECT dbo.DimDate.DateSK FROM dbo.DimDate"
!!!NOTE.NAME!!!	This option only applies when deploying and running in the
Specify a data source alias	false
Data source alias	1111
Mapping	id_MSSQL
Additional JDBC Parameters	пп
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{TRIM=true, SCHEMA_COLUMN=DateSK}]

Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DimDate:

Column	Key	Туре	Length	Precision	Nullable	Comment
DateSK	true	int	10		false	

Original Function Parameters: Component tMSSqlOutput

UNIQUE NAME	tMSSqlOutput_1	INPUT(S)	tMap_1
LABEL	TABLE	OUTPUT(S)	none

<u> </u>	
Properties	Values
Unique Name	tMSSqlOutput_1
Component Name	tMSSqlOutput

Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Property Type	
Use an existing connection	false
Component List	
Host	"localhost"
Port	"1433"
Schema	"dbo"
Database	"Contoso_DW"
Database Driver	MSSQL
Username	"admin1"
Password	****
Table	"FactExchangeRate"
Action on table	TRUNCATE
Turn on Identity insert	false
Action on data	INSERT
!!!NOTE.NAME!!!	NOTE: batch size must be less than or equal to total numb markers divided by number of columns
Specify identity field	false
Identity field	ExchangeRateKey
	·

1
1
Ifalse
null:errorCode errorMessage
This option only applies when deploying and running in the
false
пп
false
id_MSSQL
пп
"ISO-8859-15"
1000000
false

Field options	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE INSERTABLE=true, SCHEMA_COLUMN=ExchangeRateK {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE: INSERTABLE=true, SCHEMA_COLUMN=CurrencyKey}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE: INSERTABLE=true, SCHEMA_COLUMN=DateKey}, {UPDDELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DateSK}, {UPDATE_KEY=false, DELUPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=AverageRate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, INSERTABLE
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	1000000
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for FactExchangeRate :

Schema for FactExchangeNate.						
Column	Key	Туре	Length	Precision	Nullable	Comment
ExchangeRateKey	true	int	10		false	
CurrencyKey	false	int	10		false	
DateKey	false	java.util.Date	23	3	false	
DateSK	false	Integer	10		true	
AverageRate	false	double	53		false	
EndOfDayRate	false	double	53		false	
SOR_ID	false	Integer	10		true	
DI_Job_ID	false	String	20		true	

Original Function Parameters: Component tMSSqlOutput

UNIQUE NAME	tMSSqlOutput_2		tMap_1 , tMSSqlInput_1
LABEL	TABLE	OUTPUT(S)	none

Properties	Values
Unique Name	tMSSqlOutput_2

Component Name	tMSSqlOutput
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
Property Type	
Use an existing connection	false
Component List	
Host	"localhost"
Port	"1433"
Schema	"dbo"
Database	"Contoso_DW"
Database Driver	MSSQL
Username	"admin1"
Password	****
Table	"FactExchangeRate_Reject"
Action on table	NONE
Turn on Identity insert	false
Action on data	INSERT
!!!NOTE.NAME!!!	NOTE: batch size must be less than or equal to total numb markers divided by number of columns
Specify identity field	false

Identity field	ExchangeRateKey
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Reject Schema	null:errorCode errorMessage
!!!NOTE.NAME!!!	This option only applies when deploying and running in the
Specify a data source alias	false
Data source alias	пп
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	нн
Encoding	"ISO-8859-15"
Commit every	10000000
Additional columns	
Use field options	false

Field options	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE INSERTABLE=true, SCHEMA_COLUMN=ExchangeRateK {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE: INSERTABLE=true, SCHEMA_COLUMN=CurrencyKey}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE: INSERTABLE=true, SCHEMA_COLUMN=DateKey}, {UPDDELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=DateSK}, {UPDATE_KEY=false, DELUPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=AverageRate}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, INSERTABLE
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	1000000
Label format	TABLE
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for FactExchangeRate_Reject :

Scrienia ioi Facil	.xcmanger	tate_iteject .				
Column	Key	Туре	Length	Precision	Nullable	Comment
ExchangeRateKey	true	int	10		false	
CurrencyKey	false	int	10		false	
DateKey	false	java.util.Date	23	3	false	
DateSK	false	Integer	10		true	
AverageRate	false	double	53		false	
EndOfDayRate	false	double	53		false	
SOR_ID	false	Integer	10		true	
DI_Job_ID	false	String	20		true	

Original Function Parameters: Component CNTL_Job_Tracking_Stats_CHILD


 UNIQUE NAME	CNTL_Job_Tracking_Stats_CHILD_1	INPUT(S)	none
LABEL	CNTL_Job_Tracking_Stats_CHILD	OUTPUT(S)	none

Properties	Values
Version	Latest

Show Information	false
Comment	

Component tMap

6.5	UNIQUE	tMan 1		tMap_1	
	NAME	tMap_1	INPUT(S)	, tMSSqlInput_1	
				tMSSqlOutput_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	, tMSSqlOutput_2	



oomponent i arameters.	,
Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	"C:/Talend/Talend-Tools-Studio-20151214_1327-V6.1.1/temp"

Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(ExchangeRate):

	mapper table i reperties (=xerialigertate).		
Properties	Values		
Name	ExchangeRate		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(ExchangeRate):

Name	Туре	Expression	isNullable
CurrencyDateSK	Integer		true
CurrencyDateKey	String		true
CurrencyKey	Integer		true
CurrencyName	String		true
EndOfDayRate	Float		true

Constraint Table Entries (ExchangeRate):

Name	Туре	Expression	isNullable

Mapper table Properties (Date):

mapper table Properties Date J.		
Properties	Values	
Name	Date	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	true	
expressionFilter	null	

Metadata Table Entries(Date):

Name	Туре	Expression	isNullable
DateSK	int	ExchangeRate.CurrencyDateSK	false

Constraint Table Entries(Date):

Name	Туре	Expression	isNullable	

Mapper table for tMap_1 (output):
Mapper table Properties(FactExchangeRate):

Properties	Values
Name	FactExchangeRate
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(FactExchangeRate):

Name	Туре	Expression
ExchangeRateKey	int	Numeric.sequence("s1",1,1);
CurrencyKey	int	ExchangeRate.CurrencyKey
DateKey	java.util.Date	ExchangeRate.CurrencyDateKey.equals("NULL")? null:TalendDate.parseDate("MM/dd/yy",ExchangeRate.CurrencyDate
DateSK	Integer	Date.DateSK
AverageRate	double	
EndOfDayRate	double	ExchangeRate.EndOfDayRate
SOR_ID	Integer	1108
DI_Job_ID	String	context.getProperty("vJobPID")

Constraint Table Entries(FactExchangeRate):

Name Type Expression isNullable

Mapper table Properties(FactExchangeRate_Reject):

Properties	Values
Name	FactExchangeRate_Reject
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	true
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(FactExchangeRate_Reject):

Name	Туре	Expression
ExchangeRateKey	int	Numeric.sequence("s1",1,1);
CurrencyKey	int	ExchangeRate.CurrencyKey
DateKey	java.util.Date	ExchangeRate.CurrencyDateKey.equals("NULL")? null:TalendDate.parseDate("MM/dd/yy",ExchangeRate.CurrencyDate
DateSK	Integer	Date.DateSK
AverageRate	double	
EndOfDayRate	double	ExchangeRate.EndOfDayRate
SOR_ID	Integer	1108
DI_Job_ID	String	context.getProperty("vJobPID")

Constraint Table Entries(FactExchangeRate_Reject):

Name Type Expression isNullable

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

mapper table i roperties (vai):			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(Var):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable