

## **Joblet Documentation**

### Generated by Talend Data Fabric

Project Name	Contoso_Integration	GENERATION DATE	Apr 30, 2016 4:18:57 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.1.1.20151214_1327

### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


### **Project Description**

Properties	Values
Name	Contoso_Integration
Language	java
Description	

## **Description**

Properties	Values
Name	CNTL_JobStats_Root
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Jun 1, 2015 12:22:47 PM
Modification	Apr 19, 2016 2:45:18 PM

### **Preview Picture**



## **Settings**

#### **Extra settings**

Name	Value
Startable	true

### **Context List**

#### ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source

## **Component List**

Component Name	Component Type
tStatCatcher_1	tStatCatcher

tMap_1	tMap
tMSSqlOutput_1	tMSSqlOutput
tMSSqlInput_1	tMSSqlInput
tMSSqlOutput_2	tMSSqlOutput
tJavaRow_1	tJavaRow
TRIGGER_OUTPUT_1	TRIGGER_OUTPUT

## **Components Description**

### Component tStatCatcher

UNIQUE NAME	tStatCatcher_1	INPUT(S)	none
LABEL	tStatCatcher_1		tMap_1 , TRIGGER_OUTPUT_1

Properties	Values
Unique Name	tStatCatcher_1
Component Name	tStatCatcher
Version	0.1 (BETA)
Family	Logs_Errors
Start	true

!!!SCHEMA.NAME!!!	null:moment pid father_pid root_pid system_pid project job job_repository_id job_version context origin message_type duration
REPOSITORY_ALLOW_AUTO_SWITCH	false
	false
Number of parallel executions	2
Enable parallel execution	false
Title color	
Subjob color	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
IREPORT_PATH	
Update components	true
Help	org.talend.help.tStatCatcher
DUMMY	false
Activate	true
END_OF_FLOW	false
SUBTREE_START	true
Startable	true

Label format	tStatCatcher_1
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tStatCatcher\_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	8		true	
project	false	String	50		true	
job	false	String	255		true	
job_repository_id	false	String	255		true	

job_version	false	String	255	true
context	false	String	50	true
origin	false	String	255	true
message_type	false	String	255	true
message	false	String	255	true
duration	false	Long	8	true

# Original Function Parameters: Component tMSSqlOutput

	UNIQUE NAME	tMSSqlOutput_1	INPUT(S)	tMap_1	
	LABEL	"cntl_statCatcher"	OUTPUT(S)	none	

component i diameters.		
Properties	Values	
Unique Name	tMSSqlOutput_1	
Component Name	tMSSqlOutput	
Version	0.102 (ALPHA)	
Family	Databases/MS_SQL_Server	
Startable	false	
SUBTREE_START	false	

JAVA_LIBRARY_PATH Subjob color	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	
Use an existing connection	false
Use an existing connection	false
Component List	

Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Database Driver	MSSQL
Username	"admin1"
Password	*****
Table	"cntl_statCatcher"
Action on table	NONE
Turn on Identity insert	false
Action on data	INSERT
!!!NOTE.NAME!!!	NOTE: batch size must be less than or equal to total numb
Specify identity field	false
Identity field	moment
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	

Reject Schema	null:errorCode errorMessage
!!!NOTE.NAME!!!	NOTE: batch size must be less than or equal to total numb
Specify a data source alias	false
Data source alias	пп
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	пп
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false

Field options	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE INSERTABLE=true, SCHEMA_COLUMN=moment}, {UPDDELETE_KEY=false, UPDATABLE=true, INSERTABLE=tr SCHEMA_COLUMN=pid}, {UPDATE_KEY=false, DELETE UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUM {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=root_pid}, {UPDDATE_KEY=false, UPDATABLE=true, INSERTABLE=tr SCHEMA_COLUMN=system_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=tr SCHEMA_COLUMN=project}, {UPDATE_KEY=false, DELI UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUM {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=job_repository_i {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=job_version}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=context}, {UPDA DELETE_KEY=false, UPDATABLE=true, INSERTABLE=tr SCHEMA_COLUMN=message_type}, {UPDATE_KEY=false, DELEUPDATABLE=true, INSERTABLE=true, INSERTABLE=tr SCHEMA_COLUMN=message_type}, {UPDATE_KEY=false, DELEUPDATABLE=tr SCHEMA_COLUMN=message}, {UPDATE_KEY=false, DELEUPDATE_KEY=false, DELEUPDATABLE=tr SCHEMA_COLUMN=message}, {UPDATE_KEY=false, DELEUPDATE_KEY=false, DELEUPDATABLE=tr SCHEMA_COLUMN=message}, {UPDATE_KEY=false, DELEUPDATE_KEY=false, DELEUPDATABLE=tr SCHEMA_COLUMN=message}, {UPDATE_KEY=false, DELEUPDATE_KEY=false, DELEUPDATABLE=tr SCHEMA_COLUMN=duration}]
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	"cntl_statCatcher"
Hint format	<b>UNIQUE_NAME</b> COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for cntl statCatcher:

ochema for chi	Schema for Chti_StatCatcher:					
Column	Key	Туре	Length	Precision	Nullable	Comment
moment	false	java.util.Date	23	3	true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	19		true	
project	false	String	50		true	
job	false	String	50		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	

origin	false	String	255	true	
message_type	false	String	255	true	
message	false	String	255	true	
duration	false	Long	19	true	

# Original Function Parameters: Component tMSSqlInput

UNIQUE NAME	tMSSqlInput_1	INPUT(S)	none
LABEL	"cntl_JobStats"	OUTPUT(S)	tMap_1

Component Parameters:			
Properties	Values		
Unique Name	tMSSqlInput_1		
Component Name	tMSSqlInput		
Version	0.102 (ALPHA)		
Family	Databases/MS_SQL_Server		
Start	false		
Startable	true		
SUBTREE_START	false		
END_OF_FLOW	false		
-			

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false
Component List	
Property Type	
Host	"localhost"
Database Driver	MSSQL

Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Username	"admin1"
Password	****
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Table Name	"cntl_JobStats"
Query Type	ш
Guess Schema	пн
Query	"SELECT dbo.cntl_JobStats.Job_pid, dbo.cntl_JobStats.jol dbo.cntl_JobStats.moment, dbo.cntl_JobStats.pid, dbo.cntl_JobStats.father_pid, dbo.cntl_JobStats.root_pid, dbo.cntl_JobStats.system_pid, dbo.cntl_JobStats.project, dbo.cntl_JobStats.job, dbo.cntl_JobStats.job_repository_id dbo.cntl_JobStats.job_version, dbo.cntl_JobStats.context, dbo.cntl_JobStats.origin, dbo.cntl_JobStats.message_type dbo.cntl_JobStats.message, dbo.cntl_JobStats.duration, dbo.cntl_JobStats.job_start_time, dbo.cntl_JobStats.job_fir dbo.cntl_JobStats.job_name, dbo.cntl_JobStats.job_status dbo.cntl_JobStats.job_duration, dbo.cntl_JobStats.root_na dbo.cntl_JobStats"
!!!NOTE.NAME!!!	This option only applies when deploying and running in the
Specify a data source alias	false

Data source alias	11.11
Mapping	id_MSSQL
Additional JDBC Parameters	ни
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=Job_pid}, {TRIM=false SCHEMA_COLUMN=job_sk}, {TRIM=false, SCHEMA_CO {TRIM=false, SCHEMA_COLUMN=pid}, {TRIM=false, SCHEMA_COLUMN=father_pid}, {TRIM=false, SCHEMA_COLUMN=root_pid}, {TRIM=false, SCHEMA_COLUMN=system_pid}, {TRIM=false, SCHEMA_COLUMN=project}, {TRIM=false, SCHEMA_COLUMN=job_repository_id}, {TRIM=false, SCHEMA_COLUMN=job_version}, {TRIM=false, SCHEMA_COLUMN=context}, {TRIM=false, SCHEMA_CC {TRIM=false, SCHEMA_COLUMN=message_type}, {TRIM SCHEMA_COLUMN=message}, {TRIM=false, SCHEMA_COLUMN=duration}, {TRIM=false, SCHEMA_COLUMN=job_start_time}, {TRIM=false, SCHEMA_COLUMN=job_finish_time}, {TRIM=false, SCHEMA_COLUMN=job_name}, {TRIM=false, SCHEMA_COLUMN=job_name}, {TRIM=false, SCHEMA_COLUMN=job_status}, {TRIM=false, SCHEMA_COLUMN=job_duration}, {TRIM=false, SCHEMA_COLUMN=job_duration}]
Label format	"cntl_JobStats"
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

#### Schema for cntl\_JobStats:

Schema for cntl_JobStats :						
Column	Key	Туре	Length	Precision	Nullable	Comment
Job_pid	true	String	20		false	
job_sk	false	int	10		false	
moment	false	java.util.Date	23	3	true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	19		true	
project	false	String	50		true	
job	false	String	50		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	

message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	19		true	
job_start_time	false	java.util.Date	23	3	true	
job_finish_time	false	java.util.Date	23	3	true	
job_name	false	String	50		true	
job_status	false	String	50		true	
job_duration	false	Double	53		true	
root_name	false	String	50		true	

# Original Function Parameters: Component tMSSqlOutput

UNIQUE NAME	tMSSqlOutput_2		tMap_1 , tMSSqlInput_1
LABEL	"cntl_JobStats"	OUTPUT(S)	none

Properties	Values
Unique Name	tMSSqlOutput_2
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)

Family	Databases/MS_SQL_Server
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	

Use an existing connection	false
Component List	
Host	"localhost"
Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Database Driver	MSSQL
Username	"admin1"
Password	*****
Table	"cntl_JobStats"
Action on table	NONE
Turn on Identity insert	false
Action on data	UPDATE_OR_INSERT
!!!NOTE.NAME!!!	NOTE: batch size must be less than or equal to total numb markers divided by number of columns
Specify identity field	false
Identity field	Job_pid
Start value	1

Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Reject Schema	null:errorCode errorMessage
!!!NOTE.NAME!!!	NOTE: batch size must be less than or equal to total number markers divided by number of columns
Specify a data source alias	false
Data source alias	11.11
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false

	Field options	[(UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE INSERTABLE=true, SCHEMA_COLUMN=Job_pid), {UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=true, CHEMA_COLUMN=moment}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, CHEMA_COLUMN=pid), {UPDATE_KEY=false, DELETE_UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=pid}, {UPDATE_KEY=false, UPDATABLE=true, SCHEMA_COLUMN=root_pid}, {UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=root_pid}, {UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=system_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=project}, {UPDATE_KEY=false, DELIUPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_repository_iquedefalse, UPDATABLE=true, SCHEMA_COLUMN=job_version}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=job_version}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=job_version}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, SCHEMA_COLUMN=mostage_type}, {UPDATE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, DELETE_KEY=false, UPDATABLE=true, INSERTA
Ignore date out of range false	Ignore date out of range	false

Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	"cntl_JobStats"
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for cntl\_JobStats:

Ochema for enti-	_ <del></del>	•				
Column	Key	Туре	Length	Precision	Nullable	Comment
Job_pid	true	String	20		false	
moment	false	java.util.Date	23	3	true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	

	I			I		
system_pid	false	Long	19		true	
project	false	String	50		true	
job	false	String	50		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	19		true	
job_start_time	false	java.util.Date	23	3	true	
job_finish_time	false	java.util.Date	23	3	true	
job_name	false	String	50		true	
job_status	false	String	50		true	
job_duration	false	Long	53		true	
root_name	false	String	50		true	
is_root_job	false	Character	1		true	

# Original Function Parameters: Component tJavaRow

 UNIQUE NAME	tJavaRow_1	INPUT(S)	tMap_1
LABEL	setContextVariables	OUTPUT(S)	none

Component Parameters:				
Properties	Values			
Unique Name	tJavaRow_1			
Component Name	tJavaRow			
Version	0.101 (ALPHA)			
Family	Custom_Code			
Startable	false			
SUBTREE_START	false			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tJavaRow			
Update components	true			

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
!!!SCHEMA.NAME!!!	
Code	context.setProperty("vRootPID",String.valueOf(out_set_glocontext.setProperty("vJobPID",String.valueOf(out_set_glocontext.setProperty("vRootName",String.valueOf(out_set_gcontext.setProperty("vJobName",String.valueOf(out_set_glcontext.setProperty("vJobMessage",String.valueOf(out_set_System.out.println("vRootPID: "+context.getProperty("vRocSystem.out.println("vJobPID: "+context.getProperty("vJobPSystem.out.println("vRootName: "+context.getProperty("vRoSystem.out.println("vJobName: "+context.getProperty("vJoSystem.out.println("vChildName: "+context.getProperty("vCCONTEXT"); System.out.println("vChildPID: "+context.getFFROM CONTEXT"); System.out.println("vJobMessage: "+context.getProperty("vJobMessage")+" FROM CONTEXT")
Import	//import java.util.List;
Label format	setContextVariables
Hint format	<b>UNIQUE_NAME</b> COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJavaRow\_1:

Column	Key	Туре	Length	Precision	Nullable	Comment

# Original Function Parameters: Component TRIGGER\_OUTPUT

	UNIQUE NAME	TRIGGER_OUTPUT_1	INPUT(S)	tStatCatcher_1
	LABEL	TRIGGER_OUTPUT_1	OUTPUT(S)	none

component i arameters.			
Properties	Values		
Update components	true		
Unique Name	TRIGGER_OUTPUT_1		
Startable	true		
Start	false		
Label format	TRIGGER_OUTPUT_1		

Hint format	<b>UNIQUE_NAME</b> COMMENT
Show Information	false
Comment	

# Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tMap_1 , tMSSqlInput_1
LABEL	tMap_1	OUTPUT(S)	tMSSqlOutput_1 , tJavaRow_1, tMSSqlOutput_2

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false

Comment	
Use an existing validation rule	false

Mapper table for tMap\_1 (input):
Mapper table Properties( stats01):

Mapper table Properties( statsu1 ):	
Properties	Values
Name	stats01
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( stats01 ):

Name	Туре	Expression	isNullable
moment	java.util.Date		true
pid	String		true
father_pid	String		true
root_pid	String		true
system_pid	Long		true
project	String		true
job	String		true
job_repository_id	String		true
job_version	String		true
context	String		true
origin	String		true
message_type	String		true
message	String		true
duration	Long		true

Constraint Table Entries( stats01 ):

Name	Туре	Expression	isNullable	

### Mapper table Properties( lookup\_jobPID ):

Properties	Values	
Name	ookup_jobPID	
Matching-mode	JNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( lookup\_jobPID ):

		<b>/</b> -	
Name	Туре	Expression	isNullable
Job_pid	String	stats01.pid	false
job_sk	int		false
moment	java.util.Date		true
pid	String		true
father_pid	String		true
root_pid	String		true
system_pid	Long		true

project	String	true
job	String	true
job_repository_id	String	true
job_version	String	true
context	String	true
origin	String	true
message_type	String	true
message	String	true
duration	Long	true
job_start_time	java.util.Date	true
job_finish_time	java.util.Date	true
job_name	String	true
job_status	String	true
job_duration	Double	true
root_name	String	 true

Constraint Table Entries( lookup\_jobPID ):

Name	Туре	Expression	isNullable	

### Mapper table for tMap\_1 ( output ):

Mapper table Properties( out\_stats\_catcher ):

mapper tenere i repertie	
Properties	Values
Name	out_stats_catcher
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( out\_stats\_catcher ):

Name	Туре	Expression	isNullable
moment	java.util.Date	stats01.moment	true
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
project	String	stats01.project	true
job	String	stats01.job	true
job_repository_id	String	stats01.job_repository_id	true
job_version	String	stats01.job_version	true
context	String	stats01.context	true
origin	String	stats01.origin	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true
duration	Long	stats01.duration != null ?(stats01.duration/1000) :null	true

Constraint Table Entries( out\_stats\_catcher ):

Name Type Expression isNullable
---------------------------------

Mapper table Properties( out\_set\_global ):

mapper table i roperties out_set_globar).			
Properties	Values		
Name	out_set_global		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( out\_set\_global ):

Name	Туре	Expression	isNullable
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
job	String	stats01.job	true
project	String	stats01.project	true
context	String	stats01.context	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true

Constraint Table Entries( out\_set\_global ):

Name	Туре	Expression	isNullable	

Mapper table Properties( out\_JobStats ):

Properties	Values
Name	out_JobStats
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( out\_JobStats ):** 

Name	Туре	Expression	isNullable
Job_pid	String	stats01.pid	false
moment	java.util.Date	stats01.moment	true
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
project	String	stats01.project	true

job	String	stats01.job	true
job_repository_id	String	stats01.job_repository_id	true
job_version	String	stats01.job_version	true
context	String	stats01.context	true
origin	String	stats01.origin	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true
duration	Long	stats01.duration	true
job_start_time	java.util.Date	lookup_jobPID.moment != null ?lookup_jobPID.moment :null	true
job_finish_time	java.util.Date	stats01.duration != null ?stats01.moment :null	true
job_name	String	stats01.job	true
job_status	String	stats01.message	true
job_duration	Long	stats01.duration != null ?(stats01.duration) :null	true
root_name	String	stats01.job	true
is_root_job	Character	stats01.pid == stats01.root_pid ?'Y' :'N'	true

Constraint Table Entries( out\_JobStats ):

Name	Туре	Expression	isNullable	

#### Mapper table for tMap\_1 (var):

Mapper table Properties (Var):

Mapper table Properties( var ):			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

**Metadata Table Entries( Var ):** 

Name Type	Expression is N	Nullable
-----------	-----------------	----------

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable