

## **Joblet Documentation**

## Generated by Talend Data Fabric

Project Name	Contoso_Integration	GENERATION DATE	Apr 30, 2016 4:18:56 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.1.1.20151214_1327

### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


### **Project Description**

Properties	Values
Name	Contoso_Integration
Language	java
Description	

## **Description**

Properties	Values
Name	CNTL_JobStats_Child
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Jun 1, 2015 12:23:02 PM
Modification	Apr 19, 2016 2:45:18 PM

### **Preview Picture**



## **Settings**

### **Extra settings**

Name	Value
Startable	true

### **Context List**

#### ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source	

## **Component List**

Component Name	Component Type
tStatCatcher_1	tStatCatcher

tMap_1	tMap
tMSSqlOutput_1	tMSSqlOutput
tMSSqlInput_1	tMSSqlInput
tMSSqlOutput_2	tMSSqlOutput
tMSSqlInput_2	tMSSqlInput
tJavaRow_1	tJavaRow
tBufferOutput_1	tBufferOutput
TRIGGER_OUTPUT_1	TRIGGER_OUTPUT

## **Components Description**

### Component tStatCatcher

UNIQUE NAME	tStatCatcher_1	INPUT(S)	none
LABEL	tStatCatcher_1		tMap_1 , TRIGGER_OUTPUT_1

**Component Parameters:** 

<del>oompononer arameteror</del>	
Properties	Values
Unique Name	tStatCatcher_1
Component Name	tStatCatcher
Version	0.1 (BETA)

Family	Logs_Errors
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
Help	org.talend.help.tStatCatcher
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false

!!!SCHEMA.NAME!!!	null:moment pid father_pid root_pid system_pid project job job_repository_id job_version context origin message_type duration
Label format	tStatCatcher_1
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tStatCatcher\_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	8		true	
project	false	String	50		true	
job	false	String	255		true	

job_repository_id	false	String	255	true	
job_version	false	String	255	true	
context	false	String	50	true	
origin	false	String	255	true	
message_type	false	String	255	true	
message	false	String	255	true	
duration	false	Long	8	true	

# Original Function Parameters: Component tMSSqlOutput

UNIQUE NAME	tMSSqlOutput_1	INPUT(S)	tMap_1
LABEL	"cntl_statCatcher"	OUTPUT(S)	none

**Component Parameters:** 

Component Parameters:	
Properties	Values
Unique Name	tMSSqlOutput_1
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Startable	false

SUBTREE_START  false  END_OF_FLOW  true  Activate  true  DUMMY  false  tStatCatcher Statistics  false  Help  org.talend.help.tMSSqlOutput  Update components  true  IREPORT_PATH  JAVA_LIBRARY_PATH  C:\Talend\Talend-Tools-Studio-20151214_1327-V6.  Subjob color	
Activate true  DUMMY false  tStatCatcher Statistics false  Help org.talend.help.tMSSqlOutput  Update components true  IREPORT_PATH  JAVA_LIBRARY_PATH C:\Talend\Talend-Tools-Studio-20151214_1327-V6.	
DUMMY  false  tStatCatcher Statistics  false  Help  org.talend.help.tMSSqlOutput  Update components  true  IREPORT_PATH  JAVA_LIBRARY_PATH  C:\Talend\Talend-Tools-Studio-20151214_1327-V6.	
tStatCatcher Statistics false  Help org.talend.help.tMSSqlOutput  Update components true  IREPORT_PATH  JAVA_LIBRARY_PATH C:\Talend\Talend-Tools-Studio-20151214_1327-V6.	
Help org.talend.help.tMSSqlOutput  Update components true  IREPORT_PATH  JAVA_LIBRARY_PATH C:\Talend\Talend-Tools-Studio-20151214_1327-V6.	
Update components true  IREPORT_PATH  JAVA_LIBRARY_PATH C:\Talend\Talend-Tools-Studio-20151214_1327-V6.	
IREPORT_PATH  JAVA_LIBRARY_PATH  C:\Talend\Talend-Tools-Studio-20151214_1327-V6.	
JAVA_LIBRARY_PATH C:\Talend\Talend-Tools-Studio-20151214_1327-V6.	
Subjob color	V6.1.1\cor
Title color	
Enable parallel execution false	
Number of parallel executions 2	
false	
Property Type	
Use an existing connection false	
Component List	

Host	"localhost"
Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Database Driver	MSSQL
Username	"admin1"
Password	****
Table	"cntl_statCatcher"
Action on table	NONE
Turn on Identity insert	false
Action on data	INSERT
!!!NOTE.NAME!!!	NOTE: batch size must be less than or equal to total numb markers divided by number of columns
Specify identity field	false
Identity field	moment
Start value	1
Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	false

Schema	
Reject Schema	null:errorCode errorMessage
!!!NOTE.NAME!!!	NOTE: batch size must be less than or equal to total number markers divided by number of columns
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false

Field options	[{UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE INSERTABLE=true, SCHEMA_COLUMN=moment}, {UPDDELETE_KEY=false, UPDATABLE=true, INSERTABLE=tr SCHEMA_COLUMN=pid}, {UPDATE_KEY=false, DELETE UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUM {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=root_pid}, {UPDDATE_KEY=false, UPDATABLE=true, INSERTABLE=tr SCHEMA_COLUMN=system_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=tr SCHEMA_COLUMN=project}, {UPDATE_KEY=false, DELI UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUM {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=job_repository_i {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=job_version}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=context}, {UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=tr SCHEMA_COLUMN=message_type}, {UPDATE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, UPDATE_KEY=false, DELETE_KEY=false, UPDATE_KEY=false, DELETE_KEY=false, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=tr SCHEMA_COLUMN=message}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=tr SCHEMA_COLUMN=duration}]
Ignore date out of range	false
Enable debug mode	false
Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	"cntl_statCatcher"
Hint format	<b>UNIQUE_NAME</b> COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for cntl statCatcher:

Schema for chti	_StatCatCii	ICI .				
Column	Key	Туре	Length	Precision	Nullable	Comment
moment	false	java.util.Date	23	3	true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	19		true	
project	false	String	50		true	
job	false	String	50		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	

origin	false	String	255	true	
message_type	false	String	255	true	
message	false	String	255	true	
duration	false	Long	19	true	

# Original Function Parameters: Component tMSSqlInput

UNIQUE NAME	tMSSqlInput_1	INPUT(S)	none
LABEL	"cntl_JobStats"	OUTPUT(S)	tMap_1

**Component Parameters:** 

Component Parameters:				
Properties	Values			
Unique Name	tMSSqlInput_1			
Component Name	tMSSqlInput			
Version	0.102 (ALPHA)			
Family	Databases/MS_SQL_Server			
Start	false			
Startable	true			
SUBTREE_START	false			
END_OF_FLOW	false			
-				

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false
Component List	
Property Type	
Host	"localhost"
Database Driver	MSSQL

Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Username	"admin1"
Password	****
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Table Name	"cntl_JobStats"
Query Type	ш
Guess Schema	пн
Query	"SELECT dbo.cntl_JobStats.Job_pid, dbo.cntl_JobStats.jol dbo.cntl_JobStats.moment, dbo.cntl_JobStats.pid, dbo.cntl_JobStats.father_pid, dbo.cntl_JobStats.root_pid, dbo.cntl_JobStats.system_pid, dbo.cntl_JobStats.project, dbo.cntl_JobStats.job, dbo.cntl_JobStats.job_repository_id dbo.cntl_JobStats.job_version, dbo.cntl_JobStats.context, dbo.cntl_JobStats.origin, dbo.cntl_JobStats.message_type dbo.cntl_JobStats.message, dbo.cntl_JobStats.duration, dbo.cntl_JobStats.job_start_time, dbo.cntl_JobStats.job_fir dbo.cntl_JobStats.job_name, dbo.cntl_JobStats.job_status dbo.cntl_JobStats.job_duration, dbo.cntl_JobStats.root_na dbo.cntl_JobStats"
!!!NOTE.NAME!!!	This option only applies when deploying and running in the
Specify a data source alias	false

Data source alias	11.11
Mapping	id_MSSQL
Additional JDBC Parameters	ни
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=Job_pid}, {TRIM=false SCHEMA_COLUMN=job_sk}, {TRIM=false, SCHEMA_CO {TRIM=false, SCHEMA_COLUMN=pid}, {TRIM=false, SCHEMA_COLUMN=father_pid}, {TRIM=false, SCHEMA_COLUMN=root_pid}, {TRIM=false, SCHEMA_COLUMN=system_pid}, {TRIM=false, SCHEMA_COLUMN=project}, {TRIM=false, SCHEMA_COLUMN=job_repository_id}, {TRIM=false, SCHEMA_COLUMN=job_version}, {TRIM=false, SCHEMA_COLUMN=context}, {TRIM=false, SCHEMA_CC {TRIM=false, SCHEMA_COLUMN=message_type}, {TRIM SCHEMA_COLUMN=message}, {TRIM=false, SCHEMA_COLUMN=duration}, {TRIM=false, SCHEMA_COLUMN=job_start_time}, {TRIM=false, SCHEMA_COLUMN=job_finish_time}, {TRIM=false, SCHEMA_COLUMN=job_name}, {TRIM=false, SCHEMA_COLUMN=job_name}, {TRIM=false, SCHEMA_COLUMN=job_status}, {TRIM=false, SCHEMA_COLUMN=job_duration}, {TRIM=false, SCHEMA_COLUMN=job_duration}]
Label format	"cntl_JobStats"
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

#### Schema for cntl\_JobStats:

Schema for cntl	_	-				
Column	Key	Туре	Length	Precision	Nullable	Comment
Job_pid	true	String	20		false	
job_sk	false	int	10		false	
moment	false	java.util.Date	23	3	true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	
system_pid	false	Long	19		true	
project	false	String	50		true	
job	false	String	50		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	

message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	19		true	
job_start_time	false	java.util.Date	23	3	true	
job_finish_time	false	java.util.Date	23	3	true	
job_name	false	String	50		true	
job_status	false	String	50		true	
job_duration	false	Double	53		true	
root_name	false	String	50		true	

# Original Function Parameters: Component tMSSqlOutput

UNIQUE NAME	tMSSqlOutput_2INPI		Map_1 tMSSqlInput_1, tMSSqlInput_2
LABEL	"cntl_JobStats" OUT	ΓPUT(S) r	none

**Component Parameters:** 

Properties	Values
Unique Name	tMSSqlOutput_2
Component Name	tMSSqlOutput
Version	0.102 (ALPHA)

Family	Databases/MS_SQL_Server
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Property Type	

Use an existing connection	false
Component List	
Host	"localhost"
Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Database Driver	MSSQL
Username	"admin1"
Password	*****
Table	"cntl_JobStats"
Action on table	NONE
Turn on Identity insert	false
Action on data	UPDATE_OR_INSERT
!!!NOTE.NAME!!!	NOTE: batch size must be less than or equal to total numb markers divided by number of columns
Specify identity field	false
Identity field	Job_pid
Start value	1

Step	1
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Reject Schema	null:errorCode errorMessage
!!!NOTE.NAME!!!	NOTE: batch size must be less than or equal to total number markers divided by number of columns
Specify a data source alias	false
Data source alias	11.11
Die on error	false
Mapping	id_MSSQL
Additional JDBC Parameters	
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	
Use field options	false

	Field options	[(UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE INSERTABLE=true, SCHEMA_COLUMN=Job_pid), {UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=true, CHEMA_COLUMN=moment}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, CHEMA_COLUMN=pid), {UPDATE_KEY=false, DELETE_UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=pid}, {UPDATE_KEY=false, UPDATABLE=true, SCHEMA_COLUMN=root_pid}, {UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=root_pid}, {UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=system_pid}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=project}, {UPDATE_KEY=false, DELIUPDATABLE=true, INSERTABLE=true, SCHEMA_COLUMN=job_repository_iquedefalse, UPDATABLE=true, SCHEMA_COLUMN=job_version}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=job_version}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, SCHEMA_COLUMN=job_version}, {UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, SCHEMA_COLUMN=mostage_type}, {UPDATE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, INSERTABLE=true, DELETE_KEY=false, UPDATABLE=true, INSERTA
Ignore date out of range false	Ignore date out of range	false

Support null in "SQL WHERE" statement	false
Use Batch Size	true
Batch Size	10000
Label format	"cntl_JobStats"
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for cntl\_JobStats:

Ochema for enti-	_ <del></del>	•				
Column	Key	Туре	Length	Precision	Nullable	Comment
Job_pid	true	String	20		false	
moment	false	java.util.Date	23	3	true	
pid	false	String	20		true	
father_pid	false	String	20		true	
root_pid	false	String	20		true	

	I			I		
system_pid	false	Long	19		true	
project	false	String	50		true	
job	false	String	50		true	
job_repository_id	false	String	255		true	
job_version	false	String	255		true	
context	false	String	50		true	
origin	false	String	255		true	
message_type	false	String	255		true	
message	false	String	255		true	
duration	false	Long	19		true	
job_start_time	false	java.util.Date	23	3	true	
job_finish_time	false	java.util.Date	23	3	true	
job_name	false	String	50		true	
job_status	false	String	50		true	
job_duration	false	Long	53		true	
root_name	false	String	50		true	
is_root_job	false	Character	1		true	

# Original Function Parameters: Component tMSSqlInput

UNIQUE NAME	tMSSqlInput_2	INPUT(S)	none
LABEL	"cntl_JobStats"	OUTPUT(S)	tMap_1

Component Parameters:			
Properties	Values		
Unique Name	tMSSqlInput_2		
Component Name	tMSSqlInput		
Version	0.102 (ALPHA)		
Family	Databases/MS_SQL_Server		
Start	false		
Startable	true		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tMSSqlInput		

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false
Component List	
Property Type	
Host	"localhost"
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"DW_CTL"
Username	"admin1"

Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Table Name	"cntl_JobStats"
Query Type	нн
Guess Schema	пп
Query	"SELECT distinct root_pid, job_name, root_name FROM d
!!!NOTE.NAME!!!	This option only applies when deploying and running in the
Specify a data source alias	false
Data source alias	пп
Mapping	id_MSSQL
Additional JDBC Parameters	пп
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{TRIM=false, SCHEMA_COLUMN=root_pid}, {TRIM=false SCHEMA_COLUMN=job_name}, {TRIM=false, SCHEMA_COLUMN=root_name}]
Label format	"cntl_JobStats"

Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMSSqlInput\_2:

Column	Key	Туре	Length	Precision	Nullable	Comment
root_pid	false	String	20		true	
job_name	false	String	50		true	
root_name	false	String	50		true	

# Original Function Parameters: Component tJavaRow

 UNIQUE NAME	tJavaRow_1	INPUT(S)	tMap_1
LABEL	setContextVariables	OUTPUT(S)	tBufferOutput_1

**Component Parameters:** 

Properties	Values
Unique Name	tJavaRow_1

i e	
Component Name t	JavaRow
Version	D.101 (ALPHA)
Family	Custom_Code
Startable f	alse
SUBTREE_START f	alse
END_OF_FLOW f	alse
Activate t	rue
DUMMY f	alse
tStatCatcher Statistics f	alse
Help	org.talend.help.tJavaRow
Update components t	rue
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	alse
Number of parallel executions 2	2

	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
!!!SCHEMA.NAME!!!	
Code	context.setProperty("vChildPID",String.valueOf(out_set_glocontext.setProperty("vJobPID",String.valueOf(out_set_glocontext.setProperty("vChildName",String.valueOf(out_set_context.setProperty("vJobName",String.valueOf(out_set_glocontext.setProperty("vJobName: "+context.getProperty("vRoystem.out.println("vRootName: "+context.getProperty("vJobPSystem.out.println("vRootName: "+context.getProperty("vRoystem.out.println("vRootName: "+context.getProperty("vRoystem.out.println("vJobName: "+context.getProperty("vJobSystem.out.println("vChildName: "+context.getProperty("vCosystem.out.println("vChildPID: "+context.getProperty("vChildPID: "+context.getPrope
Import	//import java.util.List;
Label format	setContextVariables
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJavaRow\_1 :

Column Key Type Length Precision Nullable Comment
---

vChildPID	false	String		true	
vChildName	false	String		true	

# Original Function Parameters: Component tBufferOutput

17 11	UNIQUE NAME	tBufferOutput_1	INPUT(S)	tJavaRow_1
	LABEL	tBufferOutput_1	OUTPUT(S)	none

Component Parameters:				
Properties	Values			
Unique Name	tBufferOutput_1			
Component Name	tBufferOutput			
Version	0.101 (ALPHA)			
Family	Misc			
Startable	false			
SUBTREE_START	false			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			

Help	org.talend.help.tBufferOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
!!!SCHEMA.NAME!!!	
Label format	tBufferOutput_1
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for tBufferOutput\_1 :

		_				
Column	Key	Туре	Length	Precision	Nullable	Comment
vChildPID	false	String			true	
vChildName	false	String			true	

# Original Function Parameters: Component TRIGGER\_OUTPUT

	UNIQUE NAME	TRIGGER_OUTPUT_1	INPUT(S)	tStatCatcher_1	
	LABEL	TRIGGER_OUTPUT_1	OUTPUT(S)	none	

**Component Parameters:** 

Component Farameters.			
Properties	Values		
Update components	true		
Unique Name	TRIGGER_OUTPUT_1		
Startable	true		
Start	false		
Label format	TRIGGER_OUTPUT_1		
Hint format	<b>UNIQUE_NAME</b> COMMENT		
Show Information	false		

Comment
---------

# Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tMap_1 , tMSSqlInput_1, tMSSqlInput_2
LABEL	tMap_1	OUTPUT(S)	tMSSqlOutput_1 , tJavaRow_1, tMSSqlOutput_2

**Component Parameters:** 

Component Parameters:			
Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Mapping links display as:	AUTO		
Temp data directory path:			
Max buffer size (nb of rows):	2000000		
Ignore trailing zeros for BigDecimal	false		
Show Information	false		
Comment			

Use an existing validation rule	false	
------------------------------------	-------	--

Mapper table for tMap\_1 ( input ):
Mapper table Properties( stats01 ):

mapper table i reperties	mapper table i roperties (statsor).			
Properties	Values			
Name	stats01			
Matching-mode	UNIQUE_MATCH			
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries( stats01 ):

Name	Туре	Expression	isNullable
moment	java.util.Date		true
pid	String		true
father_pid	String		true
root_pid	String		true
system_pid	Long		true
project	String		true
job	String		true
job_repository_id	String		true
job_version	String		true
context	String		true
origin	String		true
message_type	String		true
message	String		true
duration	Long		true

Constraint Table Entries( stats01 ):

Name	Туре	Expression	isNullable	

### Mapper table Properties( lookup\_jobPID ):

Properties	Values
Name	lookup_jobPID
Matching-mode	UNIQUE_MATCH
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( lookup\_jobPID ):

		<b>/</b> -	
Name	Туре	Expression	isNullable
Job_pid	String	stats01.pid	false
job_sk	int		false
moment	java.util.Date		true
pid	String		true
father_pid	String		true
root_pid	String		true
system_pid	Long		true

project	String	true
job	String	true
job_repository_id	String	true
job_version	String	true
context	String	true
origin	String	true
message_type	String	true
message	String	true
duration	Long	true
job_start_time	java.util.Date	true
job_finish_time	java.util.Date	true
job_name	String	true
job_status	String	true
job_duration	Double	true
root_name	String	true

Constraint Table Entries( lookup\_jobPID ):

Name Type	Expression	isNullable
-----------	------------	------------

Mapper table Properties (lookup\_root):

Mapper table i ropertie	mapper table i roperties (100kup_100t).			
Properties	Values			
Name	lookup_root			
Matching-mode	UNIQUE_MATCH			
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries( lookup\_root ):

Name	Туре	Expression	isNullable
root_pid	String	stats01.root_pid	true
job_name	String		true
root_name	String		true

Constraint Table Entries( lookup\_root ):

Name	Туре	Expression	isNullable	

Mapper table for tMap\_1 ( output ):
Mapper table Properties( out\_stats\_catcher ):

Properties	Values
Name	out_stats_catcher
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( out\_stats\_catcher ):** 

Name	Туре	Expression	isNullable
moment	java.util.Date	stats01.moment	true
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
project	String	stats01.project	true
job	String	stats01.job	true
job_repository_id	String	stats01.job_repository_id	true
job_version	String	stats01.job_version	true
context	String	stats01.context	true
origin	String	stats01.origin	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true
duration	Long	stats01.duration != null ?(stats01.duration/1000) :null	true

Constraint Table Entries( out\_stats\_catcher ):

Name Type Expression isNullable
---------------------------------

Mapper table Properties( out\_set\_global ):

mapper table i Toperties (out_set_global).		
Properties	Values	
Name	out_set_global	
Matching-mode		
isMinimized	true	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( out\_set\_global ):

Name	Туре	Expression	isNullable
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
job	String	stats01.job	true
project	String	stats01.project	true
context	String	stats01.context	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true

Constraint Table Entries( out\_set\_global ):

Name	Туре	Expression	isNullable	

Mapper table Properties( out\_JobStats ):

Properties	Values
Name	out_JobStats
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( out\_JobStats ):** 

Name	Туре	Expression	isNullable
Job_pid	String	stats01.pid	false
moment	java.util.Date	stats01.moment	true
pid	String	stats01.pid	true
father_pid	String	stats01.father_pid	true
root_pid	String	stats01.root_pid	true
system_pid	Long	stats01.system_pid	true
project	String	stats01.project	true

job	String	stats01.job	true
		States Hjes	
job_repository_id	String	stats01.job_repository_id	true
job_version	String	stats01.job_version	true
context	String	stats01.context	true
origin	String	stats01.origin	true
message_type	String	stats01.message_type	true
message	String	stats01.message	true
duration	Long	stats01.duration	true
job_start_time	java.util.Date	lookup_jobPID.moment != null ?lookup_jobPID.moment :null	true
job_finish_time	java.util.Date	stats01.duration != null ?stats01.moment :null	true
job_name	String	stats01.job	true
job_status	String	stats01.message	true
job_duration	Long	stats01.duration != null ?(stats01.duration) :null	true
root_name	String	lookup_root.root_name != null ?lookup_root.root_name :null	true

is_root_job	Character	stats01.pid == stats01.root_pid ?'Y' :'N'	true

Constraint Table Entries( out\_JobStats ):

Name	Туре	Expression	isNullable

## Mapper table for tMap\_1 (var): Mapper table Properties (Var):

Mapper table Properties	s( var ):
Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

#### **Metadata Table Entries (Var):**

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable