Job Documentation

Generated by Talend Data Fabric

Project Name	Contoso_Integration	GENERATION DATE	Apr 30, 2016 4:19:10 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.1.1.20151214_1327

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	Contoso_Integration
Language	java
Description	

Description

Properties	Values
Name	FactStrategyPlan_Loading
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Apr 27, 2016 2:23:17 PM
Modification	Apr 28, 2016 2:50:24 PM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	true
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false

Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
CNTL_Job_Tracking_Stats_CHILD_1	CNTL_Job_Tracking_Stats_CHILD

tMSSqlInput_1	tMSSqlInput
tMSSqlInput_2	tMSSqlInput
tMSSqlInput_3	tMSSqlInput
tMSSqlInput_4	tMSSqlInput
tMSSqlInput_5	tMSSqlInput
tMSSqlInput_6	tMSSqlInput
tMSSqlInput_7	tMSSqlInput
tMSSqlOutputBulkExec_1	tMSSqlOutputBulkExec
tMap_1	tMap

Components Description

Component   tMSSqlInput

	UNIQUE NAME	tMSSqlInput_1	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMSSqlInput_1
Component Name	tMSSqlInput

Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\con
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
Use an existing connection	false
Component List	
Property Type	
Host	"localhost"
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"Contoso_Retail_SOR_NorthAmerica"
Username	"admin1"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Table Name	"FactStrategyPlan"
Query Type	""
Guess Schema	""

Query	"SELECT dbo.FactStrategyPlan.StrategyPlanKey, dbo.FactStrategyPlan.Datekey, dbo.FactStrategyPlan.Entit dbo.FactStrategyPlan.ScenarioKey, dbo.FactStrategyPlan. dbo.FactStrategyPlan.CurrencyKey, dbo.FactStrategyPlan.ProductCategoryKey, dbo.FactStrate dbo.FactStrategyPlan.ETLLoadID, dbo.FactStrategyPlan.L dbo.FactStrategyPlan.UpdateDate FROM dbo.FactStrategy
!!!NOTE.NAME!!!	This option only applies when deploying and running in the
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{TRIM=true, SCHEMA_COLUMN=StrategyPlanKey}, {TRI SCHEMA_COLUMN=Datekey}, {TRIM=true, SCHEMA_COLUMN=EntityKey}, {TRIM=true, SCHEMA_COLUMN=ScenarioKey}, {TRIM=true, SCHEMA_COLUMN=AccountKey}, {TRIM=true, SCHEMA_COLUMN=CurrencyKey}, {TRIM=true, SCHEMA_COLUMN=ProductCategoryKey}, {TRIM=true, SCHEMA_COLUMN=Amount}, {TRIM=true, SCHEMA_COLUMN=ETLLoadID}, {TRIM=true, SCHEMA_COLUMN=LoadDate}, {TRIM=true, SCHEMA_COLUMN=UpdateDate}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for FactStrategyPlan :

Column	Key	Type	Length	Precision	Nullable	Comment
StrategyPlanKey	false	int	10		false	
Datekey	false	java.util.Date	10		false	
EntityKey	false	int	10		false	
ScenarioKey	false	int	10		false	
AccountKey	false	int	10		false	
CurrencyKey	false	int	10		false	
ProductCategoryKey	false	Integer	10		true	
Amount	false	Object	19	4	false	
ETLLoadID	false	Integer	10		true	
LoadDate	false	java.util.Date	23	3	true	
UpdateDate	false	java.util.Date	23	3	true	

Original Function Parameters:

Component   tMSSqlInput

	UNIQUE NAME	tMSSqlInput_2	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMSSqlInput_2
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\con
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false
Component List	
Property Type	
Host	"localhost"
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"Contoso_DW"
Username	"admin1"

Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Table Name	"DimDate"
Query Type	""
Guess Schema	""
Query	"SELECT dbo.DimDate.DateSK, dbo.DimDate.DateAK FROM dbo.DimDate"
!!!NOTE.NAME!!!	This option only applies when deploying and running in the
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{TRIM=true, SCHEMA_COLUMN=DateSK}, {TRIM=true, SCHEMA_COLUMN=DateAK}]
Label format	__TABLE__

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DimDate :

Column	Key	Type	Length	Precision	Nullable	Comment
DateSK	true	int	10		false	
DateAK	false	java.util.Date	10		false	

Original Function Parameters:
Component   tMSSqlInput

	UNIQUE NAME	tMSSqlInput_3	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMSSqlInput_3
Component Name	tMSSqlInput

Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\con
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
Use an existing connection	false
Component List	
Property Type	
Host	"localhost"
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"Contoso_DW"
Username	"admin1"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Table Name	"DimEntity"
Query Type	""
Guess Schema	""
Query	"SELECT dbo.DimEntity.EntityKey FROM dbo.DimEntity"

!!!NOTE.NAME!!!	This option only applies when deploying and running in the
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{TRIM=true, SCHEMA_COLUMN=EntityKey}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DimEntity :

Column	Key	Type	Length	Precision	Nullable	Comment

EntityKey	true	int	10		false	

Original Function Parameters:
Component   tMSSqlInput

	UNIQUE NAME	tMSSqlInput_4	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMSSqlInput_4
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false

Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\con
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false
Component List	
Property Type	
Host	"localhost"
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"Contoso_DW"

Username	"admin1"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Table Name	"DimScenario"
Query Type	""
Guess Schema	""
Query	"SELECT dbo.DimScenario.ScenarioKey FROM dbo.DimS
!!!NOTE.NAME!!!	This option only applies when deploying and running in the
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{TRIM=true, SCHEMA_COLUMN=ScenarioKey}]
Label format	__TABLE__

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DimScenario :

Column	Key	Type	Length	Precision	Nullable	Comment
ScenarioKey	true	int	10		false	

Original Function Parameters:
Component   tMSSqlInput

	UNIQUE NAME	tMSSqlInput_5	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMSSqlInput_5
Component Name	tMSSqlInput
Version	0.102 (ALPHA)

Family	Databases/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false

Use an existing connection	false
Component List	
Property Type	
Host	"localhost"
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"Contoso_DW"
Username	"admin1"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Table Name	"DimAccount"
Query Type	""
Guess Schema	""
Query	"SELECT dbo.DimAccount.AccountKey FROM dbo.DimAc
!!!NOTE.NAME!!!	This option only applies when deploying and running in the

Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{TRIM=true, SCHEMA_COLUMN=AccountKey}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DimAccount :

Column	Key	Type	Length	Precision	Nullable	Comment
AccountKey	true	int	10		false	

Original Function Parameters:

Component   tMSSqlInput

	UNIQUE NAME	tMSSqlInput_6	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMSSqlInput_6
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false
Component List	
Property Type	
Host	"localhost"
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"Contoso_DW"
Username	"admin1"

Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Table Name	"DimCurrency"
Query Type	""
Guess Schema	""
Query	"SELECT dbo.DimCurrency.CurrencyKey FROM dbo.DimC
!!!NOTE.NAME!!!	This option only applies when deploying and running in the
Specify a data source alias	false
Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{TRIM=true, SCHEMA_COLUMN=CurrencyKey}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DimCurrency :

Column	Key	Type	Length	Precision	Nullable	Comment
CurrencyKey	true	int	10		false	

Original Function Parameters:
Component   tMSSqlInput

	UNIQUE NAME	tMSSqlInput_7	INPUT(S)	none
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tMSSqlInput_7
Component Name	tMSSqlInput
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server

Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Use an existing connection	false

Component List	
Property Type	
Host	"localhost"
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"Contoso_DW"
Username	"admin1"
Password	******
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
Table Name	"DimProduct"
Query Type	""
Guess Schema	""
Query	"SELECT dbo.DimProduct.ProductKey, dbo.DimProduct.ProductCategoryKey FROM dbo.DimProd
!!!NOTE.NAME!!!	This option only applies when deploying and running in the
Specify a data source alias	false

Data source alias	""
Mapping	id_MSSQL
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{TRIM=true, SCHEMA_COLUMN=ProductKey}, {TRIM=tru SCHEMA_COLUMN=ProductCategoryKey}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for DimProduct :

Column	Key	Type	Length	Precision	Nullable	Comment
ProductKey	true	int	10		false	
ProductCategoryKey	false	Integer	10		true	

Original Function Parameters:
Component   tMSSqlOutputBulkExec

	UNIQUE NAME	tMSSqlOutputBulkExec_1	INPUT(S)	tMap_1 , tMSSqlInput_2, tMSSqlInput_3, tMSSqlInput_4, tMSSqlInput_5, tMSSqlInput_6, tMSSqlInput_7
	LABEL	__TABLE__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tMSSqlOutputBulkExec_1
Component Name	tMSSqlOutputBulkExec
Version	0.102 (ALPHA)
Family	Databases/MS_SQL_Server
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false

Help	org.talend.help.tMSSqlOutputBulkExec
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\con
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
Action	INSERT
Property Type	
Use an existing connection	false
Component List	
Host	"localhost"
!!!TYPE.NAME!!!	MSSQL
Port	"1433"
Schema	"dbo"

DB Name	"Contoso_DW"
Username	"admin1"
Password	******
Table	"FactStrategyPlan"
Action on table	NONE
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	
File Name	"C:/Talend/Talend-Tools-Studio-20151214_1327-V6.1.1/wo
Append	false
Mapping	id_MSSQL
Additional JDBC Parameters	""
Field Separator	";"
Row Separator	"\n"
First Row	"1"
Include Header	false
Code page	"OEM"
Data File Type	char

Encoding	"ISO-8859-15"
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for FactStrategyPlan :

Column	Key	Type	Length	Precision	Nullable	Comment
StrategyPlanKey	true	int	10		false	
Datekey	false	java.util.Date	23	3	false	
DateSK	false	Integer	10		true	
EntityKey	false	int	10		false	
ScenarioKey	false	int	10		false	
AccountKey	false	int	10		false	
CurrencyKey	false	int	10		false	

ProductCategoryKey	false	Integer	10		true	
Amount	false	Object	19	4	false	
SOR_LoadDate	false	java.util.Date	23	3	true	
SOR_UpdateDate	false	java.util.Date	23	3	true	
SOR_ID	false	Integer	10		true	
DI_Job_ID	false	String	20		true	
DI_CreateDate	false	java.util.Date	23	3	false	
DI_Modified_Date	false	java.util.Date	23	3	false	

Original Function Parameters:
Component   CNTL_Job_Tracking_Stats_CHILD

	UNIQUE NAME	CNTL_Job_Tracking_Stats_CHILD_1	INPUT(S)	none
	LABEL	CNTL_Job_Tracking_Stats_CHILD	OUTPUT(S)	none

Component Parameters:

Properties	Values
Version	Latest
Show Information	false
Comment	

Component   tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tMap_1 , tMSSqlInput_2, tMSSqlInput_3, tMSSqlInput_4, tMSSqlInput_5, tMSSqlInput_6, tMSSqlInput_7
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMSSqlOutputBulkExec_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	"C:/Talend/Talend-Tools-Studio-20151214_1327-V6.1.1/temp"
Max buffer size (nb of rows):	20000000
Ignore trailing zeros for BigDecimal	false

Show Information	`false`
Comment	
Use an existing validation rule	`false`

Mapper table for tMap_1 (input):

Mapper table Properties(StrategyPlan):

Properties	Values
Name	StrategyPlan
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(StrategyPlan):

Name	Type	Expression	isNullable
StrategyPlanKey	int		false
Datekey	java.util.Date		false
EntityKey	int		false
ScenarioKey	int		false
AccountKey	int		false
CurrencyKey	int		false
ProductCategoryKey	Integer		true
Amount	Object		false
ETLLoadID	Integer		true
LoadDate	java.util.Date		true
UpdateDate	java.util.Date		true

Constraint Table Entries(StrategyPlan):

Name	Type	Expression	isNullable

Mapper table Properties(Date):

Properties	Values
Name	Date
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	true
expressionFilter	null

Metadata Table Entries(Date):

Name	Type	Expression	isNullable
DateSK	int		false
DateAK	java.util.Date	StrategyPlan.Datekey	false

Constraint Table Entries(Date):

Name	Type	Expression	isNullable

Mapper table Properties(Entity):

Properties	Values
Name	Entity
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	true
expressionFilter	null

Metadata Table Entries(Entity):

Name	Type	Expression	isNullable
EntityKey	int	StrategyPlan.EntityKey	false

Constraint Table Entries(Entity):

Name	Type	Expression	isNullable

Mapper table Properties(Scenario):

Properties	Values
Name	Scenario
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	true
expressionFilter	null

Metadata Table Entries(Scenario):

Name	Type	Expression	isNullable
ScenarioKey	int	StrategyPlan.ScenarioKey	false

Constraint Table Entries(Scenario):

Name	Type	Expression	isNullable

Mapper table Properties(Account):

Properties	Values
Name	Account
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	true
expressionFilter	null

Metadata Table Entries(Account):

Name	Type	Expression	isNullable
AccountKey	int	StrategyPlan.AccountKey	false

Constraint Table Entries(Account):

Name	Type	Expression	isNullable

Mapper table Properties(Currency):

Properties	Values
Name	Currency
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	true
expressionFilter	null

Metadata Table Entries(Currency):

Name	Type	Expression	isNullable
CurrencyKey	int	StrategyPlan.CurrencyKey	false

Constraint Table Entries(Currency):

Name	Type	Expression	isNullable

Mapper table Properties(Product):

Properties	Values
Name	Product
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	true
expressionFilter	null

Metadata Table Entries(Product):

Name	Type	Expression	isNullable
ProductKey	int		false
ProductCategoryKey	Integer	StrategyPlan.ProductCategoryKey	true

Constraint Table Entries(Product):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (output):
Mapper table Properties(FactStrategyPlan):

Properties	Values
Name	FactStrategyPlan
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(FactStrategyPlan):

Properties	Values

Name	Type	Expression	isNullable
StrategyPlanKey	int	StrategyPlan.StrategyPlanKey	false
Datekey	java.util.Date	Date.DateAK	false
DateSK	Integer	Date.DateSK	true
EntityKey	int	Entity.EntityKey	false
ScenarioKey	int	Scenario.ScenarioKey	false
AccountKey	int	Account.AccountKey	false
CurrencyKey	int	Currency.CurrencyKey	false
ProductCategoryKey	Integer	Product.ProductCategoryKey	true
Amount	Object	StrategyPlan.Amount	false
SOR_LoadDate	java.util.Date	StrategyPlan.LoadDate	true
SOR_UpdateDate	java.util.Date	StrategyPlan.UpdateDate	true
SOR_ID	Integer	4491	true
DI_Job_ID	String	context.getProperty("vJobPID")	true
DI_CreateDate	java.util.Date		false
DI_Modified_Date	java.util.Date		false

Constraint Table Entries(FactStrategyPlan):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (var):
   Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable