

## Job Documentation

### Generated by Talend Data Fabric

Project Name	Contoso_Integration	GENERATION DATE	Apr 30, 2016 4:19:22 PM
AUTHOR	user@talend.com	Talend Data Fabric VERSION	6.1.1.20151214_1327

#### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description


#### **Project Description**

Properties	Values
Name	Contoso_Integration
Language	java
Description	

## **Description**

Properties	Values
Name	Master_Job_All
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	
Creation	Apr 28, 2016 2:43:20 PM
Modification	Apr 28, 2016 5:32:50 PM

### **Preview Picture**



### **Settings**

#### Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

#### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false

Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

#### **Context List**

#### ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source
------	--------	--------------	------	-------	--------

### **Component List**

Component Name	Component Type
CNTL_Job_Tracking_Stats_ROOT_1	CNTL_Job_Tracking_Stats_ROOT
tRunJob_1	tRunJob

tRunJob_2	tRunJob
tRunJob_3	tRunJob
tRunJob_4	tRunJob
tRunJob_5	tRunJob
tRunJob_6	tRunJob
tRunJob_7	tRunJob

### **Components Description**

#### Component tRunJob

UNIQUE NAME	tRunJob_1	INPUT(S)	none
LABEL	PROCESS	OUTPUT(S)	tRunJob_2

omponent admitter		
Properties	Values	
Unique Name	tRunJob_1	
Component Name	tRunJob	
Version	0.101 (ALPHA)	
Family	System Orchestration	
Start	true	

Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
!!!SCHEMA.NAME!!!	

Use dynamic job	false
Context job	
Job	Loading_Dims
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	0
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

#### Schema for tRunJob\_1 :

Colum	n Key	Туре	Length	Precision	Nullable	Comment	
-------	-------	------	--------	-----------	----------	---------	--

## Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_2	INPUT(S)	tRunJob_1
LABEL	PROCESS	OUTPUT(S)	tRunJob_3

Properties	Values
Unique Name	tRunJob_2
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
!!!SCHEMA.NAME!!!	
Use dynamic job	false
Context job	
Job	FactSalesQuota_Loading

Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob\_2:

Column Key Type Length Precision Nullable Comme	t
---	---

# Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_3	INPUT(S)	tRunJob_2
	LABEL	PROCESS	OUTPUT(S)	tRunJob_4

Component Parameters:		
Properties	Values	
Unique Name	tRunJob_3	
Component Name	tRunJob	
Version	0.101 (ALPHA)	
Family	System Orchestration	
Start	false	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	

Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
!!!SCHEMA.NAME!!!	
Use dynamic job	false
Context job	
Job	FactStrategyPlan_Loading
Context	Default
Use an independent process to run subjob	false
Die on child error	true

Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob\_3 :

		Column	Key	Туре	Length	Precision	Nullable	Comment	
--	--	--------	-----	------	--------	-----------	----------	---------	--

# Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_4	INPUT(S)	tRunJob_3

LABEL	PROCESS	OUTPUT(S)	tRunJob_5
-------	---------	-----------	-----------

Component Parameters:	
Properties	Values
Unique Name	tRunJob_4
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	

JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
!!!SCHEMA.NAME!!!	
Use dynamic job	false
Context job	
Job	Inventory_Loading
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	0

Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob\_4 :

Column Key	у Туре	Length	Precision	Nullable	Comment	
------------	--------	--------	-----------	----------	---------	--

## Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_5	INPUT(S)	tRunJob_4
	LABEL	PROCESS	OUTPUT(S)	tRunJob_6

Properties	Values
Unique Name	tRunJob_5
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
!!!SCHEMA.NAME!!!	
Use dynamic job	false
Context job	
Job	TrialRun
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false

Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for tRunJob\_5 :

Column Key Type Length Precision Nullable Commo	ent
---	-----

## Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_6	INPUT(S)	tRunJob_5
	LABEL	PROCESS	OUTPUT(S)	tRunJob_7

Properties	Values
Unique Name	tRunJob_6
Component Name	tRunJob

Version	0.101 (ALPHA)
V 0.0.011	
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
!!!SCHEMA.NAME!!!	
Use dynamic job	false
Context job	
Job	FactSales_Trial
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	<b>UNIQUE_NAME</b> COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob\_6:

Column	Key	Туре	Length	Precision	Nullable	Comment

# Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_7	INPUT(S)	tRunJob_6
LABEL	PROCESS	OUTPUT(S)	none

Component i diameters.		
Properties	Values	
Unique Name	tRunJob_7	
Component Name	tRunJob	
Version	0.101 (ALPHA)	
Family	System Orchestration	
Start	false	

Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend\Talend-Tools-Studio-20151214_1327-V6.1.1\cor
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
!!!SCHEMA.NAME!!!	

Use dynamic job	false
Context job	
Job	FactExchange_Load
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	0
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	PROCESS
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

#### Schema for tRunJob\_7:

## Original Function Parameters: Component CNTL\_Job\_Tracking\_Stats\_ROOT

*	UNIQUE NAME	CNTL_Job_Tracking_Stats_ROOT_1	INPUT(S)	none
	LABEL	CNTL_Job_Tracking_Stats_ROOT	OUTPUT(S)	none

Component Parameters.					
Properties	Values				
Version	Latest				
Show Information	false				
Comment					