

Q1. WRITE A SQL QUERY TO DISPLAY FIRST NAME WITH ALIAS WORKER NAME.



```
mysql> select * from worker;
```

WORKER_ID	FIRST_NAME	LAST_NAME	SALARY	JOINING_DATE	DEPARTMENT
1	Monika	Arora	100000	2021-02-20 09:00:00	HR
2	Niharika	Verma	80000	2021-06-11 09:00:00	Admin
3	Vishal	Singhal	300000	2021-02-20 09:00:00	HR
4	Amitabh	Singh	500000	2021-02-20 09:00:00	Admin
5	Vivek	Bhati	500000	2021-06-11 09:00:00	Admin
6	Vipul	Diwan	200000	2021-06-11 09:00:00	Account
7	Satish	Kumar	75000	2021-01-20 09:00:00	Account
8	Geetika	Chauhan	90000	2021-04-11 09:00:00	Admin

8 rows in set (0.01 sec)

```
mysql> SELECT FIRST_NAME AS "WORKER NAME"
```

```
-> FROM Worker;
```

WORKER NAME
Monika
Niharika
Vishal
Amitabh
Vivek



```
| Vipul    |  
| Satish   |  
| Geetika  |
```

```
+-----+
```

8 rows in set (0.00 sec)

```
=====
```

Q2. WRITE A SQL QUERY TO DISPLAY FIRST NAME IN UPPER CASE FROM THE WORKER TABLE.

```
mysql> SELECT UPPER(FIRST_NAME) AS FIRST_NAME
```

```
-> FROM Worker;
```

```
+-----+
```

```
| FIRST_NAME |
```

```
+-----+
```

```
| MONIKA    |
```

```
| NIHARIKA  |
```

```
| VISHAL    |
```

```
| AMITABH   |
```

```
| VIVEK     |
```

```
| VIPUL     |
```

```
| SATISH    |
```

```
| GEETIKA   |
```

```
+-----+
```

8 rows in set (0.01 sec)



=====

=====

=====

Q3. WRITE SQL QUERY TO DISPLAY UNIQUE DEPARTMENT VALUES FROM THE MORKER TABLE.

mysql> SELECT DISTINCT DEPARTMENT

-> FROM Worker;

+-----+

| DEPARTMENT |

+-----+

| HR |

| Admin |

| Account |

+-----+

3 rows in set (0.01 sec)



=====

=====

=====

Q4. WRITE SQL QUERY TO DISPLAY THE FIRST 3 CHARS OF FIRST NAME FROM THE WORKER TABLE.

mysql> SELECT SUBSTRING(FIRST_NAME, 1, 3) AS FIRST_3_CHARS

-> FROM Worker;

+-----+

| FIRST_3_CHARS |

+-----+

Mon	
Nih	
Vis	
Ami	
Viv	
Vip	
Sat	
Gee	

+-----+

8 rows in set (0.01 sec)

```
=====
=====
=====
```

Q5. WRITE SQL QUERY TO FIND THE POSITION OF ALPHABET 'A' IN THE FIRST_NAME COLUMN.

```
mysql> SELECT FIRST_NAME, INSTR(FIRST_NAME, 'A') AS POSITION_OF_A
-> FROM Worker;
```

+-----+-----+

FIRST_NAME	POSITION_OF_A	
------------	---------------	--

+-----+-----+

Monika		6	
--------	--	---	--


Niharika		4	
----------	--	---	--

Vishal		5	
--------	--	---	--

Amitabh		1	
---------	--	---	--

Vivek		0	
-------	--	---	--

Vipul		0	
-------	--	---	--



Satish		2	
Geetika		7	

+-----+-----+

8 rows in set (0.00 sec)

```
=====
=====
=====
```

Q6. WRITE SQL QUERY TO FETCH FIRST_NAME FROM THE WORKER TABLE WITH NO WHITE SPACES ON THE RIGHT.

```
mysql> SELECT RTRIM(FIRST_NAME) AS FIRST_NAME
```

```
-> FROM Worker;
```

+-----+

FIRST_NAME	
------------	--

+-----+

Monika	
--------	--

Niharika	
----------	--

Vishal	
--------	--

Amitabh	
---------	--

Vivek	
-------	--


Vipul	
-------	--

Satish	
--------	--

Geetika	
---------	--

+-----+

8 rows in set (0.00 sec)



=====

=====

=====

Q7. WRITE SQL QUERY TO LIST DEPARTMENT FROM THE WORKER TABLE WITH NO SPACES ON THE LEFT.

```
mysql> SELECT LTRIM(DEPARTMENT) AS DEPARTMENT
```

```
-> FROM Worker;
```

```
+-----+  
| DEPARTMENT |
```

```
+-----+
```

```
| HR      |
```

```
| Admin   |
```

```
| HR      |
```

```
| Admin   |
```

```
| Admin   |
```

```
| Account |
```

```
| Account |
```

```
| Admin   |
```

```
+-----+
```

```
8 rows in set (0.01 sec)
```

=====

=====

=====

Q8. WRITE SQL QUERY TO DISPLAY UNIQUE DEPARTMENT VALUES AND THEIR LENGTH FROM THE WORKER TABLE.

```
mysql> SELECT DISTINCT DEPARTMENT, LENGTH(DEPARTMENT) AS DEPARTMENT_LENGTH
-> FROM Worker;
```

```
+-----+-----+
| DEPARTMENT | DEPARTMENT_LENGTH |
+-----+-----+
| HR        | 2 |
| Admin     | 5 |
| Account   | 7 |
+-----+-----+
```

3 rows in set (0.00 sec)

```
=====
=====
=====
```

Q9. WRITE SQL QUERY TO REPLACE 'a' WITH "A" IN FIRST_NAME FROM THE WORKER TABLE.

```
mysql> SELECT REPLACE(FIRST_NAME, 'a', 'A') AS FIRST_NAME
-> FROM Worker;
```

```
+-----+
| FIRST_NAME |
+-----+
| Monika    |
| NihArika  |
| VishAl    |
| AmitAbh   |
| Vivek     |
| Vipul     |
| SAtish    |
```



| Geetika |

+-----+

8 rows in set (0.00 sec)

=====

=====

=====

Q10. WRITE SQL QUERY TO COMBINE FIRST_NAME AND LAST_NAME INTO COMPLETE_NAME.

mysql> SELECT CONCAT(FIRST_NAME, ' ', LAST_NAME) AS COMPLETE_NAME

-> FROM Worker;

+-----+

| COMPLETE_NAME |

+-----+

| Monika Arora |

| Niharika Verma |

| Vishal Singhal |

| Amitabh Singh |

| Vivek Bhati |


| Vipul Diwan |

| Satish Kumar |

| Geetika Chauhan |

+-----+

8 rows in set (0.01 sec)



=====

=====

=====

Q11. WRITE SQL QUERY TO PRINT WORKER DETAILS ORDERED BY FIRST_NAME ASCENDING AND DEPARTMENT DESCENDING.

mysql> SELECT * FROM Worker

->

-> ORDER BY FIRST_NAME ASC, DEPARTMENT DESC;



```
+-----+-----+-----+-----+-----+-----+
| WORKER_ID | FIRST_NAME | LAST_NAME | SALARY | JOINING_DATE | DEPARTMENT |
+-----+-----+-----+-----+-----+-----+
| 4 | Amitabh | Singh | 500000 | 2021-02-20 09:00:00 | Admin |
| 8 | Geetika | Chauhan | 90000 | 2021-04-11 09:00:00 | Admin |
| 1 | Monika | Arora | 100000 | 2021-02-20 09:00:00 | HR |
| 2 | Niharika | Verma | 80000 | 2021-06-11 09:00:00 | Admin |
| 7 | Satish | Kumar | 75000 | 2021-01-20 09:00:00 | Account |
| 6 | Vipul | Diwan | 200000 | 2021-06-11 09:00:00 | Account |
| 3 | Vishal | Singhal | 300000 | 2021-02-20 09:00:00 | HR |
| 5 | Vivek | Bhati | 500000 | 2021-06-11 09:00:00 | Admin |
+-----+-----+-----+-----+-----+-----+
```

8 rows in set (0.00 sec)

=====

=====

=====

Q12. WRITE SQL QUERY TO PRINT WORKER DETAILS ORDERED BY FIRST_NAME ASCENDING AND DEPARTMENT DESCENDING. (Same as 11)

```
mysql> SELECT *
```

```
-> FROM Worker
```

```
-> ORDER BY FIRST_NAME ASC, DEPARTMENT DESC;
```

```
+-----+-----+-----+-----+-----+-----+
| WORKER_ID | FIRST_NAME | LAST_NAME | SALARY | JOINING_DATE | DEPARTMENT |
+-----+-----+-----+-----+-----+-----+
|      4 | Amitabh   | Singh     | 500000 | 2021-02-20 09:00:00 | Admin      |
|      8 | Geetika   | Chauhan   | 90000   | 2021-04-11 09:00:00 | Admin      |
|      1 | Monika    | Arora     | 100000  | 2021-02-20 09:00:00 | HR         |
|      2 | Niharika  | Verma     | 80000   | 2021-06-11 09:00:00 | Admin      |
|      7 | Satish    | Kumar     | 75000   | 2021-01-20 09:00:00 | Accountant |
|      6 | Vipul     | Diwan     | 200000  | 2021-06-11 09:00:00 | Accountant |
|      3 | Vishal    | Singhal   | 300000  | 2021-02-20 09:00:00 | HR         |
|      5 | Vivek     | Bhati     | 500000  | 2021-06-11 09:00:00 | Admin      |
+-----+-----+-----+-----+-----+-----+
```

```
8 rows in set (0.00 sec)
```

```
=====
=====
=====
```

Q13. WRITE SQL QUERY TO PRINT WORKER DETAILS WITH FIRST NAMES 'Vipul' AND 'Satish'.

```
mysql> SELECT *
```

```
-> FROM Worker
```

```
-> WHERE FIRST_NAME IN ('Vipul', 'Satish');
```

```

+-----+-----+-----+-----+-----+
| WORKER_ID | FIRST_NAME | LAST_NAME | SALARY | JOINING_DATE | DEPARTMENT |
+-----+-----+-----+-----+-----+
| 6 | Vipul | Diwan | 200000 | 2021-06-11 09:00:00 | Account |
| 7 | Satish | Kumar | 75000 | 2021-01-20 09:00:00 | Account |
+-----+-----+-----+-----+-----+

2 rows in set (0.00 sec)

```

```

=====
=====
=====

```

Q14. WRITE SQL QUERY TO PRINT WORKER DETAILS EXCLUDING FIRST NAMES ("Vipul" AND "Satish").

mysql> SELECT *

-> FROM Worker

-> WHERE FIRST_NAME NOT IN ('Vipul', 'Satish');



```

+-----+-----+-----+-----+-----+
| WORKER_ID | FIRST_NAME | LAST_NAME | SALARY | JOINING_DATE | DEPARTMENT |
+-----+-----+-----+-----+-----+
| 1 | Monika | Arora | 100000 | 2021-02-20 09:00:00 | HR |
| 2 | Niharika | Verma | 80000 | 2021-06-11 09:00:00 | Admin |
| 3 | Vishal | Singhal | 300000 | 2021-02-20 09:00:00 | HR |
| 4 | Amitabh | Singh | 500000 | 2021-02-20 09:00:00 | Admin |
| 5 | Vivek | Bhati | 500000 | 2021-06-11 09:00:00 | Admin |
| 8 | Geetika | Chauhan | 90000 | 2021-04-11 09:00:00 | Admin |
+-----+-----+-----+-----+-----+

6 rows in set (0.00 sec)

```

=====

=====

=====

Q15. WRITE SQL QUERY TO PRINT WORKER DETAILS WITH DEPRATMENT NAME AS "ADMIN".

mysql> SELECT *

-> FROM Worker

-> WHERE DEPARTMENT = 'Admin';



WORKER_ID	FIRST_NAME	LAST_NAME	SALARY	JOINING_DATE	DEPARTMENT
2	Niharika	Verma	80000	2021-06-11 09:00:00	Admin
4	Amitabh	Singh	500000	2021-02-20 09:00:00	Admin
5	Vivek	Bhati	500000	2021-06-11 09:00:00	Admin
8	Geetika	Chauhan	90000	2021-04-11 09:00:00	Admin

4 rows in set (0.00 sec)

=====

=====

=====

Q16. WRITE SQL QUERY TO PRINT WORKER DETAILS WHOSE FIRST_NAME CONTAINS "a".

mysql> SELECT *

-> FROM Worker

-> WHERE FIRST_NAME LIKE '%a%';



```

+-----+-----+-----+-----+-----+
| WORKER_ID | FIRST_NAME | LAST_NAME | SALARY | JOINING_DATE | DEPARTMENT |
+-----+-----+-----+-----+-----+
| 1 | Monika | Arora | 100000 | 2021-02-20 09:00:00 | HR |
| 2 | Niharika | Verma | 80000 | 2021-06-11 09:00:00 | Admin |
| 3 | Vishal | Singhal | 300000 | 2021-02-20 09:00:00 | HR |
| 4 | Amitabh | Singh | 500000 | 2021-02-20 09:00:00 | Admin |
| 7 | Satish | Kumar | 75000 | 2021-01-20 09:00:00 | Account |
| 8 | Geetika | Chauhan | 90000 | 2021-04-11 09:00:00 | Admin |
+-----+-----+-----+-----+-----+

```

6 rows in set (0.01 sec)

```

=====
=====
=====

```

Q17. WRITE SQL QUERY TO LIST WORKER INFO WHOSE FIRST_NAME ENDS WITH "a"

mysql> SELECT *

-> FROM Worker

-> WHERE FIRST_NAME LIKE '%a';



```

+-----+-----+-----+-----+-----+
| WORKER_ID | FIRST_NAME | LAST_NAME | SALARY | JOINING_DATE | DEPARTMENT |
+-----+-----+-----+-----+-----+
| 1 | Monika | Arora | 100000 | 2021-02-20 09:00:00 | HR |
| 2 | Niharika | Verma | 80000 | 2021-06-11 09:00:00 | Admin |
| 8 | Geetika | Chauhan | 90000 | 2021-04-11 09:00:00 | Admin |
+-----+-----+-----+-----+-----+

```

3 rows in set (0.00 sec)

```
=====
=====
=====
```

Q18. WRITE SQL QUERY TO FETCH WORKERS WHOSE FIRST_NAME ENDS WITH "h" AND Has 6 LETTERS.

mysql> SELECT *

-> FROM Worker

-> WHERE FIRST_NAME LIKE '%h'

-> AND LENGTH(FIRST_NAME) = 6;



```
+-----+-----+-----+-----+-----+-----+
| WORKER_ID | FIRST_NAME | LAST_NAME | SALARY | JOINING_DATE | DEPARTMENT |
+-----+-----+-----+-----+-----+-----+
|      7 | Satish    | Kumar     | 75000 | 2021-01-20 09:00:00 | Account     |
+-----+-----+-----+-----+-----+-----+
```

1 row in set (0.00 sec)

```
=====
=====
=====
```

Q19. WRITE SQL QUERY TO SHOW WORKER INFO WHOSE SALARY IS BETWEEN 100000 & 500000.

mysql> SELECT *

-> FROM Worker

-> WHERE SALARY BETWEEN 100000 AND 500000;

```
+-----+-----+-----+-----+-----+-----+
```



WORKER_ID	FIRST_NAME	LAST_NAME	SALARY	JOINING_DATE	DEPARTMENT
1	Monika	Arora	100000	2021-02-20 09:00:00	HR
3	Vishal	Singhal	300000	2021-02-20 09:00:00	HR
4	Amitabh	Singh	500000	2021-02-20 09:00:00	Admin
5	Vivek	Bhati	500000	2021-06-11 09:00:00	Admin
6	Vipul	Diwan	200000	2021-06-11 09:00:00	Account

5 rows in set (0.00 sec)

```
=====
=====
=====
```

Q20. WRITE SQL QUERY TO DISPLAY WORKERS WHO JOINED IN FEB 2021.

mysql> SELECT *

-> FROM Worker

-> WHERE MONTH(JOINING_DATE) = 2

-> AND YEAR(JOINING_DATE) = 2021;



WORKER_ID	FIRST_NAME	LAST_NAME	SALARY	JOINING_DATE	DEPARTMENT
1	Monika	Arora	100000	2021-02-20 09:00:00	HR
3	Vishal	Singhal	300000	2021-02-20 09:00:00	HR
4	Amitabh	Singh	500000	2021-02-20 09:00:00	Admin

3 rows in set (0.01 sec)

=====

=====

=====

Q21. WRITE SQL QUERY TO PRINT EMPLOYEE COUNT IN "Admin" DEPARTMENT.

mysql> SELECT COUNT(*) AS EMPLOYEE_COUNT

-> FROM Worker

-> WHERE DEPARTMENT = 'Admin';

+-----+

| EMPLOYEE_COUNT |

+-----+

| 4 |

+-----+

1 row in set (0.01 sec)



=====

=====

=====