

29
50

Section - C

Q 21 (a) DISTINCT - It selects the ^{particular value} unique elements

eg select distinct gender from student;
O/P - male
female

①

(b) LIMIT → It selects the value upto specific range.

①

eg select department from student limit 5;

It gives O/P → It will give limit upto 5 only

(d) COUNT() → It gives total no of entries or values

eg select count(*) from student

It will give total values in a table

Sum of

(e) SUM() → It gives the ^{Sum of} total value of particular column

①

eg select sum(salary) from employee;
O/P → Total salary

- 20 →
- (a) select name from student like "A%";
 - (b) select name from student like "%a";
 - (c) select ~~name~~ name from student like "to%.am%";
 - (d) select ~~name~~ name from student like like "_a";
 - (e) select name from student like "--o";
-

- 19 →
- (a) select * from students ~~where~~ where age = 20; ①
 - (b) select * from students ~~where~~ where age between ~~20 and 23~~ 20 and 23; ①
 - (c) select * from students ~~where~~ where in IN (Delhi, Mumbai); ①
 - (d) select * from students where st gender = "Female"; ①
 - (e) select * ~~from~~ from students where name like "P%"; ①
-

- 20 →
- (a) select * from student where name like "A%"; ①
 - (b) select * from student where name like "%a"; ①
 - (c) select * from student where name like "%.am%"; ①
 - (d) select * from student where name like "_a"; ①
 - (e) select * from student where name like "--o"; ①

18 . Explain the six MySQL constraints

→ NOT NULL → Table ~~show~~ column of table should't contain empty values (1)

→ UNIQUE → Columns must have unique values (1)

→ CHECK → It checks the value based on the condition. If it is unsatisfied error occurs. (1)

→ FOREIGN KEY → It ~~is~~ It is a key that joins 2 tables. It ~~no~~ works as a reference of Primary Key of first table (1)

→ PRIMARY KEY → It is a key that identifies unique values ~~values~~ ^{column} in a table. and that column becomes Primary key (1)

17 . Explain the the following database models with their basic structures

→ Hierarchical Database → It ~~repre~~ represents the data in a tree like structure

eg

```
graph TD
    Student --> name
    Student --> age
```

name age

(1)

Q.11 Explain RDBMS and DBMS
16 DBMS ~~is~~ → It stands for Database Management System. It is a software that helps to manipulate, modify and retrieve data from a database. (1)

RDBMS → It stands for Relational Database Management System. It stores data in the form of tables. (2)

Section-B

Q.11 Differentiate between Database and DBMS

Ans Database is ~~collection~~ location where data is stored in an organised manner. (1)

DBMS is a software that helps to manipulate the data in a collect, modify the data from a database. (2)

Q.12 Difference between SQL and MySQL

→ SQL is a Structured Query Language. It is a ~~programming~~ programming language that helps to interact with the database. (1)

MySQL is a software that runs SQL queries. (2)

Q.13 4 SQL command queries are

- 1) DDL (Data ~~Define~~ Definition Language) → SELECT, INSERT
- 2) DML (Data ~~Manipulation~~ Manipulation Language) → UPDATE, ALTER
- 3) TCL (Transaction Control Language) → GRANT, REVOKE
- 4) DQL (Data Query Language) → (1)

Q14 Write what is the difference between IN and BETWEEN operators?

- IN ~~oper oper~~ operation operator checks the ~~value value~~ in a table
- BETWEEN checks for the value between the ~~spec specific~~ range

For example select * from student where age in (20, 25)

It will select student with age only for 20 and 25

select * from student where age between 20 and 25;

It will select students between age 20 - 25.

Q15 Explain IS NULL and IS NOT NULL with suitable SQL examples

IS NULL checks for the value if a particular value in a column is

IS NULL → Value in a column is empty

IS NOT NULL → Value has some value in a column.

①

Section-A

1. What is a Data? ~~Ques~~ facts,
Data is ~~any~~ information about the particular object (1)

2. What is a Database?
Data base is a location where data or information is stored in an organised way.

3. What does DBMS stand for?
DBMS stands for Database Management System (1)

4. What does RDBMS stand for?
RDBMS stands for Relational Database Management System (1)

5. What is MySQL?
MySQL is a program software that runs SQL queries (1)

6. What is SQL?
SQL is a ~~struck~~ Structured Query Language.
A programming language that interacts with database database.

7. Name any 2 of 2 database models

→ 2 Database models are RDBMS and DBMS X

8. What is the purpose of DISTINCT keyword? ~~Key~~ ~~word~~

→ It selects the particular values } unique