

11/06/2026
Thursday

Test Assignment 1

Page No	
Date	

Name : Trupti Vasant Gaikwad.

1) Reverse a string without slicing.
"Hello world"

→ s = "Hello world".

Print (s).

s.reverse()

Print (s).

①

11
20

2) Count words in a sentence :

"A quick Brown fox Jump over the Lazy dog"

→ s = "A quick Brown fox Jump over the Lazy dog"

Print (s)

~~s.Count~~ Print s1 = s.Count ()

Print (s1).

3) Remove duplicate characters.

"carrot"

s = "carrot"

Print (s)

s.remove (discard) ("r")

Print (s).

4) what is difference between lists & sets.

→

list

[]

Mutable ✓

ordered ✓

indexed ✓

slower ✓

sets

{ }

Mutable ✓

ordered ✓

indexed ✓

faster ✓

17) How to Perform mathematical operations in sets write method name.

- .
- 1) union .
 - 2) Intersection
 - 3) difference
 - 4) Symmetric difference .

method name : 1) union → union()

2) Intersection → Intersection()

3) difference → difference()

4) Symmetric difference → Symmetric difference()

15) How many method . to access value in dictionary

- . 2 methods : 1) use by keys . []
- ① 2) .get () → safer method

14) How many methods to create dictionary .

- 2 methods : 1) use by { } Parenth curly braces
- 2) use by . dict () .

13) what is dictionary .

→ dictionary is collection of key-value-pairs .

12) How to Sort elements in list using giving method ? [5, 11, 14, 7, 8, 3, 2, 5, 9]

→ list = [5, 11, 14, 7, 8, 3, 2, 5, 9]

Print list .

list.sort [0:9]

Print (list)

list [0:9] - 1

list.sort()

list.sort()

6)

11) write Precedence Rule in Arithmetic in Python

Precedence Rule → () — braces
 [/ — Division
 * — Asterick
 +, -
 Highest — () ①
 Lowest — +, -

10) How many operators in Python write their name in explain.

- 1) Arithmetic operator. [+, -, *, /, **, //]
- 2) Assignment operator. [=]
- 3) Comparison/Relation operator [>, >=, <, <=, ==, !=]
- 4) Logical operator. [and, or, not] [&, |, !]
- 5) Membership operator. [in or not in]
- 6) Identity operator [is or not is] ①

9) How many methods to delete elements in the list? Total Method.

- 1) remove () ✓
- 2) Pop (n) ✓
- 3) Pop () without index ✓
- 4) clear () ✓
- 5) del keyword ✓

①

8) How many methods to ^{insert} delete elements in the list? Total method.

- 3 — 1) append () ✓
- 2) insert () ✓
- 3) extend () ✓

①

6) Why set are faster.

→ because set is mutable, ordered, indexed type of data & used by add, remove & search

[]
dict { }
↑
{ }

Immutable

5) can sets contains lists? If yes How if no why

→ Yes. because sets & lists are both are mutable, indexed, ordered collection of ~~data~~ multiple data store. X

7) Difference between remove() & discard().

→ remove() method → remove elements Starts with right side.

discard() method → mention ~~element~~ specific element

18) what is packing variable in tuple? Explain using example.

→ Packing → multiple data stores in one variable

eg: a = (1, 2)

b = (3, 4)

c = (5, 6)

data (a, b, c)

Print (data)

x = [1, 2, 3]

①

19) what is unpacking variables in tuple? explain using example.

→ one variable data stores in multiple variables.

eg: a = ("Trupti", "pune", 2000)

Print (a)

as name, addr, salary = a

Print (name)

Print (addr)

Print (Salary)

①

20) Difference between Sets & Dictionary.

Sets:

faster

indexing.

ordered elements Allowed

Dictionary.

slower

Keys not indexing (keys)

ordered unordered
no duplicate elements