

Python Programming Test

Q. Name : Diksha Umesh Ingawale
Batch : Python (2043)

Q.1> What is a string in Python?

→ - A string is a sequence of characters used to represent a text.
- string are enclosed in single quotes ('), double quotes ("), or triple quotes (").

Q.2> Which symbol is used to create a tuple?

→ '(') ' symbol is used to create a tuple.

Q.3> Which python data type stores unique values?

→ 'set' data type stores unique values.

Q.4> Write the syntax to create an empty dictionary?

→ d1 = {}

Q.5> Which loop is generally used to iterate over a sequence?

→ for loop

Q.6> Which keyword is used to exit a loop immediately?

→ - 'break' keyword is used to exit loop immediately.

Q.7> Can a list contain duplicate values?

→ Yes

Q.8> Can a tuple be modified after it is created?

→ No

Q.9) What is the index of first element of python list ?

→ - index of a first element is '0'

Q.10) 'len()' function

Q.11) →	list	tuple
	- [] symbol is used to create list	- () symbol is used to create tuple
	- list is mutable.	- tuple is immutable
	- we can perform insert, remove operations with list.	- we cannot perform insert, remove oper ⁿ . with tuple.

Q.12) →	set	dictionary
	- stores unique values	- stores 'key : value' pairs
	- written using {}	- written using {key:val}
	- duplicate values must be automatically removed.	- key must be unique.
	- syntax: {10, 20, 30}	- syntax: { "name" : "Diksha", "age" : 22 }

Q.13) → `text = "Diksha"`
`count = 0`
`for i in text:`
 `count += 1`
`print ("No. of characters in {text} is {count}")`

Q.14) → `for i in range (1, 11):`
 `print (i)`

Q.15) → `i = 10`
`while i > 0:`
 `print (i)`
 `i -= 1`

Q.16) → a) `text = "Python Programming"`
 `print (text)`

- b) `print (text[0])`
- c) `print (text[-1])`
- d) `print (text[0:6])`
- e) `print (len(text))`

Q.17) → `numbers = [10, 20, 30, 40, 50]`

- a) `numbers.append (60)`
- b) `numbers.remove (20)`
- c) `numbers.insert (2, 35)`
- d) `numbers[0:3]`
- e) `len (numbers)`

Q.

Q.18) → fruits = ("Apple", "Banana", "Mango", "Orange", "Grapes")

- a) print (fruits)
- b) print (fruits[2])
- c) print (fruits[0:2])
- d) print (fr "Apple" in fruits)
- e) print (len(fruits))

Q.19) → numbers = {10, 20, 30, 20, 40, 10, 50}

- a) duplicate values will be remove.
- b) numbers.add(60)
- c) numbers.remove(30)
- d) print (40 in numbers)
- e) print (len(numbers))

Q.20) → student = {"name": "Rahul", "age": 22, "course": "Python", "city": "Delhi"}

- a) print (student["name"])
- b) print (student["age"])
- c) student.update({"marks": 85})
- d) student.update({"city": "Mumbai"})
- e) ~~student~~ print (student.keys())

Q.21) → A. For loop

- a) →
- for i in range (1, 11):
- print (i)

```
b) → for i in range(1, 21):  
        if i % 2 == 0:  
            print(i)
```

B. while loop

```
c) →
```

```
i = 1
```

```
while i <= 10:
```

```
    print(i)
```

```
    i += 1
```

```
d) → i = 10
```

```
while i > 0:
```

```
    print(i)
```

```
    i -= 1
```

```
e) → i = 1
```

```
total total = 0
```

```
while i <= 10:
```

```
    total += i
```

```
    print(i)
```

```
    i += 1
```

```
print(total)
```