

Linux + Nmap

Cheat-Sheet

Ab tak jo seekha, sab yahan. Jab bhi koi command bhoolo — yahan dekh lo. Ratna nahi hai, samajhna hai. 🐧

`command` = jo type karte ho → uske aage uska matlab & full-form



Ghoomna-phirna (Navigation)

Folders ke andar-bahar jaana, aur dekhna ki kya hai.

<code>pwd</code>	Abhi kis folder me ho, wo dikhata hai Print Working Directory
<code>ls</code>	Is folder ke andar kya-kya hai, list karta hai LiSt
<code>ls -la</code>	Sab dikhata hai — chhupi (hidden) files bhi, details ke saath
<code>cd folder</code>	Us folder ke andar chale jao Change Directory
<code>cd ..</code>	Ek folder peeche/bahar jao
<code>cd ~</code>	Seedha apne home folder me (~ = /home/bhavesh)
<code>cd /</code>	Sabse upar wale root folder me (Linux ki jad)
<code>clear</code>	Screen saaf karo Ctrl + L bhi chalta hai



File & Folder

Banane, padhne, copy, naam badalne aur delete karne ke commands.

mkdir naam

Naya folder banao

MaKe DIRectory

touch file.txt

Nayi khaali file banao

echo "text" > file

Ek > = file me text **daalo** (purana mit jaayega)

echo "text" >> file

Do >> = purane ke **neeche jodo** (kuch mita nahi)

cat file.txt

File ke andar kya likha hai, padho

conCATenate

cp file copy

File ki copy banao

CoPy

mv old new

Naam badlo ya kahin move karo

MoVe

rm file.txt

File delete karo

ReMove – permanent!



System & Install

Admin power aur software install karna (Ubuntu ka "App Store").

<code>sudo ...command</code>	Admin (root) power ke saath chalao — password maangega Super User DO
------------------------------	--

<code>sudo apt update</code>	Package list refresh — kya-kya naya available hai, pata karo
------------------------------	--

<code>sudo apt install naam -y</code>	Software install karo (-y = "haan, kar do")
---------------------------------------	---

<code>tool --version</code>	Kisi tool ka version check karo (install hua ya nahi)
-----------------------------	---



Password type karte waqt screen par kuch nahi dikhega — ye normal hai (security ke liye).
Bas type karke Enter dabao.



Nmap — Scanning

Target ke khule "darwaze" (ports) aur unke software dhoondhne ka tool.

<code>nmap target</code>	Target ke khule/band ports scan karo (naam ya IP dono chalega)
--------------------------	--

<code>nmap -sV target</code>	Har khule port par kaun sa software + version chal raha hai, wo pata karo Service Version
------------------------------	---

<code>nmap localhost</code>	Apna hi computer scan karo (127.0.0.1) — practice ke liye
-----------------------------	---

Port ki 3 haalat (STATE):

● **open**

Darwaza **khula** — service chal rahi hai. Hacker ke liye possible entry point.

● **closed**

Darwaza **band** hai (par wahan hai). Koi service nahi chal rahi.

● **filtered**

Firewall beech me hai — pata nahi chalta khula ya band. Achhi security.



Recon Soch — Hacker ka Formula

Version mila? Ab uski kamzori kaise dhoondte hain. Yahi "vulnerability hacking" ka dil hai.

- 1 **Scan karo** — `nmap -sV` se port + software + **version** nikaalo
- 2 **Research karo** — `exploit-db.com` ya Google par us version ki **CVE / known bug** dhoondo
- 3 **Range check karo** — dekho version *sach me* kamzor range me hai? (jaise `< 6.6` matlab 6.6 se neeche hi kaam karega)
- 4 **Faisla** — raasta khula hai ya band. Har port par ye process dohrao.



Sabse bada lesson: sirf software ka naam match hona kaafi nahi — **exact version** bhi kamzor range me hona chahiye. Naye log yahi galti karte hain.



Galtiyaan jinse bachna hai

- ✗ **Poorra terminal text (prompt + output) paste mat karo** — sirf command copy karo. Warna har line "command not found" degi (harmless, par messy).
- ✗ **rm se delete = permanent** — Linux me Recycle Bin nahi hota. Delete se pehle ek baar dekh lo.
- ✗ **Spelling galti = "command not found"** — jaise `echoo` ya `cls`. Dhyan se type karo.



Golden Rule: Hacking hamesha VM / online lab ke andar. Sirf apne ya likhit-permission wale systems. Kisi aur ka bina permission = illegal (IT Act).