```
#EDA= EXPLORARTORY DATA ANALYSIS
```

```
#1.univariate analysis==> analysis on a single independent coiumn
#2.bevariate analysis ==>analysis on two column
#3.multivariate analysis==>analysis on moretahn 2 column
```

```
#data types
#1.numerical data==> continous data ==>age(year,month, days),hegiht,weight
#2.categorical data==>descreate data==>total num of employee.marital status,student result
```

```
import numpy as np
import pandas as pd
```

```
#!pip install matplotlib
#!pip install seaborn
```

```
import matplotlib.pyplot as plt #visulization library
import seaborn as sns #matplotlib update version
```

```
df=pd.read_csv('/content/titanic.csv')
```

```
df.head()
```

Show hidden output

Next steps: Generate code with df New interactive sheet

```
df.value_counts('survived')
```

survived	count
0	549
1	342

dtype: int64

```
#univariate analysis
```

```
df.columns
```

Show hidden output

```
sns.countplot(x=df['survived'])
```

Show hidden output

```
df.value_counts('survived').plot(kind='bar')
```

Show hidden output

```
#if we want to check for pclass
sns.countplot(x=df['pclass'])
```

Show hidden output

```
df['pclass'].value_counts()
```

Show hidden output

```
# if we want to find out % then
df['survived'].value_counts()
```

Show hidden output

```
df['survived'].value_counts().plot(kind='pie',autopct='%.2ff')
```

Show hidden output

```
df1=pd.read_csv('/content/covid_toy.csv')
```

```
df1.head(2)
```

	age	gender	fever	cough	city	has_covid
0	60	Male	103.0	Mild	Kolkata	No
1	27	Male	100.0	Mild	Delhi	Yes

Next steps: Generate code with df1 New interactive sheet

```
df1.columns
```

```
Index(['age', 'gender', 'fever', 'cough', 'city', 'has_covid'], dtype='object')
```

```
df1.value_counts('has_covid')
```

has_covid	count
No	55
Yes	45

dtype: int64


```
df1['fever']=df1['fever'].fillna(df1['fever'].mean())
```

```
df1.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 100 entries, 0 to 99
Data columns (total 6 columns):
 #   Column     Non-Null Count  Dtype
---  ------     --------------  -----
 0   age        100 non-null    int64
 1   gender     100 non-null    object
 2   fever      100 non-null    float64
 3   cough      100 non-null    object
 4   city       100 non-null    object
 5   has_covid  100 non-null    object
dtypes: float64(1), int64(1), object(4)
memory usage: 4.8+ KB
```

```
df1.value_counts('has_covid').plot(kind='pie',autopct='%.2f')
```

```
<Axes: ylabel='count'>
```




```
sns.countplot(x=df1['has_covid'])
```

Show hidden output

```
Start coding or generate with AI.
```

```
Start coding or generate with AI.
```