

on p.patient_id = t.patient_id
order by p.patient name, treat date ;

9. select p.patient name, p.ward, p.admit date
from patient p left join treatments t
on p.patient_id = t.patient_id
where t.patient id is null
order by p.patient name ;

10. select p.ward, t.treatment, p.admit date from
~~dend_rank()~~ over (
 (select x, from patient
 dend_rank() over (partition by treatment
 order by coft desc) as rnk
 from pati treatment) as p join
 treatment t on p.patient_id =
 t.patient_id
 or where ~~x~~ rnk = 1
 order by ward ;

3 Page
Date

inf order - do

As low
in order
days before
group by
rp. name
in Comp
p. emp. bl)

5. Select d.doctor-name, d.Specialty, d.Salary,
(select ~~Rank~~ Avg(Salary) from doctors where
Specialty = d.Specialty) as Specialty-
avg
from doctor d
where d.Salary > Specialty-avg
order by d.Specialty ~~desc~~, Salary desc;

6. select, doctor-name, Specialty, Salary,
Rank() over (Partition by Specialty order by
Salary desc) as
Salary-Rank
from doctor
order by Specialty, ~~Rank~~, Salary-Rank;

7. Select p.Patient-name, t.treatment, t.treat-date,
t.cost, sum(t.cost) over (Partition by
p.Patient-~~name~~ id order by
t.treat-date ~~desc~~) as running-cost
from patient p join treatment t
on p.Patient-id = t.Patient-id
order by p.Patient name, treat-date

8. Select p.Patient name, t.treatment, t.treat-date, t.cost,
Lag(t.cost) over (Partition by p.Patient-id order
by t.treat-date) as prev-cost,
Lead(t.cost) over (Partition by p.Patient-id
order by t.treat-date) as Next-cost
from patient p join treatment t

Q.1 select specialty, ^{Sum(salary) as total-salary} count(*) as doctor-count, ^{Round} (avg(salary), 2) as avg-salary, from doctors group by specialty having avg-salary > 170,000 order by avg-salary desc;

Q.2 select d.doctor name, d.speciality, s.supervisor name from doctors d left join doctors s on d.doctor supervisor id = s.doctor id order by d.doctor id;

Q.3 select d.doctor name, d.speciality, ~~ifnull(count(*), 0)~~, ~~ifnull(sum(t.cost), 0)~~ as patient count, as total-treat cost from doctors d left join ~~treatments~~ ^{treatments} on d.patient id = p.patient id left join treatments on p.patient id = t.patient id group by d.doctor name, d.doctor id order by d.doctor id

Q.4 select P.Patient name, P.ward, P.age from Patients P join treatments t on P.Patient id = t.patient id where t.cost > 50,000 ~~group by P.Patient name~~ order by P.patient name;