📂 5. Edit Distance (Leetcode-72)

Problem Statement:
Given two strings word1 and word2, return the minimum number of operations required to convert word1 to word2.

You have the following three operations permitted on a word:
1. *Insert a character*
2. *Delete a character*
3. *Replace a character*

Example

WORD1 = HORSE
WORD2 = ROS

Output 3

Insert



insertOpt = 1 + f(w1, w2, i, j+1);

1st step

R.C.

Delete



deleteOpt = 1 + f(w1, w2, i+1, j)

Replace



Match case



$\Rightarrow 0 + f(w1, w2, i+1, j+1)$

ReplaceOpt = $1 + f(w1, w2, i+1, j+1)$;

output `return ( min ( insert , Replace , Delete ))`

BASE CASE



size of w1 = 5 size of w2 = 3

(j >= 3)

return 5 - i

= 5 - 3

= 2

Total operation 2 for S & E



size of w1 = 3 size of w2 = 5

(i >= 3)

return 5 - i

= 5 - 3

= 2

Total operation 2 for S & E



```
class Solution {
public:
    int solve(string& word1, string& word2, int i, int j){
        // Base Case
        if(i >= word1.length()){
            return word2.length() - j;
        }
        if(j >= word2.length()){
            return word1.length() - i;
        }

        int ans;

        if(word1[i] == word2[j]){ // match
            ans = 0 + solve(word1, word2, i+1, j+1);
        }
        else{ // No match
            // insert
            int insertOpt = 1 + solve(word1, word2, i, j+1);
            // delete
            int deleteOpt = 1 + solve(word1, word2, i+1, j);
            // replace
            int replaceOpt = 1 + solve(word1, word2, i+1, j+1);
            // minimum operation
            ans = min(insertOpt,min(deleteOpt, replaceOpt));
        }

        return ans;
    }

    int minDistance(string word1, string word2) {
        int i = 0;
        int j = 0;

        int ans = solve(word1, word2, i, j);
        return ans;
    }
};
```

ToCo =?

SoCo =?

DRY RUN =?