

RE

LECTURE NOTES

LECTURE NOTES
Name of Faculty Provent kr. Yalar Name of Subject: Machine Learning Code 6659-0
Date (Prep.): 22-04-24 Date (Del.): 1-02-31 Unit No./Topic: 4 Lect. No. 02
OBJECTIVE: To be written before taking the lecture (PL write in bullet points the main topics/concepts etc. which will be taught in this lecture)
Types of machine Leaving.
IMPORTANT & RELEVANT QUESTIONS:
1. what is Cabeled data in Mc?
2. what is unlabeled data in ML?
FEED BACK QUESTIONS (AFTER 20 MINUTES):
1. what is ML?
2. what is supervised Learning in ML
UTCOME OF THE DELIVERED LECTURE: To be written after taking the lecture (Pl. write in bullet points about udents' feedback on this lecture, level of understanding of this lecture by students etc.)
FERENCES: Text/Ref. Book with Page No. and relevant Internet Websites:
Hands on Machine Learning, Auvelien Geron.

Types of Machine Learning: three types of There are markine Learning. - Supervised Learning . - Unsupervised Learning-There are different ways to train mattere learning algorithms based on what kind of data they ingest in a learn from them. I cabeled data and unlabeled - Labeled data has both the input and output parameters in a completely me readable format, but that will to prepare require a lot of human effect to prepare the label date. and untabeled taken, additional information eg- aheater a photo contains a house or about the data) what type of action performed in a video.

Unlabeled data - is a pieces of data that have not been togged with labels nidealifying characters high. ag- set of images without identifiers like people, ears. - so, andabeled data is basically you data that has not been anotated by human experts. - Mostly used in unsupervised learning. Differences between Labeled Vs unlabeled Data: UNLAGELED DATA 1. Used in unsupervised Labeled DATA 1. Used in supervised marking madrine Learning. 2. obtained by observing. Learning. 2. Need human/empert to 3. comparatively early to get and store. annotate. 3 Expensive, hard and Time 4. often used to preprocess consuming to get and stove 4. after used for complen datasets predicting tasks.



DORTEN COLLEGE OF ENGINEERING

DETAILED LECTURE NOTES

PAGE NO.

Machine Craving Models :-Supervised Machine Cearning: - In Supervised leaving, the training data that you feed to the algorithm includes the desired solar called eg- spam Filter - It is Trained with many example emils along with this dan a spain or not span), and it must learn how to danify predicating a larger numeric value, such go - the price of car. K-Neavest Neighbour Algorithm. Linear Regression Logistic support vector Machines. Decision treas

- Random Forests - In supervised learning having input data and output variables. which means that the data is annotated and there is also a prediction goal. 11. Unsupervised Machine Leaving: - 18 a machine Cearning with datasets without works with datasets without - eg grouping customers by their purchasing habits. - Here system tries to fear without a teacher clastering - K- means - DBSCAN - Visualization and dimensionality reduction. Association rule learning. Semisupervised learning- some algor can deal with partially labeled training data, usually a lot of unlabeled data as well as labeled data. eg- google photor.

no data at all, only the environment and an agent with a goal. A set of punishments and rewards are and to gaide the agent to desired outcome. - eg. goegle deep reind - chege engine