Status	Finished
Started	Tuesday, 22 September 2026, 10:18 AM
Completed	Tuesday, 22 September 2026, 10:43 AM
Duration	25 mins 37 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

- a. Yes ✓
- b. No

Question **2**

Correct

Mark 1.00 out of 1.00

What does the arithmetic operator % do?

- a. Finds the remainder on dividing two numbers ✓
- b. Finds the sum of two numbers
- c. Finds the quotient on dividing two numbers
- d. Finds the product of two numbers

Question **3**

Correct

Mark 1.00 out of 1.00

Leading whitespace (spaces and tabs) at the beginning of a statement is called _____.

- a. **orientation**
- b. **Iteration**
- c. **indentation** ✓
- d. **None of the above**

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("REC")
```

a. Hello

b. **REC** ✓

c. Compiled Successfully, No Output.

Question **5**

Correct

Mark 1.00 out of 1.00

What is the value of x at the end of the following sequence of instructions?

```
x = 10
x = x * 3
x = x + 5
```

a. 35 ✓

b. 15

c. 45

d. 30

Question **6**

Correct

Mark 1.00 out of 1.00

Can we write if/else into one line in python?

a. No

b. Yes ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Ahaana wants to make a fun program , if user enters any number a “Good” or “funny” message will appear . She is confused that which is the most suitable control to be used to make such program. Help her to choose correct option.

a. Nested if

b. if else ✓

c. If

d. if elif

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of the given code?

```
x,y=1,1
if(x ==y):
    print("equal")
if(x>y):
    print("1")
else:
    print("0")
```

a. equal ✓

0

b. 1

c. equal

d. 0

Question **9**

Correct

Mark 1.00 out of 1.00

Python supports _____ types of control structures.

a. 1

b. 3 ✓

c. 4

d. 2

Question **10**

Correct

Mark 1.00 out of 1.00

Which among the following codes have equivalent logic?

Code 1:

```
if(value3>1000 and value3<1006):
  if(value1=="ABC"):
    if(value2=="A"):
      value4=10
    else:
      value4=8
  elif(value1=="XYZ"):
    if(value2=="A"):
      value4=8
    else:
      value4=6
print(value4)
```

Code 2:

```
if(value3>=1001 and value3<=1005 and value1=="ABC"):
    if(value2=="A"):
        value4=10
    else:
        value4=8
elif(value3>1000 and value3<1006 and value1=="XYZ"):
     if(value2=="A"):
        value4=8
     else:
        value4=6
print(value4)
```

Code 3:

```
if(value3>1000 and value3<1006 or value1=="ABC"):
   if(value2=="A"):
      value4=10
   else:
      value4=8
elif(value3>1000 and value3<1006 or  value1=="XYZ"):
   if(value2=="A"):
      value4=8
   else:
      value4=6
print(value4)
```

a. Code 2, Code 3

b. Code 1, Code 3

c. Code 1, Code 2 ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following snippet if 5 is given as the input?

```
c = input("Enter a number: ")
print(c * 3)
```

- a. 555 ✓
- b. 2
- c. 15
- d. 8

Question **12**

Correct

Mark 1.00 out of 1.00

To write else statement in if-elif ladder is mandatory?

- a. False ✓
- b. True

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
if 1 + 3 == 7:
    print("Hello")
else:
    print("Know Program")
```

- a. Error
- b. Know Program ✓
- c. Compiled Successfully, No Output.
- d. Hello

Question **14**

Correct

Mark 1.00 out of 1.00

```
if true:
    print("Hello World")
```

- a. No output
- b. Name Error ✓
- c. Hello World

Question **15**

Correct

Mark 1.00 out of 1.00

what will be the output for the following question?

```
a, b = 12, 5
if a + b:
   print('True')
else:
  print('False')
```

- a. True ✓
- b. False
- c. Error