

EXPERIMENT 3 - DML Commands – INSERT, SELECT

To perform Data Manipulation Language (DML) Commands such as INSERT, SELECT in the table.

```
mysql> select *from student;
```

Regno	name	gender	DOB	mobilen	city
192572139	sharmila	f	2008-01-12	6382030306	kundrathur
192572356	madhu	f	2005-01-12	6382030306	anna nagar
192573456	kaviya	f	2005-08-12	6382096745	anakaputhur
192572139	ansha	f	2008-05-12	1234567890	kerala

4 rows in set (0.00 sec)

```
mysql> INSERT into faculty values('122','janani','f','2000-11-02','2004-11-02','1298762340');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> select * from faculty;
```

facno	facname	gender	DOB	DOJ	mobilen
120	sharmila	f	2008-01-12	2005-12-06	6382030306
120	sharmila	f	2008-01-12	2005-12-06	6382030306
121	priya	f	2008-01-12	2005-12-06	235678909
122	janani	f	2000-11-02	2004-11-02	1298762340

4 rows in set (0.00 sec)

```
mysql> select * from course;
```

courseno	coursedes	coursetype	semno	hallno	facno
co1	database	d	3	1234	f101
co2	python	p	4	1235	f102
co3	science	s	4	1236	f103
co3	science	s	4	1236	f103
co7	computer	c	6	1237	f106

5 rows in set (0.00 sec)

```
mysql> INSERT into faculty values('122','janani','f','2000-11-02','2004-11-02','1298762340');
```

Query OK, 1 row affected (0.01 sec)

```
mysql> select * from faculty;
```

facno	facname	gender	DOB	DOJ	mobilen
120	sharmila	f	2008-01-12	2005-12-06	6382030306
120	sharmila	f	2008-01-12	2005-12-06	6382030306
121	priya	f	2008-01-12	2005-12-06	235678909
122	janani	f	2000-11-02	2004-11-02	1298762340

4 rows in set (0.00 sec)