```
all prop object
peration == "MIRROR_X":
mlrror_mod.use_x = True
mirror_mod.use_y = False
"Irror_mod.use_z = False
 _operation == "MIRROR_Y"
irror_mod.use_x = False
alrror_mod.use_y = True
mirror_mod.use_z = False
  operation == "MIRROR Z"
  rror mod.use_x = False
  rror mod.use y = False
  Pror mod.use z = True
  election at the end -add
          IEW AR API
   A vision that turns ideas into reality!
   nta.objects[one.name].se
  int("please select exactle
  X mirror to the select
   vpes.Operator):
```

. ic not

ject\_mirror\_mirror\_x"

NOT YO



#### **PROBLEM STATEMENT**

Augmented reality features are difficult to implement





### **ABOUT ME**

- Bachelor's in Engineering [ECE]
- Work Ex 2 years [Product Analyst]
- Pursuing Master's in Information Technology and Management [Track – Digital Product Management]
- Passionate individual working on Product and Analytics projects



### INTRODUCTION

 Augmented reality is an interactive experience that combines the real world and computer-generated content

 API development is opening up new avenues and in some cases new revenue streams for sites that properly leverage them

 View AR API will act as a one-stop solution for attaining this objective





**Mission**: Create a platform that enables everyone to add Augmented Reality to their products

**Vision**: Offer an augmented reality platform through easy, accessible and scalable APIs

### TARGET CUSTOMERS



Developers who implement the solution



Software license managers in charge of securing tool



**Business Leads** 



**Entrepreneurs** 







A Spanish luxury fashion brand wants to go digital, ushering in a new age of immersive shopping

#### **CHALLANGES:**

- Cost of implementation issues
- Lack of adequate resources
- No right talent expertise

#### **GOALS/NEEDS**:

- Long term success by early adoption of augmented reality
- Higher level of innovation and engagement

### **CUSTOMER PERSONA**

Your-Home wants to help the customer visualize how furniture, accessories etc, would look in their houses

#### **CHALLENGES:**

- Want a relatively inexpensive way to bring AR to customers
- Difficult to set up a standalone AR capability

#### GOALS/NEEDS:

- Fuel sales and increase engagement
- Creating personalized user experience





### **COMPETITION**

#### **3D FACIAL RECOGNITION API**

- Augment
- Banuba Face AR API
- Face AR Kit

#### MARKETING API

Expoodle

#### **MEASURMENT API**

• AR Core

#### **RENDERING API**

• AR Kit

Company	Туре	Price	Platform Supported	Cloud Recognition
FaceAR kit	SDK	Calculated on ordered SDK features	Android, iOS, Unity Editor, and UWP	Yes
Banuba Face AR API	SDK	Depends on features used	iOS, Android, Web, Windows, Linux, Unity	Yes
Augment	SDK	Starts at \$25 per active device/month	iOS and Android	Yes
Expoodle	SDK	Subscription starts at \$9.99/ month	iOS and Android	Yes
ARCore	Framework	Subscription starts at \$42/ month	iOS and Android	No
ARKit	Framework	Free for developer program account(\$99/ month)	IOS and Android	Yes

### OVERVIEW

### COMPETITOR'S FEATURES

#### 3D FACIAL RECOGNITION API

- Fastest cosmetic digitizing process
- 3D face tracking to bring face filters
- Visualize products in 3D

#### MARKETING API

- End to end digitalization
- Product demonstration in AR
- Mar-Tech Solutions for Retail, Food and Ecommerce



## COMPETITOR'S FEATURES

#### **MEASURMENT API**

- Motion Tracking
- Light Estimation
- Environmental Understanding

#### **RENDERING API**

- ARKit tracks user's face via iPhone TrueDepth camera
- Scene Understanding
- AR experiences involving people instead of just objects
- ARKit can find horizontal planes in a room





### HOW ARE WE DIFFERENT?

With the need to expand beyond isolated applications, our API would unlock the potential of AR, making it available for everyone

Customers can quickly integrate a product built with an agnostic approach into their existing systems

Incorporating a combination of high-level features to make user experience a priority and help the business gain more engagement with immersive content

### PRODUCT FEATURES

- Environment recognition
- Object locking 3D space
- Object recognition
- Facial recognition features
- Interactive objects
- Light estimation and interaction



#### POSITIONING STATEMENT

ViewAR is here with a scalable and easy to integrate way. By leveraging our API, you can build Virtual experience for your website/app

Our API provides the functionality to create an immersive experience. Providing seamless integration and interoperability



### **PRICING**

**ENTERPRISE BASIC PRO CUSTOM JUST FOR YOU SIGN UP GET PRO** \$10.00/ month -\$39/ month -**Custom based on** 2500 requests per 50,000 requests per estimated usage. day +\$0.004(After day + \$0.01 each **Unlimited requests** first 2500 calls) extra request



### **PROMOTION**

**User groups** 

**Technical conferences** 

**Certifications** 

**Potential hackathon** 

**Google Advertisements** 

**Trade shows** 

Watermark

**Y** combinator

### **PLACEMENT**

Website


**StackOverflow** 

**Good SEO** 

**Github** 

Hacker news – news.ycombinator.com











# UI/UX

# UI/UX

```
Trying 52.2.32.225:443...
Connected to de043a1b-33a0-4ec4-af52-dd9fc0fce327.mock.pstmn.io (52.2.32.225) port 443 (#0)
schannel: disabled automatic use of client certificate
ALPN: offers http/1.1
ALPN: server accepted http/1.1
POST /requestAR/create HTTP/1.1
Host: de043a1b-33a0-4ec4-af52-dd9fc0fce327.mock.pstmn.io
User-Agent: curl/7.83.1
Content-Type: application/json
Mark bundle as not supporting multiuse
HTTP/1.1 201 Created
Date: Sat, 10 Dec 2022 00:31:33 GMT
Content-Type: text/html; charset=utf-8
Connection: keep-alive
x-srv-trace: v=1;t=c7197022e2abd236
x-srv-span: v=1;s=c5f4fb17b511b371
Access-Control-Allow-Origin: *
X-RateLimit-Limit: 120
X-RateLimit-Remaining: 118
X-RateLimit-Reset: 1670632317
ETag: W/"b2-+gHoB+uo4Bc70dSTQFH1aMZ6IqQ"
Vary: Accept-Encoding
"email": "stephen@smith.family",
"registeredAt": "1980-01-01T00:00:00Z",
"registrationStatus": "USER IN REVIEW"
Connection #0 to host de043a1b-33a0-4ec4-af52-dd9fc0fce327.mock.pstmn.io left intact
```

```
    localhost:8083/requestAR/create

POST
        Authorization
                      Headers (9)
                                            Pre-request Script
                                                              Tests
                                                                    Settings
■ none ■ form-data ■ x-www-form-urlencoded ■ raw ■ binary ■ GraphQL JSON ∨
  1
       3
       "subjectData": {
      ····"email": "stephen@smith.family",
       ··· "registrationDate": "1980-01-01T00:00:00Z",
      ····"lastName": "Smith",
       ···"dateOfBirth": "1980-01-01",
       ... "userId": "user:00000000-0000-0000-0000-000000000000",
       ···"firstName": "Stephen".
       ···"registrationStatus": "pending"
 10
 11
 12
       "sourceWebhookId": "user:00000000-0000-0000-0000-00000000000".
 13
       "eventType": "create"
```

#### **FEATURE ROADMAP**

