


Fig. 10 | Time-resolved signed VDFs
D4_s0 direct model predictions · Focused velocity view, full grids retained in NPZ





Every saved time row; native velocity cells; signed linear color scale spanning all extrema. Focus changes axis limits only; see full-range companion.
No smoothing, clipping, VDF renormalization or temporal interpolation; no VDF ground truth.


Fig. 10 | Signed VDFs at representative times
D4_s0 direct model predictions · Focused velocity view, full grids retained in NPZ

























Nearest saved rows to 2, 3 and 4 ns; actual times and source row indices in legends. Focus changes axis limits only; see full-range companion.
No smoothing, clipping, VDF renormalization or temporal interpolation; no VDF ground truth.

Fig. 10 | Time-resolved signed VDFs
D4_s0 direct model predictions · Full velocity range




Every saved time row; native velocity cells; signed linear color scale spanning all extrema.
No smoothing, clipping, VDF renormalization or temporal interpolation; no VDF ground truth.

Fig. 10 | Time-resolved signed VDFs
D4_s0 direct model predictions · Full velocity range




Every saved time row; native velocity cells; signed linear color scale spanning all extrema.
No smoothing, clipping, VDF renormalization or temporal interpolation; no VDF ground truth.

Fig. 10 | Time-resolved signed VDFs
D4_s0 direct model predictions · Full velocity range




Every saved time row; native velocity cells; signed linear color scale spanning all extrema.
No smoothing, clipping, VDF renormalization or temporal interpolation; no VDF ground truth.


Fig. 10 | Time-resolved signed VDFs
D4_s0 direct model predictions · Full velocity range





Every saved time row; native velocity cells; signed linear color scale spanning all extrema.
No smoothing, clipping, VDF renormalization or temporal interpolation; no VDF ground truth.


Fig. 10 | Signed VDFs at representative times
D4_s0 direct model predictions · Full velocity range

























Nearest saved rows to 2, 3 and 4 ns; actual times and source row indices in legends.
No smoothing, clipping, VDF renormalization or temporal interpolation; no VDF ground truth.

Fig. 10 | Signed VDFs at representative times
D4_s0 direct model predictions · Full velocity range




Nearest saved rows to 2, 3 and 4 ns; actual times and source row indices in legends.
No smoothing, clipping, VDF renormalization or temporal interpolation; no VDF ground truth.

Fig. 10 | Signed VDFs at representative times
D4_s0 direct model predictions · Full velocity range



Nearest saved rows to 2, 3 and 4 ns; actual times and source row indices in legends.
No smoothing, clipping, VDF renormalization or temporal interpolation; no VDF ground truth.

Fig. 10 | Signed VDFs at representative times
D4_s0 direct model predictions · Full velocity range



Nearest saved rows to 2, 3 and 4 ns; actual times and source row indices in legends.
No smoothing, clipping, VDF renormalization or temporal interpolation; no VDF ground truth.