# Project Demonstration Phase

| | |
|---|---|
| Date | 28-10-2026 |
| Team ID | SWTID-2026-7875 |
| Project Name | Script-Controlled ACL – Restrict Record Access Based on Field Value |

**1. Objective & Demonstration Scope**

The primary objective of the Demonstration Phase is to systematically test and validate the script-controlled Access Control List (ACL) implementation within ServiceNow. The verification process proves that row-level data security rules dynamically restrict standard users to viewing, creating, editing, and deleting records matching their department (Branch = EEE), while verifying that System Administrators maintain full override visibility across all records.

**2. Test Environment Setup & Baseline Configuration**

Prior to executing the test protocol, the test persona and target database schema were verified as follows:

- Test Identity Persona: User ID: EEE User (eeeuser@gmail.com). Assigned custom roles: bb1 (Read), bb2 (Create), bb3 (Write), and bb4 (Delete).
- Target Data Table: Institution Details (u_institution_details).
- Pre-populated Seed Records: ECE Branch , CSE Branch, and EEE Branch.

**3. Step-by-Step Demonstration Protocol Execution**

**Scenario 1: Read Access & Row-Level Filtering Validation**

Test 1.1 - Authorized Branch User Visibility:

• Action: Impersonate 'EEE User' and open u_institution_details.list.

• Demonstrated Result: The platform applies server-side query filters. Non-EEE records (ECE, CSE) are completely hidden. Only EEE records are rendered.

Test 1.2 - Unauthorized User Restriction:

• Action: Impersonate a standard user without the 'bb1' role and open u_institution_details.list.

• Demonstrated Result: Access is denied entirely, rendering the standard system message 'No records to display'.

Test 1.3 - System Administrator Override:

• Action: End impersonation and view u_institution_details.list as System Administrator.

• Demonstrated Result: Admin override logic bypasses field restrictions, displaying all 6 sample records across ECE, CSE, and EEE branches.

**Scenario 2: Operation-Level Permissions (Create, Write, Delete) Validation**

Test 2.1 - Create Record Access (bb2 Role):

• Action: Impersonate 'EEE User' holding role 'bb2' and inspect the list view header.

• Demonstrated Result: The UI renders the 'New' button, enabling record submission.

Test 2.2 - Write / Edit Record Access (bb3 Role):

• Action: Open record as 'EEE User', modify Description to 'ACL is Executed', and click Update.

• Demonstrated Result: Form fields remain editable and field updates persist to the database successfully.

Test 2.3 - Delete Record Access (bb4 Role):

• Action: Select record in the list view as 'EEE User', select 'Actions on selected rows → Delete', and confirm.

• Demonstrated Result: The platform processes the deletion modal and permanently removes the record from the database.

## 4. Demonstration Verification Results Matrix

| Operation | Required Role | Target Condition | Demonstrated System Behavior | Status |
|---|---|---|---|---|
| Read | bb1 | Branch = EEE | Displays only EEE records; ECE & CSE hidden | **PASSED** |
| Read | None | Any | 'No records to display' message rendered | **PASSED** |
| Read | admin | Any | All records (ECE, EEE, CSE) visible | **PASSED** |
| Create | bb2 | N/A | 'New' button rendered and functional | **PASSED** |
| Write | bb3 | Branch = EEE | Form fields editable; Changes saved | **PASSED** |
| Delete | bb4 | Branch = EEE | Row deletion confirmed and executed | **PASSED** |