
Project Development Phase


Milestone-6 Creation of Access Control Lists(Delete ACL)


Date	28-10-2026
Team ID	SWTID-2026-7875
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value


Creation of Access Control Lists(Delete ACL)

1. Click **New** to create a new ACL(Delete)
2. Enter the following details:
    - **Type:** record
    - **Operation:** Delete
    - **Name:** u_institution_details
    - **Active:** true
3. In the **Requires role** related list, add:
    - bb4 (custom role)
4. No need to add any Data condition
5. Save the ACL Record


dev309692.service-now.com/now/nav/ui/classic/params/target/ui_page.do%3Fsys_id%3D4ea97527839b031077adad30ceaad338
servicenow
All
Favorites
History
Workspaces
ServiceNow
Search
acess Contr
FAVORITES
No Results
ALL RESULTS
System Security
Access Control (ACL)
Machine Identity Access Control
IP Address Access Control
th Build Agent
Claude Code and others.
GO FURTHER
Power your workflow applications


servicenow
All
Favorites
History
Workspaces
Access Controls
Search
Access Controls
Name
Search
Actions on selected rows...
New
All
Name
Decision Type
Operation
Type
Active
Updated by
Updated
$allappsmgmt Allow If read ui_page true admin 2019-02-20 01:02:07
$atf_page_inspector Allow If read ui_page true admin 2020-03-20 15:16:15
$conversation-builder Allow If read ui_page true admin 2019-06-14 15:13:38
$mycompanyappsmgmt Allow If read ui_page true admin 2019-02-21 02:31:44
$products Allow If read ui_page true admin 2020-03-10 03:19:22
$pwd_reset_serviceDesk Allow If read ui_page true admin 2023-05-29 05:26:27
$sa_service_model_json Allow If read ui_page true admin 2015-10-28 02:03:33
$sla_timeline Allow If read ui_page true admin 2016-11-14 01:14:39
$sn-va-web-client-app Allow If read ui_page true admin 2018-03-06 10:20:09
$sn_global_search_results Allow If read ui_page true admin 2020-06-15 10:43:57
$spd Allow If read ui_page true admin 2016-01-19 12:53:23
$spm_availability_calculation_setting Allow If read ui_page true admin 2024-02-18 06:04:39
$studio Allow If read ui_page true admin 2016-01-09 16:21:38
$upgrade_client Allow If read ui_page true admin 2025-11-10 16:44:04
1 to 20 of 44,187


Access Control
u_institution_details
Update
Delete
Type
record
Operation
delete
Admin overrides
Decision Type
Allow If
Protection policy
-- None --
Name
Institution Details [u_institution_details]
Description
Allow delete for records in u_institution_details, for users with role bb4.
Application
Global
Active
Advanced


Conditions
Access Control Rules have two decision types, and these types will behave differently depending on conditions.
1. Allow Access: Allows access to a resource if all conditions are met. Additional ACLs may grant access to records where this ACL has not granted access.
2. Deny Access: Denies access to a resource unless all conditions are met. Additional ACLs may not grant access to records where this ACL has denied access.
More Info
Requires role
1 to 1 of 1
Role
bb4
Insert a new row...

Verify :

- Users with **bb1 &bb2 &bb3&bb4 roles** can see, create and edit along with delete the **EEE branch records.**

