

I want to change the setup skill to

- assume Xomnia as the company. You can even say that in the introduction of the LinkedIn thought leader agent at Xomnia or something. Xomnia is a data and AI consultancy firm based in Amsterdam.
- ask for name and function title or role only, no company name or industry
-

In the process provided by the script to create API keys for Google Sheets and Drive, I followed it, but I had to create an OAuth configuration first, asking for support email addresses etc. make sure to include this in the process steps suggested, I guess before step 3:


```
1. Go to https://console.cloud.google.com → create a new project
2. Enable Google Sheets API and Google Drive API
3. Go to APIs & Services → Credentials → Create Credentials → OAuth 2.0 Client ID
4. Choose Desktop app, download the JSON file
5. Save it as credentials.json in D:\GitHub\linkedin-agent-1\
6. Then run: ! python execution/sheets_client.py – this opens a browser, completes OAuth, and creates token.json
```

Do not display number 6 here yet, it's confusing.

instead of asking the user to run a python script, can you make it so that you run it for the user directly.

In the google console, the oauth also needs to be set to External (under Audience) with Testing access, and the user should be added as a test user under

when authenticating Google for your agent, press Proceed here



During step 4, assume the user has no google sheet yet and create a new one without asking:

Step 4 – Google Sheet Setup

No .env file exists yet. Do you already have a Google Sheet you want to use, or should I create a new one for you?

After the .env file is created, the script continues with executing files in the .env folder, but there is none in the repo. It got it correct, but probably because claude was just smart enough, but can we make this more efficient

```
Bash(.venv/Scripts/python -c "
    from execution.sheets_client import get_service...)
| Error: Exit code 127
| /usr/bin/bash: line 34: .venv/Scripts/python: No such file or directory

PowerShell(& "D:\GitHub\linkedin-agent-1\.venv\Scripts\python.exe" -c @")
    from execution.sheets_client import get_service...)
| Error: Exit code 1
| & : The term 'D:\GitHub\linkedin-agent-1\.venv\Scripts\python.exe' is not recognized as the name of a cmdlet, function, script file, or oper
the
path is correct and try again.
At line:1 char:3
+ & "D:\GitHub\linkedin-agent-1\.venv\Scripts\python.exe" -c @"
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (D:\GitHub\linke...ipts\python.exe:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PowerShell(Get-ChildItem "D:\GitHub\linkedin-agent-1\.venv\Scripts\" | Select-Object Name)
| Error: Exit code 1
| Get-ChildItem : Cannot find path 'D:\GitHub\linkedin-agent-1\.venv\Scripts\' because it does not exist.
At line:1 char:1
+ Get-ChildItem "D:\GitHub\linkedin-agent-1\.venv\Scripts\" | Select-Ob ...
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (D:\GitHub\linke...\venv\Scripts:String) [Get-ChildItem], ItemNotFoundException
+ FullyQualifiedErrorId : Get-ChildItemNotFound, Microsoft.PowerShell.Commands.GetChildItemCommand
```

In Step 5, when creating the linkedin App, use the name “Xomnia Thought Leader Agent” instead of “Xomnia LinkedIn Agent” as the agent can’t have the name of LinkedIn in the name. Also it should provide some guidance on the LinkedIn Page URL , by clicking the “create page” button below

* indicates required

App name*

LinkedIn Page*

 This action can't be undone once the app is saved.

Please input a valid LinkedIn Page URL or type to search by company name.

For Third Party/Enterprise Developers: The LinkedIn Company Page you select will be associated with your app. Verification can be done by a Page Admin. Please note this cannot be a member profile page.

For Individual Developers: API products available to individual developers have a default Company page associated with them and you must select that default Company page to proceed.

To learn more about the products and the default Company pages, click [here](#).

[+ Create a new LinkedIn Page](#)

Maak een LinkedIn-pagina

Houd contact met klanten, medewerkers en de LinkedIn-community. Kies een type pagina om aan de slag te gaan.

Bedrijf
Kleine, middelgrote en grote bedrijven

Showcasepagina
Subpagina's geassocieerd met een bestaande pagina

Onderwijsinstelling
Scholen en universiteiten

Naam*

Stephan Hartgers-rus

linkedin.com/company/*

stephan-hartgers-rus

[Meer informatie over URL van openbare pagina](#)

Website

Begin met http://, https:// of www.

Branche*

IT-services en consultancy

Grootte van organisatie*

Selecteer grootte

Type organisatie*

Eenmanszaak

Logo

Bestand kiezen

Upload een bestand om een voorbeeld te zien

Aanbevolen formaat is 300 x 300 pixels. JPG-, JPEG- en PNG-bestanden worden ondersteund.

Slogan

Voorbeeld: Een bedrijf voor informatieservices dat kleine bedrijven helpt

Maybe first help the user to create a company page from the user, so that it's available at the time it's needed to create the LinkedIn App

```
1. Create a LinkedIn Developer App

1. Go to https://www.linkedin.com/developers/apps/new
2. Fill in app name (e.g. "Xomnia LinkedIn Agent") and use your LinkedIn profile page as the company page
3. Under Products, request Share on LinkedIn (grants w_member_social)
4. Under Auth, add redirect URL: http://localhost:8080/

2. Get your Access Token

Once the app is created, grab your Client ID and Client Secret from the Auth tab, then open this URL in your browser (replace <CLIENT_ID>):

https://www.linkedin.com/oauth/v2/authorization?response_type=code&client_id=<CLIENT_ID>&redirect_uri=http%3A%2F%2Flocalhost%3A8080%2F&scope=w_member_social%20r_liteprofile

You'll be redirected to http://localhost:8080/?code=<CODE>. Grab the code from the URL, then exchange it for a token:

! curl -X POST https://www.linkedin.com/oauth/v2/accessToken `
-d "grant_type=authorization_code" `
-d "code=<CODE>" `
-d "redirect_uri=http://localhost:8080/" `
-d "client_id=<CLIENT_ID>" `
-d "client_secret=<CLIENT_SECRET>"

This returns a JSON with access_token. Add it to your .env:
LINKEDIN_ACCESS_TOKEN=<token>
```

The error in the URL says r_liteprofile scope is not authorized for your app. LinkedIn deprecated r_liteprofile — it's no longer available to new apps.

Remove it from the OAuth URL. You only need w_member_social for posting. Use this URL instead:

https://www.linkedin.com/oauth/v2/authorization?response_type=code&client_id=7861g6ik7cs00j&redirect_uri=http%3A%2F%2Flocalhost%3A8080%2F&scope=w_member_social

This part is too cumbersome, is there an easier way, e.g., providing the client-id and secret in the env file and then claude executing something to trigger the next step, instead of some curl command?

2. Get your Access Token

Once the app is created, grab your Client ID and Client Secret from the Auth tab, then open this URL in your browser (replace <CLIENT_ID>):

https://www.linkedin.com/oauth/v2/authorization?response_type=code&client_id=<CLIENT_ID>&redirect_uri=http%3A%2F%2Flocalhost%3A8080%2F&scope=w_member_social%20r_liteprofile

You'll be redirected to <http://localhost:8080/?code=<CODE>>. Grab the code from the URL, then exchange it for a token:

```
! curl -X POST https://www.linkedin.com/oauth/v2/accessToken `
  -d "grant_type=authorization_code" `
  -d "code=<CODE>" `
  -d "redirect_uri=http://localhost:8080/" `
  -d "client_id=<CLIENT_ID>" `
  -d "client_secret=<CLIENT_SECRET>"
```

This returns a JSON with access token. Add it to your .env:
LINKEDIN_ACCESS_TOKEN=<token>

3. Get your Person URN

Once the token is in .env, run:

```
! python execution/get_linkedin_id.py
```

Then add the numeric ID to .env:

```
LINKEDIN_PERSON_URN=<numeric_id>
```

Let me know when you've got the token and I'll help with the next step.