



MODEL	SR236HDMI
Panel Type	23" LED
Case Type	Plastic
Maximum Resolution	1920 x 1080
MTBF	30,000 hrs
Active Display Area	521.28 × 293.22 (H×V)
Pixel Pitch	0.2715 × 0.2715 (H×V) mm
Bezel Thickness	Left / Right 17mm, Top 19mm, Bottom 23mm
Contrast Ratio	1000 : 1 Ratio
Brightness	250 cd/ m ²
Response Time	5m.sec (G to G)
Viewing Angle	89/89/89/89 (Typ.) (CR-10)
Display Colours	16.7 M
Video Synchronization	Yes
PC Compatible Frequency	Yes
Aspect Ratio	16 : 9 Ratio
VGA Auto Frequency correction	Yes
Speakers	Yes
Number of Speakers	2
Sound Demodulation	Yes
Mute	Yes
Work Humidity	5% - 90%
Work Temperature	-10 to +50 °C
Volume +/- Power On/Off	Yes

MODEL		SR236HDMI
IN/OUT INTERFACE		
Video Interface		HDMI, VGA
Audio Interface		1 x Input
Termination		N/A
Safety & EMC Certification		CE, FCC, ROHS
Vesa Standard Mount		100 x 100 mm
Stand Type		Table stand
Colour		Black
Button Position		Back , Bottom right
Packing Dimension		598mm x 110mm x 400mm
GROSS Weight		5.8kg
POWER		
Power Supply		DC
Voltage		12VDC
Power Consumption		23 Watt
Power Interface		DC 2.1mm
OSD CONTROLS		
Contrast, Brightness, Saturation, Hue		
OSD LANGUAGE		
English, Italian, German, French, Russian, Spanish, Portuguese, Polish, Danish,Dutch Neithland, Poland, Swedish		
ACCESSORIES		
DC adaptor, Power cable, HDMI cable, User Mannual		

