



MODEL	SR270HDA
Panel Type	27" LED Monitor
Case Type	Plastic Case
MTBF	50000 Hours
Maximum Resolution	1920 (H) x 1080 (V)
Active Display Area	597.6 (H) x 336.15 (V) mm
Pixel Pitch	0.31125 (H) x 0.31125 (V) mm
Bezel Thickness	Left/Right/Top 28mm Bottom 44mm
Contrast Ratio	1000 : 1 Ratio
Brightness	300 cd/ m ²
Response Time	5 m.sec
Viewing Angle	178°/178° (H/V)
Display Colours	16.7 M
PC Compatible Frequency	N/A
Aspect Ratio	16 : 9 Ratio
VGA Auto Frequency correction	N/A
Speakers	No
Sound Demodulation	No
Mute	N/A
Work Humidity	5 % – 90 %
Work Temperature	0 - 40 °C
Power On/Off	Yes

MODEL SR270HDA	
IN/OUT INTERFACE	
Video Interface	2 x HD analogue BNC in (CVBS, AHD, CVI, TVI), 2 x HD analogue BNC out (CVBS, AHD, CVI, TVI) HDMI in
Audio	N/A
Power Interface	AC In x 1
Certification	FCC-DOC, CE, ROHS
VESA	100 x 100 mm
Stand Type	Desk
Colour	Black
Button Position	Bottom Right
Button Position	Bottom, front of case
Packing Dimension	704 x 165 x 570 mm
NET Weight	6.0 Kg
GROSS Weight	8.2 Kg
POWER	
Power Supply	AC
Voltage	AC110V - 240V 50/60 Hz
Power Consumption	<=45W
OSD CONTROLS	
Contrast, Brightness, Saturation, Hue, Language, OSD position, OSD Time, Reset	
OSD LANGUAGE	
English, French, German, Spanish, Italian, Dutch, Polish, Russian, Danish	
ACCESSORIES	
Power cord, Adapter, Stand, User's guide, HDMI cable	

