

FitBuddy – AI Fitness Plan Generator using Gemini Models

Team ID: 4 · **Team:** Sharukesh A (Lead), Sriram T.G, Mohan S, Jaitheerth

Repository: <https://github.com/sharukeshalagiri/FitBuddy> · SmartInternz – Google Cloud Generative AI track

Project Description:

FitBuddy is a web application that uses Google's Gemini generative AI models to create personalized 7-day workout plans and nutrition / recovery tips. A user enters their name, age, weight, fitness goal (for example weight loss or muscle gain), preferred workout intensity and experience level. FitBuddy then returns a structured weekly plan where every day has a warm-up, main exercises with sets, reps, rest times and form cues, and a cooldown, together with a short goal-specific tip.

Users can refine their plan in plain language ("more cardio, shorter workouts", "no equipment"). The AI revises the latest version, and every version is kept so the original and updated plans can be compared. An admin or coach can log in to a protected dashboard to see all users and their plans. The app is built with FastAPI, Jinja2 templates and SQLite (SQLAlchemy), uses the google-genai SDK with structured JSON output, and offers both an interactive HTML interface and a documented JSON API.

Scenarios

Scenario 1 – Personalized plan: Priya, 28, 64 kg, an intermediate lifter aiming for muscle gain at medium intensity, fills in the form. Within seconds she receives a 7-day plan with an upper/lower split, recovery days and a protein-timing tip, rendered as clear day cards.

Scenario 2 – Feedback revision: Priya asks for "More cardio. Shorter workouts." FitBuddy revises her latest plan, adding cardio finishers and keeping sessions to about 45 minutes, saves it as version 2 and still lets her open version 1.

Scenario 3 – Nutrition / recovery tip: For any goal, the light Gemini model returns a concise, practical tip (no calorie targets or supplement claims), shown under the plan and available at GET /nutrition-tip.

Scenario 4 – Coach dashboard: A coach logs in with the admin password, sees every user with their profile, number of versions and original vs latest plan, and can delete a user's data.

Technical Architecture:




Figure 1: FitBuddy technical architecture

Description: FitBuddy uses a layered architecture. The presentation layer is server-rendered HTML/CSS (Jinja2). The FastAPI application on Uvicorn validates input with Pydantic and routes requests to the core services: plan generation, plan revision and tip generation. These call Google Gemini through one shared google-genai client that requests JSON matching a schema, retries transient errors and falls back to a second model if the primary is overloaded. Users and versioned plans are stored in SQLite through SQLAlchemy.

ER Diagram




Figure 2: Entity-relationship diagram

Description: The **users** table stores each person's profile (server-generated id, name, age, weight, goal, intensity, experience). The **plans** table stores every plan version for a user: version 1 is the original, and each feedback submission adds a new row with the feedback text, the validated plan JSON, the tip and its source (gemini or demo). One user has many plans; deleting a user deletes their plans (ON DELETE CASCADE).

Pre-requisites:

- FastAPI Framework Knowledge: FastAPI Documentation (fastapi.tiangolo.com)
- Gemini API Familiarity: Google Gemini API Documentation (ai.google.dev)
- HTML, CSS and Jinja2 Template Skills: W3Schools HTML/CSS, Jinja2 Documentation
- Python Programming Proficiency: Python Documentation
- SQLAlchemy and SQLite Basics: SQLAlchemy 2.0 Documentation

- Version Control with Git: [Git Documentation](#)
- Environment Setup (pip, venv): [Python venv Guide](#)
- Uvicorn ASGI Server: [Uvicorn Documentation](#)

Project Workflow:

Milestone 1: Model Selection and Architecture

- Activity 1.1: Generate a Gemini API key and configure it securely in the project environment.
- Activity 1.2: Research and select the appropriate Gemini models.
- Activity 1.3: Define the architecture of the application.
- Activity 1.4: Set up the development environment.

Milestone 2: Core Functionalities Development

- Activity 2.1: Develop plan generation, nutrition tip and feedback revision.
- Activity 2.2: Implement the data layer with versioned plans.

Milestone 3: routes.py Development

- Activity 3.1: Write the main application logic and routes in routes.py.

Milestone 4: Frontend Development

- Activity 4.1: Design and develop the user interface.
- Activity 4.2: Create dynamic templates with Jinja2.

Milestone 5: Deployment and Testing

- Activity 5.1: Prepare the application for local deployment.
- Activity 5.2: Functional and performance testing.

Milestone 1: Model Selection and Architecture

In this milestone we chose the generative AI models from Google's Gemini family and designed how the frontend, backend, AI layer and database interact.

Activity 1.1: Generate a Gemini API Key

- **Step 1 — Open Google AI Studio:** Visit <https://aistudio.google.com/apikey> and sign in with a Google account.
- **Step 2 — Create a key:** Click *Create API key*; let AI Studio create a default Google Cloud project if asked (no billing needed for the free tier).
- **Step 3 — Copy the key** (it starts with Alza) and keep it private.
- **Step 4 — Add it to the project:** copy `.env.example` to `.env` in the project root and set `GEMINI_API_KEY=your_key`.
- **Step 5 — Verify:** start the app and open `/api/health`; it reports `gemini_configured: true` and `demo_mode: false`.
- **Important — never commit the key:** `.env` is listed in `.gitignore`; only `.env.example` (with a blank key) is committed.

The configuration is loaded once at startup in `app/config.py`:

```
GEMINI_API_KEY = (os.getenv("GEMINI_API_KEY") or os.getenv("GOOGLE_API_KEY") or "").strip()
GEMINI_WORKOUT_MODEL = os.getenv("GEMINI_WORKOUT_MODEL", "gemini-3.8-flash").strip()
GEMINI_TIP_MODEL = os.getenv("GEMINI_TIP_MODEL", "gemini-3.5-flash-lite").strip()
# Used for plans/revisions when the workout model is overloaded or not found. Empty = off.
GEMINI_WORKOUT_FALLBACK_MODEL = os.getenv("GEMINI_WORKOUT_FALLBACK_MODEL",
                                           "gemini-3.5-flash-lite").strip()
GEMINI_TIMEOUT_SECONDS = int(os.getenv("GEMINI_TIMEOUT_SECONDS", "45"))

# Demo mode: no API key, or explicitly forced on.
DEMO_MODE = _bool(os.getenv("DEMO_MODE")) or not GEMINI_API_KEY
```

Activity 1.2: Research and Select the Appropriate Gemini Models

- **Requirements:** generate structured 7-day plans, revise them from feedback, produce short tips, and respond quickly enough for a web page.
- **Finding:** the project brief names Gemini 1.5 Pro and Gemini Flash, which are now retired, and the google-generativeai SDK, which is deprecated. We used current models through the google-genai SDK, with model names configurable in `.env`.
- **Workout model ("Pro role"):** `gemini-3.8-flash` for plan generation and revision — strongest stable model available on the free tier, with structured JSON output.
- **Tip model ("Flash role"):** `gemini-3.5-flash-lite` — fast and inexpensive for 2–3 sentence tips; also used as automatic fallback when the workout model is overloaded.
- **Structured output:** requests use `response_mime_type="application/json"` with a Pydantic `response_schema`, so the plan comes back as data that is validated, not markdown text.

Activity 1.3: Define the Architecture of the Application

- **Frontend:** `index.html` (profile form), `result.html` with the `_plan.html` partial (day cards, tip, feedback, version history), `all_users.html` and `admin_login.html` (admin), `error.html`.
- **Backend:** FastAPI routes in `routes.py`; Pydantic validation in `schemas.py`; generators in `gemini_generator.py`, `updated_plan.py` and `gemini_flash_generator.py`.
- **AI integration:** `gemini_client.py` holds a single client, a structured-JSON helper with retry and fallback, and typed `GeminiError` exceptions that routes turn into friendly messages.
- **Database:** `database.py` defines the users and plans models and CRUD helpers (SQLite, WAL mode).

Activity 1.4: Set Up the Development Environment

```
D:\FitBuddy> python -m venv venv  
D:\FitBuddy> venv\Scripts\activate  
(venv) D:\FitBuddy> pip install -r requirements.txt
```

requirements.txt:

```
fastapi>=0.115  
uvicorn[standard]>=0.30  
jinja2>=3.1  
sqlalchemy>=2.0  
google-genai>=1.0  
python-dotenv>=1.0  
python-multipart>=0.0.9  
itsdangerous>=2.1  
pytest>=8.0  
httpx>=0.27  
locust>=2.20
```

Milestone 2: Core Functionalities Development

Activity 2.1: Develop the Core Functionalities

Workout plan generation — `generate_workout_gemini()` in `gemini_generator.py`. The system prompt encodes safety rules (rest days, beginner-appropriate exercises, extra care for teens, older adults and heavier users, no medical or calorie claims). Unlike the original brief, the prompt includes **age, weight and experience**, not just goal and intensity.

```
SYSTEM_PROMPT = """You are FitBuddy, a certified, safety-conscious personal trainer.
Create a professional, realistic 7-day workout plan as JSON matching the given schema.

Rules:
- Exactly 7 days, numbered 1-7. Include at least one rest or active-recovery day
  (set is_rest_day=true; exercises may be empty for full rest days).
- Every training day has a 5-10 minute warm-up, 3-6 main exercises with sets, reps
  (e.g. "8-12" or "30-60 sec"), rest_seconds and a short form cue in notes, and a cooldown.
- Match volume and exercise difficulty to the requested intensity and experience.
- Beginners: bodyweight, resistance bands and machines; no complex barbell lifts.
- Users aged 13-17: age-appropriate training, focus on technique, NO heavy or max-effort
  lifts.
- Older adults (60+): include balance work, favour low-impact options.
- Heavier users: favour low-impact cardio to protect joints.
- No medical claims or diagnoses, no calorie targets or extreme diet advice.
- Plain text only inside string fields: no markdown, no asterisks.
- Add 3-5 concise safety_notes.
"""

def build_prompt(goal: str, intensity: str, experience: str, age: Optional[int],
                weight: Optional[float]) -> str:
    lines = [
        "Create a 7-day workout plan for this person:",
        f"- Fitness goal: {goal}",
        f"- Workout intensity: {intensity}",
        f"- Experience level: {experience}",
        f"- Age: {age if age is not None else 'not provided'}",
        f"- Body weight: {f'{weight:g} kg' if weight is not None else 'not provided'}",
    ]
    return "\n".join(lines)
```

The plan schema (also passed to Gemini as `response_schema`) guarantees exactly seven days:

```

class Exercise(BaseModel):
    name: str
    sets: Optional[int] = None
    reps: str
    rest_seconds: Optional[int] = None
    notes: Optional[str] = None

class Day(BaseModel):
    day: int = Field(ge=1, le=7)
    focus: str
    is_rest_day: bool
    warmup: str
    exercises: list[Exercise]
    cooldown: str

class WorkoutPlan(BaseModel):
    title: str
    summary: str
    days: list[Day]
    safety_notes: list[str]

    @field_validator("days")
    @classmethod
    def exactly_seven_days(cls, days: list[Day]) -> list[Day]:
        if len(days) != 7:
            raise ValueError(f"plan must have exactly 7 days, got {len(days)}")
        return days

```

Structured call with retry and fallback — `generate_structured()` in `gemini_client.py`:

```

def generate_structured(model: str, system: str, prompt: str, schema: Type[T],
                        fallback_model: Optional[str] = None) -> tuple[T, str]:
    """Ask Gemini for JSON matching `schema`; return (validated model, model id used).

    If the primary model is overloaded or not found, try `fallback_model` once.
    """
    models = [model] + ([fallback_model] if fallback_model and fallback_model != model else
                        [])
    for i, m in enumerate(models):
        try:
            return _structured_once(m, system, prompt, schema), m
        except GeminiError as exc:
            if exc.kind in FALLBACK_KINDS and i < len(models) - 1:
                log.warning("Gemini %s failed (%s); falling back to %s", m, exc.kind,
                            models[i + 1])
                continue
            raise
    raise AssertionError("unreachable")

```

Nutrition / recovery tip — `generate_nutrition_tip_with_flash()` uses the light model with a plain-text prompt and strips any stray markdown:

```
SYSTEM_PROMPT = """You are FitBuddy's nutrition and recovery coach.
Give ONE practical, goal-specific nutrition or recovery tip in 2-3 sentences of plain text.
Do not give calorie targets, weight-loss numbers or supplement claims.
No medical advice, no markdown, no lists, no emojis."""
```

```
def generate_nutrition_tip_with_flash(goal: str, age: Optional[int] = None) -> tuple[str, str]:
    """Return (tip, source). Raises GeminiError on AI failure."""
    if config.DEMO_MODE:
        return demo_data.demo_nutrition_tip(goal, age), "demo"
    prompt = f"Fitness goal: {goal}\nAge: {age if age is not None else 'not provided'}"
    tip = generate_text(config.GEMINI_TIP_MODEL, SYSTEM_PROMPT, prompt)
    tip = re.sub(r"[*_#`]+", "", tip).strip() # strip any stray markdown
    return tip, "gemini"
```

Feedback-based plan revision — `update_workout_plan()` sends the **latest** version plus the feedback. The feedback is treated as untrusted data: it is wrapped in `<feedback>` tags, angle brackets are replaced so it cannot close the tag, and it is capped at 500 characters.

```
def update_workout_plan(latest_plan: dict, feedback: str, user) -> tuple[dict, str]:
    """Return (revised_plan_dict, source). Raises GeminiError on AI failure."""
    feedback = feedback.strip()[: config.MAX_FEEDBACK_LENGTH]
    if config.DEMO_MODE:
        return demo_data.demo_revise_plan(latest_plan, feedback), "demo"

    safe_feedback = feedback.replace("<", "<").replace(">", ">") # can't close the tag
    prompt = (
        "User profile:\n"
        f"- Goal: {user.goal}\n- Intensity: {user.intensity}\n- Experience: {user.experience}\n"
        f"- Age: {user.age}\n- Weight: {user.weight_kg:g} kg\n\n"
        f"Current plan (latest version):\n{json.dumps(latest_plan, ensure_ascii=False)}\n\n"
        f"<feedback>\n{safe_feedback}\n</feedback>\n\n"
        "Return the full revised plan."
    )
    plan, _ = generate_structured(config.GEMINI_WORKOUT_MODEL, SYSTEM_PROMPT, prompt,
                                WorkoutPlan,
                                config.GEMINI_WORKOUT_FALLBACK_MODEL)
    return plan.model_dump(), "gemini"
```

Activity 2.2: Data Layer with Versioned Plans

SQLite is configured with foreign keys (for cascade delete), WAL journaling and a busy timeout so concurrent requests don't fail with "database is locked":

```
def make_engine(url: str):
    connect_args = {"check_same_thread": False} if url.startswith("sqlite") else {}
    eng = create_engine(url, connect_args=connect_args)
    if url.startswith("sqlite"):
        @event.listens_for(eng, "connect")
        def _sqlite_pragmas(dbapi_conn, _):
            cur = dbapi_conn.cursor()
            cur.execute("PRAGMA foreign_keys=ON") # enforce ON DELETE CASCADE
            cur.execute("PRAGMA journal_mode=WAL") # readers don't block the writer
            cur.execute("PRAGMA busy_timeout=10000")
            cur.close()
    return eng
```

A plan is only saved after a valid plan has been generated, so a failed AI call never leaves an error message stored as a plan:

```
def _create_plan_for(data: UserInput) -> tuple[int, int, dict, str]:
    """Generate plan + tip, then persist user and v1. Raises GeminiError (nothing saved)."""
    plan, source, _ = generate_workout_gemini(data.goal, data.intensity, data.experience,
                                              data.age, data.weight_kg)
    tip = _tip_or_fallback(data.goal, data.age)
    user_id = db.save_user(data.name, data.age, data.weight_kg, data.goal,
                          data.intensity, data.experience)
    version = db.save_plan(user_id, plan, tip, source)
    return user_id, version, plan, tip
```

Milestone 3: routes.py Development

routes.py is the operational core: it connects the templates, the AI generators and the database. Routes that call Gemini are plain def functions, so FastAPI runs them in a thread pool and the synchronous SDK never blocks the server.

Activity 3.1: Writing the Main Application Logic in routes.py

Method	Route	Purpose
GET	/	Profile form (index.html)
POST	/generate-workout	Validate form → generate plan + tip → save → redirect to /plan/{id}
GET	/plan/{user_id}	Latest plan, tip, feedback form and version history
GET	/plan/{user_id}/version/{v}	View an earlier version
POST	/submit-feedback	Revise latest plan (hidden user_id field) → redirect with update banner
GET/POST	/admin/login, /admin/logout	Admin session with signed cookie
GET	/view-all-users	Admin dashboard (login required)
POST	/admin/delete-user/{user_id}	Delete user and all plans (login required)
POST	/generate-workout/gemini	API: plan only, no DB write
GET	/nutrition-tip?goal=	API: nutrition / recovery tip
POST	/generate-plan	API: create user + plan v1
POST	/update-plan/{user_id}	API: revise latest plan from feedback
GET	/api/users/{user_id}/plans	API: full version history
GET	/api/health	API: DB, Gemini configuration, demo mode and models

Form route for plan generation (validation errors → HTTP 422 with friendly messages; AI failure → HTTP 502 with a friendly message and nothing saved):

```

@router.post("/generate-workout", response_class=HTMLResponse, include_in_schema=False)
def generate_workout_form(
    request: Request,
    name: str = Form(""), age: str = Form(""), weight: str = Form(""),
    goal: str = Form(""), goal_other: str = Form(""),
    intensity: str = Form(""), experience: str = Form("beginner"),
):
    form = {"name": name, "age": age, "weight": weight, "goal": goal,
           "goal_other": goal_other, "intensity": intensity, "experience": experience}
    chosen_goal = goal_other if goal == "other" else goal
    try:
        data = UserInput(name=name, age=age or None, weight_kg=weight or None,
                        goal=chosen_goal, intensity=intensity, experience=experience)
    except ValidationError as exc:
        return templates.TemplateResponse(request, "index.html",
                                         {"errors": _friendly_errors(exc), "form": form},
                                         status_code=422)

    try:
        user_id, *_ = _create_plan_for(data)
    except GeminiError:
        return templates.TemplateResponse(request, "index.html",
                                         {"errors": [AI_ERROR_MSG], "form": form},
                                         status_code=502)

    return RedirectResponse(f"/plan/{user_id}", status_code=303)

```

Feedback route — the user id comes from a hidden field, so users don't retype it (a usability fix over the brief):

```

@router.post("/submit-feedback", response_class=HTMLResponse, include_in_schema=False)
def submit_feedback(request: Request, user_id: int = Form(...), feedback: str = Form("")):
    try:
        fb = FeedbackRequest(feedback=feedback)
    except ValidationError:
        return _render_plan(request, user_id, status_code=422, feedback_value=feedback,
                           error=f"Please enter feedback (1-{config.MAX_FEEDBACK_LENGTH}
characters).")
    try:
        _revise(user_id, fb.feedback)
    except GeminiError:
        return _render_plan(request, user_id, status_code=502, feedback_value=feedback,
                           error="Sorry, we couldn't update your plan right now. "
                           "Your current plan is unchanged – please try again.")
    return RedirectResponse(f"/plan/{user_id}?updated=1", status_code=303)

```

JSON API routes, documented automatically at /docs:

```

@router.post("/generate-plan", tags=["API"])
def api_generate_plan(body: UserInput):
    """Create a user, generate their plan + tip and store version 1."""
    try:
        user_id, version, plan, tip = _create_plan_for(body)
    except GeminiError as exc:
        raise HTTPException(502, f"AI generation failed: {exc}")
    return {"user_id": user_id, "version": version, "workout_plan": plan, "nutrition_tip":
tip}

@router.post("/update-plan/{user_id}", tags=["API"])
def api_update_plan(user_id: int, body: FeedbackRequest):
    """Revise the user's latest plan using feedback; stores a new version."""
    try:
        version, revised = _revise(user_id, body.feedback)
    except GeminiError as exc:
        raise HTTPException(502, f"AI revision failed: {exc}")
    return {"user_id": user_id, "version": version, "updated_plan": revised}

```

Milestone 4: Frontend Development

Activity 4.1: Designing and Developing the User Interface

- **Base layout:** base.html provides the header (FitBuddy, New plan, Admin, API links), a gym-photo background with a dark overlay, Roboto from Google Fonts, and a footer disclaimer on every page: *FitBuddy provides general fitness information, not medical advice.*
- **Responsive CSS:** static/css/style.css uses Flexbox and CSS grid; day cards reflow from three columns on desktop to one on mobile; buttons have hover states; a print stylesheet supports the Print plan button.
- **Profile form:** labelled fields with HTML5 limits (age 13–90, weight 25–300 kg), goal dropdown with an "Other" text option, segmented controls for intensity and experience, and a "Generating your plan..." loading state.
- **Result page:** profile summary, plan title and summary, seven day cards (rest days highlighted), safety notes, tip card, feedback box with quick chips (More cardio, Add a rest day, Shorter workouts, No equipment) and version history.
- **Admin pages:** login form and a table of users with original and latest plans in expandable sections, plus a delete button with confirmation.

Activity 4.2: Creating Dynamic Templates with Jinja2

Templates are rendered with FastAPI's `Jinja2Templates`; auto-escaping stays on, so user text can never inject HTML. The day-card markup lives in one partial, `_plan.html`, reused by the result page, version view and admin dashboard:

```

{# Renders a structured WorkoutPlan dict as day cards. Expects `plan`. #}
<div class="plan">
  <div class="plan-header">
    <h2>{{ plan.title }}</h2>
    <p class="muted">{{ plan.summary }}</p>
  </div>
  <div class="days-grid">
    {% for d in plan.days %}
    <article class="day-card {% if d.is_rest_day %}rest{% endif %}">
      <div class="day-head">
        <span class="day-num">Day {{ d.day }}</span>
        {% if d.is_rest_day %}<span class="tag tag-rest">Recovery</span>{% endif %}
      </div>
      <h3>{{ d.focus }}</h3>
      <p class="phase"><span>🔥 Warm-up</span> {{ d.warmup }}</p>
      {% if d.exercises %}
      <ul class="exercises">
        {% for ex in d.exercises %}
        <li>
          <div class="ex-name">{{ ex.name }}</div>
          <div class="ex-meta">
            {% if ex.sets %}<span>{{ ex.sets }} × {{ ex.reps }}</span>{% else %}<span>{{
ex.reps }}</span>{% endif %}
            {% if ex.rest_seconds %}<span>⌚ {{ ex.rest_seconds }}s rest</span>{% endif %}
          </div>
          {% if ex.notes %}<div class="ex-cue">{{ ex.notes }}</div>{% endif %}
        </li>
        {% endfor %}
      </ul>
      {% endif %}
      <p class="phase"><span>🧘 Cooldown</span> {{ d.cooldown }}</p>
    </article>
    {% endfor %}
  </div>
  {% if plan.safety_notes %}
  <div class="card safety">
    <h3>⚠️ Safety notes</h3>
    <ul>{% for n in plan.safety_notes %}<li>{{ n }}</li>{% endfor %}</ul>
  </div>
  {% endif %}
</div>

```

Milestone 5: Deployment and Testing

Activity 5.1: Preparing the Application for Local Deployment

```
(venv) D:\FitBuddy> copy .env.example .env      (add GEMINI_API_KEY, change ADMIN_PASSWORD
and SECRET_KEY)
(venv) D:\FitBuddy> uvicorn app.main:app --reload
Open http://127.0.0.1:8000      ·      API docs: http://127.0.0.1:8000/docs
```

Environment variables (.env.example):

```
GEMINI_API_KEY=
GEMINI_WORKOUT_MODEL=gemini-3.8-flash
GEMINI_TIP_MODEL=gemini-3.5-flash-lite
GEMINI_WORKOUT_FALLBACK_MODEL=gemini-3.5-flash-lite
DEMO_MODE=false
ADMIN_PASSWORD=admin123
SECRET_KEY=change-me
DATABASE_URL=sqlite:///./fitbuddy.db
```

Without an API key (or with `DEMO_MODE=true`) FitBuddy runs in **demo mode** with deterministic built-in plans, tips and revisions, so every feature can be shown even offline.

Activity 5.2: Functional and Performance Testing

- **Automated tests:** 35 pytest tests (tests/test_routes.py) run in demo mode with a temporary database and cover every HTML route and JSON endpoint, validation errors (422), admin login (401), version history, delete, the prompt including age and weight, nothing saved on AI failure, and the fallback model. All 35 pass.
- **Load test:** Locust with 50 concurrent users for 59 s: 1,450 requests, 0 failures, 5.18 ms average and 357 ms maximum response time, 24.5 requests/second (see the Performance Testing document).
- **Live Gemini run:** plan generation took 14.3 s on gemini-3.8-flash and 4.3–5.4 s on gemini-3.5-flash-lite. When Google returned "high demand" (HTTP 503) errors, the automatic fallback kept requests succeeding (5 of 5).

Exploring the Website's Web Pages:

Home page

The image shows the FitBuddy home page. At the top left is the FitBuddy logo. At the top right are links for 'New plan', 'Admin', and 'API'. The main heading is 'Your AI-powered 7-day fitness plan'. Below this is a subheading: 'Tell us about yourself and FitBuddy will build a personalized weekly workout with a nutrition & recovery tip — powered by Google Gemini.' The central part of the page is a white form with the following fields and options:

- Name:** A text input field with the placeholder 'e.g. Priya'.
- Age:** A text input field with the placeholder '13-90'.
- Weight (kg):** A text input field with the placeholder '25-300'.
- Fitness goal:** A dropdown menu with the placeholder 'Choose a goal...'.
- Workout intensity:** Three radio buttons labeled 'Low', 'Medium' (selected), and 'High'.
- Experience:** Three radio buttons labeled 'Beginner' (selected), 'Intermediate', and 'Advanced'.
- Generate my plan:** A large orange button.

Below the 'Generate my plan' button, it says 'Generation can take 10-30 seconds.' At the bottom of the page, there is a disclaimer: 'FitBuddy provides general fitness information, not medical advice. Consult a doctor before starting a new exercise program.'

Figure 3: FitBuddy home page — profile form

Description: The home page explains FitBuddy in one line and shows the profile form: name, age, weight, fitness goal, workout intensity and experience. Fields are validated in the browser and again on the server. Clicking *Generate my plan* shows a loading state while Gemini creates the plan.

New planAdminAPI

Your AI-powered 7-day fitness plan

Tell us about yourself and FitBuddy will build a personalized weekly workout with a nutrition & recovery tip — powered by Google Gemini.

Name

Priya

Age

28

Weight (kg)

64

Fitness goal

Muscle Gain

Workout intensity

Low

Medium

High

Experience

Beginner

Intermediate

Advanced

Generate my plan

Generation can take 10–30 seconds.

FitBuddy provides general fitness information, not medical advice. Consult a doctor before starting a new exercise program.

Figure 4: Form filled in (Priya, 28, 64 kg, muscle gain, medium, intermediate)

Personalized plan page



[New plan](#) [Admin](#) [API](#)

Hi Priya

AGE
28

WEIGHT
64 kg

GOAL
Muscle Gain

INTENSITY
Medium

EXPERIENCE
Intermediate

Here is your personalized plan.

Version 1 (original)

Print plan

Intermediate Muscle Gain Program

A 7-day hypertrophy-focused workout plan designed for an intermediate trainee aiming to build muscle mass safely and effectively.

DAY 1

Upper Body Push

Warm-up

5 minutes of arm circles, band pull-aparts, and light push-ups to prep the shoulders and chest.

Barbell Bench Press

4 × 8-10 90s rest

Keep shoulder blades retracted and feet flat on the floor.

Seated Overhead Dumbbell Press

3 × 8-12 60s rest

Maintain a neutral spine and press straight overhead.

Incline Dumbbell Flyes

3 × 10-12 60s rest

Maintain a slight bend in the elbows throughout the movement.

Triceps Rope Pushdowns

3 × 12-15 45s rest

Keep elbows pinned to your sides.

Cooldown

5 minutes of chest and triceps static stretching.

DAY 2

Lower Body Quads and Calves

Warm-up

5 minutes of bodyweight squats, leg swings, and ankle mobility drills.

Barbell Back Squat

4 × 6-8 120s rest

Keep chest up and knees tracking over toes.

Leg Press

3 × 10-12 90s rest

Do not lock out knees completely at the top.

Leg Extensions

3 × 12-15 60s rest

Pause briefly at the top of each extension.

Standing Calf Raises

4 × 15-20 45s rest

Full range of motion with a deep stretch at the bottom.

Cooldown

5 minutes of quad and calf stretching.

DAY 3

Upper Body Pull

Warm-up

5 minutes of resistance band face pulls and scapular pull-ups.

Pull-Ups

4 × 6-10 90s rest

Full hang at the bottom, pull chest to the bar.

Bent-Over Barbell Row

4 × 8-10 90s rest

Keep your back flat and pull toward your lower ribs.

Lat Pulldown

3 × 10-12 60s rest

Drive elbows down and back.

Dumbbell Bicep Curls

3 × 10-12 45s rest

Keep upper arms stationary and avoid swinging.

Cooldown

5 minutes of lat and upper back stretching.

DAY 4

Active Recovery

Warm-up

None

Cooldown

20-30 minutes of light walking or gentle mobility work.

Recovery

DAY 5

Lower Body Posterior Chain

Warm-up

5 minutes of cat-cow stretches, glute bridges, and dynamic hamstring sweeps.

Romanian Deadlifts

4 × 8-10 120s rest

Hinge at the hips with a soft bend in the knees.

Seated Leg Curls

3 × 10-12 60s rest

Control the weight on the eccentric lowering phase.

Barbell Hip Thrusts

3 × 10-12 90s rest

Drive through heels and squeeze glutes at the top.

Seated Calf Raises

4 × 12-15 45s rest

Control the tempo for maximum muscle activation.

Cooldown

5 minutes of hamstring and glute stretching.

DAY 6

Shoulders and Core

Warm-up

5 minutes of light cardio and arm mobility drills.

Dumbbell Lateral Raises

4 × 12-15 60s rest

Lead with your elbows and keep a slight bend in the arms.

Face Pulls

3 × 15-20 45s rest

Focus on rear delts and external rotation.

Plank

3 × 45-60 sec 45s rest

Keep glutes squeezed and core braced tightly.

Hanging Leg Raises

3 × 10-15 60s rest

Avoid swinging by controlling your movement.

Cooldown

5 minutes of shoulder and abdominal stretching.

DAY 7

Rest Day

Recovery

Figure 5: Generated 7-day plan rendered as day cards (real Gemini output)

Description: The plan page greets the user and summarizes their profile, then shows the plan title, summary and seven day cards. Each training day lists a warm-up, exercises with sets × reps, rest time and a form cue, and a cooldown. Recovery days are visually distinct.




Figure 6: Safety notes, nutrition & recovery tip, feedback box and version history

Description: Below the plan are safety notes, the 💡 nutrition and recovery tip from the light Gemini model, the feedback box with quick-suggestion chips, and the version history.

Feedback and updated plan

The screenshot shows the FitBuddy app interface. At the top, a green banner confirms: "Your plan has been updated based on your feedback!". Below this, a user profile for "Priya" is shown with details: AGE 28, WEIGHT 64 kg, GOAL Muscle Gain, INTENSITY Medium, and EXPERIENCE Intermediate. The main section is titled "Version 2" with the subtitle "Based on feedback: 'More cardio. Shorter workouts'". A button "Print plan" is visible. The workout plan is titled "Intermediate Muscle Gain Program with Cardio" and is described as a "7-day hypertrophy and fitness plan designed for an intermediate trainee aiming to build muscle and incorporate more cardio with shorter, efficient workouts." The plan is divided into three columns for Day 1, Day 2, and Day 3. Day 1: "Upper Body Push and Quick Cardio" includes Warm-up, Barbell Bench Press (3 x 8-10, 60s rest), Seated Overhead Dumbbell Press (3 x 8-12, 60s rest), Triceps Rope Pushdowns (3 x 12-15, 45s rest), and Incline Treadmill Jog (1 x 10 minutes). Day 2: "Lower Body Quads and Calves" includes Warm-up, Barbell Back Squat (3 x 6-8, 90s rest), Leg Press (3 x 10-12, 60s rest), Standing Calf Raises (3 x 15-20, 45s rest), and Stationary Bike Intervals (1 x 10 minutes). Day 3: "Upper Body Pull and Core" includes Warm-up, Lat Pulldown (3 x 10-12, 60s rest), Bent-Over Barbell Row (3 x 8-10, 60s rest), Dumbbell Bicep Curls (3 x 10-12, 45s rest), and Plank (3 x 45 sec, 45s rest). Each day ends with a "Cooldown" section.

Figure 7: Plan revised from the feedback "More cardio. Shorter workouts."

Description: After feedback is submitted, the page confirms the update and shows version 2, labelled with the feedback that produced it. The revised plan adds cardio while keeping the overall structure.

The screenshot shows the bottom section of the FitBuddy app. It features a "Nutrition & recovery tip" section with a lightbulb icon, advising on protein intake and sleep. Below this is a "Want changes?" section with a text input field and buttons for "More cardio", "Add a rest day", "Shorter workouts", and "No equipment". An "Update my plan" button is at the bottom. To the right is a "Version history" section showing two versions: v2 (03 Oct 2026, 12:23 UTC) with the feedback "More cardio. Shorter workouts" and v1 (03 Oct 2026, 12:22 UTC) as the "Original plan".

Figure 8: Version history lists v2 (with its feedback) and the original v1

FitBuddy

[New plan](#)[Admin](#)[API](#)

Hi Priya
Here is your personalized plan.

AGE
28

WEIGHT
64 kg

GOAL
Muscle Gain

INTENSITY
Medium

EXPERIENCE
Intermediate

Version 1 (original)

Older version

View latest (v2) →

Print plan

Intermediate Muscle Gain Program

A 7-day hypertrophy-focused workout plan designed for an intermediate trainee aiming to build muscle mass safely and effectively.

DAY 1

Upper Body Push

Warm-up

5 minutes of arm circles, band pull-aparts, and light push-ups to prep the shoulders and chest.

Barbell Bench Press

4 x 8-10 90s rest

Keep shoulder blades retracted and feet flat on the floor.

Seated Overhead Dumbbell Press

3 x 8-12 60s rest

Maintain a neutral spine and press straight overhead.

Incline Dumbbell Flyes

3 x 10-12 90s rest

Keep your feet flat and chest up.

DAY 2

Lower Body Quads and Calves

Warm-up

5 minutes of bodyweight squats, leg swings, and ankle mobility drills.

Barbell Back Squat

4 x 6-8 120s rest

Keep chest up and knees tracking over toes.

Leg Press

3 x 10-12 90s rest

Do not lock out knees completely at the top.

Leg Extensions

3 x 10-12 90s rest

Keep your feet flat and control the weight.

DAY 3

Upper Body Pull

Warm-up

5 minutes of resistance band face pulls and scapular pull-ups.

Pull-Ups

4 x 6-10 90s rest

Full hang at the bottom, pull chest to the bar.

Bent-Over Barbell Row

4 x 8-10 90s rest

Keep your back flat and pull toward your lower ribs.

Lat Pulldown

3 x 10-12 90s rest

Keep your feet flat and pull toward your chest.

Figure 9: Viewing the original version (v1) with a link back to the latest

Admin login and dashboard




Figure 10: Admin login




Figure 11: Admin dashboard — users, versions, original vs latest plan, delete

Description: The admin dashboard is protected by a password and a signed session cookie. It lists each user's profile, the number of plan versions and creation time, with the original and latest plans in expandable sections and a delete button.

API documentation and mobile view

FitBuddy – AI Fitness Plan Generator 1.0.0 OAS 3.1

/openapi.json

Personalized 7-day workout plans and nutrition tips using Google Gemini.

API

POST	/generate-workout/gemini	Api Generate Workout	⌵
GET	/nutrition-tip	Api Nutrition Tip	⌵
POST	/generate-plan	Api Generate Plan	⌵
POST	/update-plan/{user_id}	Api Update Plan	⌵
GET	/api/users/{user_id}/plans	Api Plan History	⌵
GET	/api/health	Api Health	⌵

Schemas

FeedbackRequest > Expand all object

HTTPValidationError > Expand all object

QuickWorkoutRequest > Expand all object

UserInput > Expand all object

ValidationError > Expand all object

Figure 12: Interactive API documentation at /docs (Swagger UI)

Description: FastAPI generates interactive documentation for all JSON endpoints, so developers can try plan generation, tips, updates, history and the health check directly from the browser.




Figure 13: Responsive layout on a phone-sized screen

Conclusion:

FitBuddy shows how generative AI can make personal fitness guidance accessible. Using Google's Gemini models through structured JSON output, it turns a few personal details into a safe, well-structured 7-day plan with a goal-specific nutrition or recovery tip, and lets users refine the plan in plain language while every version is kept.

Built with FastAPI, Jinja2 and SQLite, the application implements all four scenarios of the project brief and improves on its original design: server-generated user IDs instead of manually typed ones, age, weight and experience included in the prompt, full revision history instead of overwriting, plans rendered as cards instead of raw markdown, and errors that are never stored as plans. Reliability features (retry, automatic fallback model and demo mode) kept the app working even when Google's primary model was overloaded during testing, and 35 automated tests plus a 50-user load test confirm that it behaves correctly.

Future work includes user accounts, cloud deployment on Google Cloud Run with a managed database, progress tracking that adapts each new week's plan, and multilingual support.