```
const events = [
  {
    id: 1, name: "Web Development",
    date: "2026-11-05", venue: "Computer Lab",
    category: "Technical",
    description: "Learn HTML, CSS and JavaScript",
    capacity: 50
  },
  {
    id: 2, name: "Cultural Fest",
    date: "2026-11-15", venue: "Auditorium",
    category: "Cultural",
    description: "Dance, Music and Fun",
    capacity: 30
  },
  {
    id: 3, name: "AI Workshop",
    date: "2026-11-25", venue: "Seminar Hall",
    category: "Workshop",
    description: "Explore Artificial Intelligence",
    capacity: 50
  },
  {
    id: 4, name: "Sports Day",
    date: "2026-12-01", venue: "College Ground",
    category: "Sports",
    description: "Games and sports competitions",
    capacity: 50
  }
];

let registrations = JSON.parse(
  localStorage.getItem("eventRegs") || "[]"
);
```

```
function save() {
  localStorage.setItem(
    "eventRegs", JSON.stringify(registrations)
  );
}

function count(id) {
  return registrations.filter(r => r.eventId === id).length;
}

function displayEvents() {
  const s = document.getElementById("search").value.toLowerCase();
  const c = document.getElementById("category").value;
  const d = document.getElementById("date").value;

  const list = events.filter(e =>
    e.name.toLowerCase().includes(s) &&
    (!c || e.category === c) &&
    (!d || e.date === d)
  );

  document.getElementById("events").innerHTML =
    list.map(e => `
      <div class="card">
        <h3>🎉 ${e.name}</h3>
        <p>📅 ${e.date}</p>
        <p>📍 ${e.venue}</p>
        <p>Category: ${e.category}</p>
        <p>${e.description}</p>
        <p><b>Registered: ${count(e.id)} / ${e.capacity}</b></p>
        <p><small>${count(e.id) >= e.capacity ? "FULL" : "Seats available"}</
small></p>
        <button onclick="details(${e.id})">View Details</button>
      </div>
    `).join("") || "No events found.";
```

```
  document.getElementById("eventId").innerHTML =
    '<option value="">Select Event</option>' +
    events.map(e => `
      <option value="${e.id}" ${count(e.id) >= e.capacity ? "disabled" : ""}>
        ${e.name} (${count(e.id) >= e.capacity ? "FULL" : "OPEN"})
      </option>
    `).join("");
}

function details(id) {
  const e = events.find(e => e.id === id);
  alert(
    "Event: " + e.name +
    "\nDate: " + e.date +
    "\nVenue: " + e.venue +
    "\nCategory: " + e.category +
    "\nDescription: " + e.description +
    "\nCapacity: " + e.capacity
  );
}

document.getElementById("regForm").onsubmit = function(ev) {
  ev.preventDefault();

  const name = document.getElementById("name").value.trim();
  const sid = document.getElementById("sid").value.trim();
  const email = document.getElementById("email").value.trim().toLowerCase();
  const id = Number(document.getElementById("eventId").value);
  const e = events.find(e => e.id === id);
  const msg = document.getElementById("message");

  if (!name || !sid || !email || !e) {
    msg.textContent = "Please fill all required fields!";
    return;
  }
```

```
  if (registrations.some(r ⇒
    r.eventId === id &&
    (r.sid.toLowerCase() === sid.toLowerCase() ||
     r.email === email)
  )) {
    msg.textContent = "Already registered for this event!";
    return;
  }

  if (count(id) >= e.capacity) {
    msg.textContent = "Sorry! Event is full.";
    return;
  }

  registrations.push({ name, sid, email, eventId: id });
  save();
  this.reset();

  msg.textContent = "Registration successful! 🎉";
  displayEvents();
};

function showMine() {
  const sid = document.getElementById("myId").value.trim().toLowerCase();
  const mine = document.getElementById("mine");

  if (!sid) {
    mine.textContent = "Enter your Student ID.";
    return;
  }

  const list = registrations.filter(
    r ⇒ r.sid.toLowerCase() === sid
  );

  mine.innerHTML = list.map(r ⇒ {
```

```
    const e = events.find(e ⇒ e.id === r.eventId);

    return `
      <div class="card">
        <b>${r.name}</b>
        <p>${e ? e.name : "Event unavailable"}</p>
        <p>${r.email}</p>
        <button onclick="cancelReg('${r.sid.replace(/'/g, "\\'")}', ${r.eventId})">
          Cancel Registration
        </button>
      </div>
    `;
  }).join("") || "No registrations found.";
}

function cancelReg(sid, eventId) {
  if (!confirm("Cancel this registration?")) return;

  registrations = registrations.filter(
    r ⇒ !(r.sid === sid && r.eventId === eventId)
  );

  save();
  showMine();
  displayEvents();

  document.getElementById("message").textContent =
    "Registration cancelled.";
}

document.getElementById("search").oninput = displayEvents;
document.getElementById("category").onchange = displayEvents;
document.getElementById("date").onchange = displayEvents;

displayEvents();
```