

Ideation Phase

Empathize & Discover

Date	27 September 2026
Team ID	SWTID-2026-2867
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value

Empathize & Discover:


In this phase, we identified the need for secure record access in ServiceNow.

Different users require different levels of access based on their roles. Some users should only be able to view specific records, while other users may be allowed to create, update, or delete records.

The main requirements identified are:

- Users should only view authorized records.
- Create access should be given only to authorized users.
- Write access should be restricted to specific users.
- Delete access should be given only to users with the required role.
- Administrators should have complete access.

Based on these requirements, we identified **ServiceNow ACLs** as a suitable solution for controlling record access.



Conclusion

From the empathy and discovery process, we understood that users need secure and controlled access to ServiceNow records. Different users have different responsibilities, so they should only access the records and operations required for their roles.

Brainstorm & Idea Prioritization

We discussed different ideas for controlling access to records in ServiceNow.

Ideas Considered

1. Role-based access control.
2. Field-based access control.
3. Script-controlled ACLs.
4. Separate ACLs for Read, Create, Write, and Delete operations.
5. Combining roles with field values.

After discussing these ideas, we selected **Script-Controlled ACLs with role-based and field-based conditions**.

This approach provides better control over records and allows access to be restricted based on both the user's role and the value of a field such as **Branch**.

Define the Problem Statement

Problem Statement

In ServiceNow, users may have access to records that they are not authorized to view, create, modify, or delete. This can lead to improper access to important information.

Therefore, a secure access-control mechanism is required to ensure that users can access only the records and operations permitted for their roles.

Proposed Solution

We propose to implement **Script-Controlled ACLs** in ServiceNow to control **Read, Create, Write, and Delete** access based on user roles and field values.

For example, a user can be allowed to view only records where the **Branch** field is **EEE**, while access to other records is restricted.