

for loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=142061&cmid=70

REC-CIS

```
1 #include <stdio.h>
2 int main()
3 {
4     int n, i, sum = 0, temp, fact = 1;
5     scanf("%d", &n);
6     for (temp = n; n>0 ; n = n / 10)
7     { // Write the condition part
8         rem = n%10 ; // Calculate remainder value
9         fact = 1;
10        for (i=1 ; i<=rem ; i++ )
11        { // Write the initialization, condition and increment part
12            fact = fact * i;
13        }
14        sum = sum + fact;
15    }
16    if (sum == temp )
17    { // Fill the condition
18        printf("The given number %d is a strong number\n", temp);
19    }
20    else
21    {
22        printf("The given number %d is not a strong number\n", temp);
23    }
24    return 0;
25 }
```

	Input	Expected	Got	
✓	145	The given number 145 is a strong number	The given number 145 is a strong number	✓
✓	123	The given number 123 is not a strong number	The given number 123 is not a strong number	✓

Passed all tests! ✓

80°F Mostly cloudy

Search

ENG IN 2:41 PM 1/15/2025

for loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=142061&cmid=70

REC-CIS

```
1 #include <stdio.h>
2 int main()
3 {
4     int n, i, sum = 0;
5     scanf("%d", &n);
6     for (i=1 ; i<n ; i++ )
7     { //Write the initialization, condition and increment part
8         if (n%i ==0 )
9         { // Fill the condition
10            sum = sum + i;
11        }
12    }
13    if (sum==n )
14    { // Fill the condition
15        printf("The given number %d is a perfect number", n);
16    }
17    else if (sum<n )
18    { // Fill the condition
19        printf("The given number %d is a deficient number", n);
20    }
21    else
22    {
23        printf("The given number %d is an abundant number", n);
24    }
25    return 0;
26 }
```

	Input	Expected	Got	
✓	6	The given number 6 is a perfect number	The given number 6 is a perfect number	✓
✓	10	The given number 10 is a deficient number	The given number 10 is a deficient number	✓
✓	12	The given number 12 is an abundant number	The given number 12 is an abundant number	✓

Passed all tests! ✓

80°F Mostly cloudy

Search

ENG IN 2:40 PM 1/15/2025

for loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=142061&cmid=70

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,even_count=0,odd_count=0;
5     scanf("%d",&n);
6     int arr[n];
7     for(int i=0;i<n;i++){
8         scanf("%d",&arr[i]);
9         if(arr[i]%2==0){
10             even_count++;
11         }
12         else{
13             odd_count++;
14         }
15     }
16     printf("Even: %d\n",even_count);
17     printf("Odd: %d\n",odd_count);
18     return 0;
19 }
```

	Input	Expected	Got	
✓	3	Even: 1	Even: 1	✓
	5 6 7	odd: 2	odd: 2	✓

Passed all tests! ✓

Question 7

Fill in the missing code in the below program to verify whether the given number is perfect, abundant or deficient.

80°F Mostly cloudy

Search

ENG IN 2:40 PM 1/15/2025

for loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=142061&cmid=70

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     char c;
5     for(c='A';c<='Z';++c)
6         printf("%c\n",c);
7     return 0;
8 }
```

	Expected	Got	
✓	A	A	✓
	B	B	
	C	C	
	D	D	
	E	E	
	F	F	
	G	G	
	H	H	
	I	I	
	J	J	
	K	K	
	L	L	

80°F Mostly cloudy

Search

ENG IN 2:40 PM 1/15/2025

for loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=142061&cmid=70

REC-CIS

For example:

Input	Result
4	Sum: 23
3 5 7 8	Mean: 5.75

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2 int main()
3 {
4     int i, sum=0, num;
5     float n, mean;
6     scanf("%d", &n);
7     for(i=0; i<n; i++)
8     {
9         scanf("%d", &num);
10        sum=sum+num;
11    }
12    mean=sum/n;
13    printf("Sum: %d", sum);
14    printf("\nMean: %.2f", mean);
15    return 0;
16 }
```

	Input	Expected	Got	
✓	4	Sum: 23	Sum: 23	✓
	3 5 7 8	Mean: 5.75	Mean: 5.75	

Passed all tests! ✓

80°F Mostly cloudy

Search

ENG IN 2:40 PM 1/15/2025

for loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=142061&cmid=70

REC-CIS

25 The Fibonacci series is : 0 1 1 2 3 5 8 13 21

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2 int main()
3 {
4     int fib1 = 0, fib2 = 1, fib3, n;
5     scanf("%d", &n);
6     printf("The Fibonacci series is : %d %d", fib1, fib2);
7     for (fib3 = 1; fib3 <= n; fib3 = fib1 + fib2)
8     { // Write the initialization, condition and increment part
9         printf(" %d", fib3);
10        fib1 = fib2; // Assign a value
11        fib2 = fib3; // Assign a value
12    }
13    return 0;
14 }
```

	Input	Expected	Got	
✓	25	The Fibonacci series is : 0 1 1 2 3 5 8 13 21	The Fibonacci series is : 0 1 1 2 3 5 8 13 21	✓

Passed all tests! ✓

Question 5

Write a program that will print all the English alphabets from A to Z, each in a new line.

80°F Mostly cloudy

Search

ENG IN 2:40 PM 1/15/2025

for loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=142061&cmid=70

REC-CIS

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2 int main()
3 {
4     int i, a, n, p=1;
5     scanf("%d %d", &a, &n);
6     for ( i=1; i<=n; i++ )
7     { // Write the initialization, condition and increment part
8         p=p*a ; // Calculate the value
9     }
10    printf(" %d\n", p);
11    return 0;
12 }
```

	Input	Expected	Got
✓	2 3	8	8 ✓

Passed all tests! ✓

Question 3  
Correct

Write a program to find **sum** and **mean** of **n** numbers.

Constraints:

80°F Mostly cloudy

Search

ENG IN

2:40 PM 1/15/2025

for loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=142061&cmid=70

REC-CIS

Reset answer

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int i;
6     for(i=10;i<21;i++)
7     {
8         printf("%d\n", i);
9     }
10    return 0;
11 }
```

	Expected	Got
✓	10	10 ✓
	11	11 ✓
	12	12 ✓
	13	13 ✓
	14	14 ✓
	15	15 ✓
	16	16 ✓
	17	17 ✓
	18	18 ✓
	19	19 ✓
	20	20 ✓

Passed all tests! ✓

80°F Mostly cloudy

Search

ENG IN

2:40 PM 1/15/2025

while loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=140788&cmid=69

REC-CIS

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int i, n, factorial = 1;
6     scanf("%d", &n);
7     i = 2;
8     while (i<=n )
9     { // Write the condition
10        factorial = factorial*i ; // Fill the correct code
11        i++;
12    }
13    printf("Factorial of given number %d = %d\n", n, factorial);
14    return 0;
15 }
```

	Input	Expected	Got	
✓	2	Factorial of given number 2 = 2	Factorial of given number 2 = 2	✓
✓	4	Factorial of given number 4 = 24	Factorial of given number 4 = 24	✓

80°F Mostly cloudy

Search

ENG IN

2:39 PM 1/15/2025

while loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=140788&cmid=69

REC-CIS

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int n, i = 2, count = 1; // initialize i and count with appropriate values
6     scanf("%d", &n);
7     while (i<=n )
8     { // complete the condition to iterate the loop
9         if (n%i==0 )
10        { // complete the condition to check the remainder is 0 or not
11            count=0;
12            break;
13        }
14        i++;
15    }
16    if (count )
17    { // complete the condition to check the count
18        printf("The given number %d is a prime number\n", n);
19    }
20    else
21    {
22        printf("The given number %d is not a prime number\n", n);
23    }
24    return 0;
25 }
```

	Input	Expected	Got	
✓	7	The given number 7 is a prime number	The given number 7 is a prime number	✓
✓	119	The given number 119 is not a prime number	The given number 119 is not a prime number	✓

Passed all tests! ✓

80°F Mostly cloudy

Search

ENG IN

2:39 PM 1/15/2025

while loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=140788&cmid=69

REC-CIS

```
2
3 int main()
4 {
5     int n, digit, reverse = 0;
6     scanf("%d", &n);
7     while ( n!=0 )
8     { // Write the condition
9         digit = n%10; // Fill the correct code
10        reverse = reverse*10+digit; // Fill the correct code
11        n = n/10; // Fill the correct code
12    }
13    printf("The reverse number of a given number = %d", reverse);
14    return 0;
15 }
```

	Input	Expected	Got	
✓	1234	The reverse number of a given number = 4321	The reverse number of a given number = 4321	✓
✓	765	The reverse number of a given number = 567	The reverse number of a given number = 567	✓

Passed all tests! ✓

80°F Mostly cloudy 2:39 PM 1/15/2025

while loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=140788&cmid=69

REC-CIS

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int num1, num2, sum = 0;
6     scanf("%d%d", &num1, &num2 ); // Fill the missing code in the scanf()
7     if (num1 % 2 != 0)
8     { // If it is an odd number then add 1
9         num1 = num1 + 1;
10    }
11    while (num1<=num2 )
12    { // Write the condition part
13        sum = sum + num1;
14        num1 = num1+2 ;
15    }
16    printf("The sum of even integers between the given limits = %d\n",sum);
17    return 0;
18 }
```

	Input	Expected	Got
✓	3 6	The sum of even integers between the given limits = 10	The sum of even integers between the given limits = 10

Passed all tests! ✓

80°F Mostly cloudy 2:39 PM 1/15/2025

while loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=140788&cmid=69

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,i=1;
5     scanf("%d",&n);
6     if(n<1){
7         return 1;
8     }
9     printf("The natural numbers from 1 - %d : ",n);
10    while(i<=n)
11    {
12        printf("%d ",i);
13        i=i+1;
14    }
15    return 0;
16 }
```

	Input	Expected	Got	
✓	3	The natural numbers from 1 - 3 : 1 2 3	The natural numbers from 1 - 3 : 1 2 3	✓
✓	9	The natural numbers from 1 - 9 : 1 2 3 4 5 6 7 8 9	The natural numbers from 1 - 9 : 1 2 3 4 5 6 7 8 9	✓

Passed all tests! ✓

80°F Mostly cloudy 2:39 PM 1/15/2025

while loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=140788&cmid=69

REC-CIS

Reset answer

```
1 #include <stdio.h>
2 int main()
3 {
4     int i = 0, n;
5     scanf( "%d",&n ); //Fill the missing code in scanf() function
6     while ( i<n )
7     { // complete the condition here
8         printf("Ganga \n"); // Write the text to be printed here
9         i = i+1; // Complete the statement
10    }
11    return 0;
12 }
13
```

	Input	Expected	Got	
✓	3	Ganga Ganga Ganga	Ganga Ganga Ganga	✓

Passed all tests! ✓

80°F Mostly cloudy 2:39 PM 1/15/2025

while loop: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=140788&cmid=69

REC-CIS

```
1 #include<stdio.h>
2 int main()
3 {
4     int total=0;
5     while(total<=100)
6     {
7         int num;;
8         scanf("%d",&num);
9         total+=num;
10    }
11    printf("The total of given numbers is : %d",total);
12    return 0;
13 }
```

	Input	Expected	Got	
✓	34	The total of given numbers is : 120	The total of given numbers is : 120	✓
	62			
	24			

Passed all tests! ✓

80°F Mostly cloudy 2:39 PM 1/15/2025

switch-case Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=140767&cmid=68

REC-CIS22 break;
23 case 5:
24 printf("Friday");
25 break;
26 case 6:
27 printf("Saturday");
28 break;
29 default:
30 printf("Invalid weekday number");
31
32 }
33 return 0;
34 }
35

	Input	Expected	Got	
✓	6	Saturday	Saturday	✓
✓	0	Sunday	Sunday	✓
✓	7	Invalid weekday number	Invalid weekday number	✓

Passed all tests! ✓

Finish review

80°F Mostly cloudy 2:38 PM 1/15/2025



switch-case Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=140767&cmid=68

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int n;
5     scanf("%d",&n);
6     switch(n)
7     {
8         case 0:
9             printf("Sunday");
10            break;
11            case 1:
12                printf("Monday");
13                break;
14                case 2:
15                    printf("Tuesday");
16                    break;
17                    case 3:
18                        printf("Wednesday");
19                        break;
20                        case 4:
21                            printf("Thursday");
22                            break;
23                            case 5:
24                                printf("Friday");
25                                break;
26                                case 6:
27                                    printf("Saturday");
28                                    break;
29                                    default:
30                                        printf("Invalid weekday number");
31                                }
32            }
33            return 0;
34        }
35    }
```

80°F Mostly cloudy 2:38 PM 1/15/2025

switch-case Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=140767&cmid=68

REC-CIS

```
23 case 6:
24     printf("Six");
25     break;
26     case 7:
27         printf("Seven");
28         break;
29     case 8:
30         printf("Eight");
31         break;
32     case 9:
33         printf("Nine");
34         break;
35     case 10:
36         printf("Ten");
37         break;
38     default:
39         printf("Number %d is not in the range 1 to 10",v);
40     }
41     return 0;
42 }
```

	Input	Expected	Got	
✓	2	Two	Two	✓
✓	9	Nine	Nine	✓
✓	15	Number 15 is not in the range 1 to 10	Number 15 is not in the range 1 to 10	✓

Passed all tests! ✓

80°F Mostly cloudy 2:38 PM 1/15/2025

switch-case Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=140767&cmid=68

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int v;
5     scanf("%d",&v);
6     switch(v)
7     {
8         case 1:
9             printf("One");
10            break;
11            case 2:
12                printf("Two");
13                break;
14            case 3:
15                printf("Three");
16                break;
17            case 4:
18                printf("Four");
19                break;
20            case 5:
21                printf("Five");
22                break;
23            case 6:
24                printf("Six");
25                break;
26            case 7:
27                printf("Seven");
28                break;
29            case 8:
30                printf("Eight");
31                break;
32            case 9:
33                printf("Nine");
34                break;
```

80°F Mostly cloudy 2:38 PM 1/15/2025

if-else-if Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=98389&cmid=67

REC-CIS

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int hour;
6     scanf("%d", &hour);
7     if ( hour>=0 && hour<=11 )
8     { //fill the condition for AM here
9         printf("AM\n");
10    }
11    else if ( hour>=12 && hour<=23 )
12    { //fill the condition for PM here
13        printf("PM\n");
14    }
15    else
16    {
17        printf("Invalid Hour!!\n");
18    }
19    return 0;
20 }
21
```

	Input	Expected	Got	
✓	9	AM	AM	✓
✓	22	PM	PM	✓
✓	24	Invalid Hour!!	Invalid Hour!!	✓

Upcoming Earnings 2:37 PM 1/15/2025

if-else-if Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=98389&cmid=67

REC-CIS

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int age, infant_age = 3, child_age = 13, senior_citizen_age = 60, centenarian_age = 100;
6     scanf("%d", &age);
7     if(age<=infant_age || age>=centenarian_age)
8     { // if condition
9         printf("Ticket Price: 0\n");
10    }
11    else if(age<=child_age || age>=senior_citizen_age)
12    { // else if condition
13        printf("Ticket Price: 5\n");
14    }
15    else
16    { // else
17        printf("Ticket Price: 10\n");
18    }
19    return 0;
20 }
21
```

	Input	Expected	Got	
✓	34	Ticket Price: 10	Ticket Price: 10	✓
✓	2	Ticket Price: 0	Ticket Price: 0	✓
✓	101	Ticket Price: 0	Ticket Price: 0	✓
✓	72	Ticket Price: 5	Ticket Price: 5	✓

Upcoming Earnings

Search

ENG IN 2:37 PM 1/15/2025

if-else-if Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=98389&cmid=67

REC-CIS

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int year;
6     scanf("%d", &year);
7
8     // Fill in the missing code
9     if(year%400==0)
10    {
11        printf("%d is a leap year\n", year);
12    }
13    else if(year%100==0)
14    {
15        printf("%d is not a leap year\n", year);
16    }
17    else if(year%4==0)
18    {
19        printf("%d is a leap year\n", year);
20    }
21    else
22    {
23        printf("%d is not a leap year\n", year);
24    }
25    return 0;
26 }
```

	Input	Expected	Got	
✓	1900	1900 is not a leap year	1900 is not a leap year	✓
✓	2000	2000 is a leap year	2000 is a leap year	✓

Passed all tests! ✓

Upcoming Earnings

Search

ENG IN 2:37 PM 1/15/2025

Nested if-else Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=98381&cmid=66

REC-CIS

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int a, b, c;
6     scanf("%d %d %d", &a, &b, &c);
7     // Correct the below code
8     if(a>b)
9     {
10         if(a>c)
11         {
12             printf("%d is greater than %d and %d\n", a, b, c);
13         }
14         else
15         {
16             printf("%d is greater than %d and %d\n", c, a, b);
17         }
18     }
19     else
20     {
21         if(b>c)
22         {
23             printf("%d is greater than %d and %d\n", b, a, c);
24         }
25         else
26         {
27             printf("%d is greater than %d and %d\n", c, a, b);
28         }
29     }
30     return 0;
31 }
```

Input	Expected	Got
23 56 77	77 is greater than 23 and 56	77 is greater than 23 and 56

Passed all tests! ✓

Upcoming Earnings

Search

ENG IN

2:37 PM 1/15/2025

if-else-if Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=98389&cmid=67

REC-CIS

Reset answer

```
1 #include <stdio.h>
2
3 int main()
4 {
5     char ch;
6     ch = getchar();
7     if(ch>='A' && ch<='Z')
8     //fill the appropriate if condition
9     printf("Given character %c is an alphabet\n", ch);
10    else if(ch>='0' && ch<='9')
11    //fill the appropriate else if condition
12    printf("Given character %c is a digit\n", ch);
13    else
14    //fill the appropriate else condition
15    printf("Given character %c is neither an alphabet nor a digit\n", ch);
16    return 0;
17 }
```

Input	Expected	Got
A	Given character A is an alphabet	Given character A is an alphabet
8	Given character 8 is a digit	Given character 8 is a digit
%	Given character % is neither an alphabet nor a digit	Given character % is neither an alphabet nor a digit

Passed all tests! ✓

Question 2 Correct

The following code uses if-else statement to check whether the given integer number is a valid leap year or not.

Upcoming Earnings

Search

ENG IN

2:37 PM 1/15/2025

if-else Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=75350&cmid=65

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     char c;
5     scanf("%c",&c);
6     if(c>='A'&&c<='Z')
7         printf("Given character %c is an alphabet",c);
8     else
9         printf("Given character %c is not an alphabet",c);
10    return 0;
11 }
```

	Input	Expected	Got	
✓	W	Given character W is an alphabet	Given character W is an alphabet	✓
✓	7	Given character 7 is not an alphabet	Given character 7 is not an alphabet	✓

Passed all tests! ✓

Finish review

Upcoming Earnings

Search

ENG IN

2:36 PM 1/15/2025

if-else Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=75350&cmid=65

REC-CIS

10 The given number 10 is an even number

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int n;
6     // read the int value
7     scanf("%d",&n);
8     if(n%2==0 )
9     { // write if condition to check the given number is even or odd
10        printf("The given number %d is an even number",n);// print even or odd
11    }
12    else
13    { // print even or odd
14        printf("The given number %d is an odd number",n);
15    }
16 }
17 return 0;
18 }
```

	Input	Expected	Got	
✓	35	The given number 35 is an odd number	The given number 35 is an odd number	✓
✓	10	The given number 10 is an even number	The given number 10 is an even number	✓

Passed all tests! ✓

Upcoming Earnings

Search

ENG IN

2:36 PM 1/15/2025

if-else Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=75350&cmid=65

REC-CIS

Input	Result
45 67 34 57 68 81	Student did not secure a first class with 58.67%
67 68 65 56 59 69	Student secured a first class with 64.00%

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int mat, comp, phy, che, eng, spa, total;
6     float percentage;
7     // Read marks
8     scanf("%d%d%d%d%d%d", &mat, &comp, &phy, &che, &eng, &spa);
9     // Calculate total and percentage
10    total=mat+comp+phy+che+eng+spa;
11    percentage=(float)total/6;
12    if (percentage>=60)
13    { // Write the condition
14        printf("Student secured a first class with %.2f%%\n", percentage);
15    }
16    else
17    { // Write the else part
18        printf("Student did not secure a first class with %.2f%%\n", percentage);
19    }
20    return 0;
21 }
```

	Input	Expected	Got	
✓	45 67 34 57 68 81	Student did not secure a first class with 58.67%	Student did not secure a first class with 58.67%	✓
✓	67 68 65 56 59 69	Student secured a first class with 64.00%	Student secured a first class with 64.00%	✓

Passed all tests! ✓

Upcoming Earnings

Search

ENG IN 2:36 PM 1/15/2025

if-else Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=75350&cmid=65

REC-CIS

[Hint: Make sure to read the input as a float value.]

For example:

Input	Result
1225	Sufficient balance
999.55	Balance is low

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int b;
5     scanf("%d",&b);
6     if(b<1000)
7         printf("Balance is low");
8     else
9         printf("Sufficient balance");
10    return 0;
11 }
```

	Input	Expected	Got	
✓	1225	Sufficient balance	Sufficient balance	✓
✓	999.55	Balance is low	Balance is low	✓

Upcoming Earnings

Search

ENG IN 2:36 PM 1/15/2025

if-else Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=75350&cmid=65

REC-CIS

21 User did not secure distinction.

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int marks, distinction_marks = 75;
6     scanf("%d", &marks);
7     if(marks>distinction_marks)
8     { // Write the if condition
9         printf("User secured distinction.\n");
10    }
11    else
12    { // Write else part
13        printf("User did not secure distinction.\n");
14    }
15    return 0;
16 }
```

	Input	Expected	Got	
✓	76	User secured distinction.	User secured distinction.	✓
✓	21	User did not secure distinction.	User did not secure distinction.	✓

Passed all tests! ✓

Upcoming Earnings

Search

ENG IN

2:36 PM 1/15/2025

if Construct: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=75344&cmid=64

REC-CIS

Reset answer

```
1 #include <stdio.h>
2
3 int main()
4 {
5     int num;
6     scanf("%d", &num);
7     if (num%3==0)
8     { printf("Given number %d is divisible by 3\n", num);
9     }
10    else
11    { printf("Given number %d is not divisible by 3\n", num);
12    }
13    return 0;
14 }
15
16 }
```

	Input	Expected	Got	
✓	9	Given number 9 is divisible by 3	Given number 9 is divisible by 3	✓
✓	7	Given number 7 is not divisible by 3	Given number 7 is not divisible by 3	✓

Passed all tests! ✓

Finish review

Upcoming Earnings

Search

ENG IN

2:36 PM 1/15/2025

Chocolates Remaining: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=75332&cmid=63

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int c,n;
4     scanf("%d",&c,&n);
5     int r=c/n;
6     printf("%d",r);
7     return 0;
8 }
```

	Input	Expected	Got	
✓	300 45	30	30	✓

Passed all tests! ✓

Finish review

Rain showers  
Sunday

Search

ENG IN

2:35 PM  
1/15/2025

Punctuality Incentive: Attempt review | REC-CIS - Google Chrome

Not secure rajalakshmicolleges.org/moodle/mod/quiz/review.php?attempt=75323&cmid=62

REC-CIS

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main(){
3     int i,n,p;
4     scanf("%d",&i,&n);
5     p=0;
6     for(int days=1;days<=n;days++)
7         p=p+(i+200);
8     printf("%d\n",p);
9     return 0;
10 }
```

	Input	Expected	Got	
✓	500 3	2100	2100	✓
✓	100 3	900	900	✓

Passed all tests! ✓

Finish review

Rain showers  
Sunday

Search

ENG IN

2:35 PM  
1/15/2025