


EXP.3



untitled1
Version Control
Debug | GDB
untitled1
Project
untitled1 C:\Users\19252\CLionProjects\untitled1
cmake-build-debug
.cmake
CMakeFiles
Testing
.gitignore
.ninja_deps
.ninja_log
build.ninja
cmake_install.cmake
CMakeCache.txt
compile_commands.json
untitled1.exe
CMakeLists.txt
main.c
External Libraries
Scratches and Consoles
main.c
#include <stdio.h>
int main()
{
int n, i, bt[10], wt[10], tat[10];
float avgwt = 0, avgtat = 0;
printf(format: "Enter number of processes: ");
scanf(format: "%d", &n);
for(i = 0; i < n; i++)
{
printf(format: "Enter burst time P%d: ", i + 1);
scanf(format: "%d", &bt[i]);
}
wt[0] = 0;
for(i = 1; i < n; i++)
wt[i] = wt[i - 1] + bt[i - 1];
for(i = 0; i < n; i++)
{
tat[i] = wt[i] + bt[i];
avgwt += wt[i];
avgtat += tat[i];
}
printf(format: "\nProcess\tBT\tWT\tTAT\n");
Run
untitled1
.clang-tidy
1:7
CRLF
UTF-8
4 spaces
Debug
Trial



untitled1
Version Control
Debug | GDB
untitled1
Project
main.c
int main()
wt[i] = wt[i - 1] + bt[i - 1];
for(i = 0; i < n; i++)
{
tat[i] = wt[i] + bt[i];
avgwt += wt[i];
avgtat += tat[i];
}
printf(format: "\nProcess\tBT\tWT\tTAT\n");
for(i = 0; i < n; i++)
printf(format: "P%d\t%d\t%d\t%d\n",
i + 1, bt[i], wt[i], tat[i]);
printf(format: "Average Waiting Time: %.2f\n", avgwt / n);
printf(format: "Average Turnaround Time: %.2f\n", avgtat / n);
return 0;
}

Output:



Run
untitled1
C:\Users\19252\CLionProjects\untitled1\cmake-build-debug\untitled1.exe
Enter number of processes:3
Enter burst time P1:5
Enter burst time P2:3
Enter burst time P3:2
Process BT WT TAT
P1 5 0 5
P2 3 5 8
P3 2 8 10
Average Waiting Time: 4.33
Average Turnaround Time: 7.67
Process finished with exit code 0

EXP.4


untitled1
Version Control
Debug | GDB
Project
main.c
#include <stdio.h>
int main()
{
int n, i, j, temp;
int bt[20], p[20];
printf(format: "Enter number of processes: ");
scanf(format: "%d", &n);
for (i = 0; i < n; i++)
{
p[i] = i + 1;
printf(format: "Enter burst time of P%d: ", p[i]);
scanf(format: "%d", &bt[i]);
}
for (i = 0; i < n - 1; i++)
{
for (j = i + 1; j < n; j++)
{
if (bt[i] > bt[j])
{
temp = bt[i];
bt[i] = bt[j];
bt[j] = temp;
temp = p[i];
p[i] = p[j];
p[j] = temp;
main
cmake-build-debug
.cmake
CMakeFiles
Testing
.gitignore
.ninja_deps
.ninja_log
build.ninja
cmake_install.cmake
CMakeCache.txt
compile_commands.json
untitled1.exe
CMakeLists.txt
External Libraries
Scratches and Consoles


untitled1
Version Control
Debug | GDB
Project
main.c
int main()
for (i = 0; i < n - 1; i++)
for (j = i + 1; j < n; j++)
if (bt[i] > bt[j])
bt[i] = bt[j];
bt[j] = temp;
temp = p[i];
p[i] = p[j];
p[j] = temp;
}
}
printf(format: "\nProcess\tBurst Time\n");
for (i = 0; i < n; i++)
printf(format: "P%d\t%d\n", p[i], bt[i]);
return 0;
}
main
Run
untitled1
cmake-build-debug
.cmake
CMakeFiles
Testing
.gitignore
.ninja_deps
.ninja_log
build.ninja
cmake_install.cmake
CMakeCache.txt
compile_commands.json
untitled1.exe
CMakeLists.txt
main.c
External Libraries
Scratches and Consoles

Output:


Run
untitled1
C:\Users\19252\CLionProjects\untitled1\cmake-build-debug\untitled1.exe
Enter number of processes:3
Enter burst time of P1:5
Enter burst time of P2:2
Enter burst time of P3:4
Process Burst Time
P2 2
P3 4
P1 5
Process finished with exit code 0