

## **EX.NO : 12**

### **DECISION TREE CLASSIFICATION**

#### **AIM:**

To classify the Social Network dataset using Decision tree analysis

#### **Source Code :**

```
from google.colab import drive
drive.mount("/content/gdrive")

import pandas as pd
import numpy as np
import matplotlib.pyplot as plt

dataset=pd.read_csv('/content/gdrive/My Drive/Social_Network_Ads.csv')

X = dataset.iloc[:, [2, 3]].values
y = dataset.iloc[:, -1].values

from sklearn.model_selection import train_test_split
X_train, X_test, y_train, y_test = train_test_split(X, y, test_size = 0.25, random_state =0)

from sklearn.preprocessing import StandardScaler
sc = StandardScaler()
X_train = sc.fit_transform(X_train)
X_test = sc.transform(X_test)

from sklearn.tree import DecisionTreeClassifier
classifier = DecisionTreeClassifier(criterion = 'entropy', random_state = 0)
classifier.fit(X_train, y_train)

y_pred = classifier.predict(X_test)



from sklearn.metrics import confusion_matrix
cm = confusion_matrix(y_test, y_pred)
print(cm)
```

```

from matplotlib.colors import ListedColormap
X_set, y_set = X_train, y_train
X1, X2 = np.meshgrid(np.arange(start = X_set[:, 0].min() -
    1, stop = X_set[:, 0].max() + 1, step=0.01), np.arange(start = X_set[:, 1].min() -
    1, stop = X_set[:, 1].max() + 1, step = 0.01)) plt.contourf(X1, X2,
    classifier.predict(np.array([X1.ravel(),X2.ravel()]).T).reshape(X1.shape), alpha = 0.75, cmap =
    ListedColormap(('red','green'))) plt.xlim(X1.min(), X1.max()) plt.ylim(X2.min(), X2.max()) for
    i, j in enumerate(np.unique(y_set)):
        plt.scatter(X_set[y_set == j, 0], X_set[y_set == j, 1], c = ListedColormap(('red', 'green'))(i), label
        =j)
    plt.title('Decision Tree Classification(Training set)')
    plt.xlabel('Age') plt.ylabel('Purchase') plt.legend()
    plt.show()

```

**OUTPUT :**



**RESULT :** Thus the above python code is executed successfully and output is verified.