

PROMPTNET WIFI

Customer Support Knowledge Base

Built for PromptBot RAG / chatbot testing

Version 1.0 | Demo dataset | August 2026

IMPORTANT: PromptNet WiFi is a fictional internet service provider. All prices, policies, contacts, router models, and service rules in this document are sample data created only for testing a customer support chatbot.

1. How to Use This Knowledge Base

This document is intentionally written as independent support articles. Each article has a stable KB ID, a clear customer intent, concise answer text, troubleshooting steps, escalation conditions, and retrieval keywords. This makes it suitable for testing semantic search, RAG, citations, and multi-turn customer support flows in PromptBot.

- Use the KB ID in evaluation prompts to verify that the bot retrieves the right article.
- Ask the same question in different wording to test semantic retrieval.
- Test multi-turn conversations where the customer provides symptoms gradually.
- The bot should never invent account-specific details. It should ask for or retrieve customer/account data only from connected systems.

2. Demo Company Profile

Field	Demo value
Brand	PromptNet WiFi
Business type	Residential fiber and fixed wireless internet service provider
Service area	Demo City and surrounding demo suburbs
Support hours	Technical support: 24/7. Billing and account support: 8:00 AM-8:00 PM daily.
Demo support phone	+1 555-010-2400
Demo email	support@promptnet.example
Demo portal	portal.promptnet.example
Emergency outage page	status.promptnet.example
Standard technician window	9:00 AM-6:00 PM, scheduled in 2-hour arrival windows

3. Internet Plans and Core Policies

Plan	Speed	Price	Best for
Essential 50	50 Mbps down / 20 Mbps up	NPR 1,200/month	1-3 users, browsing, HD streaming
Home 100	100 Mbps down / 50 Mbps up	NPR 1,800/month	3-6 users, streaming, work from home
Family 200	200 Mbps down / 100 Mbps up	NPR 2,600/month	6-10 users, 4K streaming, gaming
Pro 500	500 Mbps down / 250 Mbps up	NPR 4,500/month	Power users, creators, heavy households

Plan data in plain text for retrieval: Essential 50 = 50 Mbps download, 20 Mbps upload, NPR 1,200 per month. Home 100 = 100/50 Mbps, NPR 1,800. Family 200 = 200/100 Mbps, NPR 2,600. Pro 500 = 500/250 Mbps, NPR 4,500.

- All plans are unlimited for normal residential use. No fixed monthly data cap applies to demo residential plans.

- Advertised Wi-Fi speed is not guaranteed on every wireless device. Ethernet testing is the preferred method for line-speed verification.
- A refundable router/ONT equipment deposit of NPR 2,000 may apply to new installations.
- New installation fee: NPR 1,500 unless waived by a promotion.
- Plan changes take effect within 30 minutes after successful provisioning and may require a router reboot.

4. Getting Connected and Wi-Fi Settings

KB-WIFI-101 - Find the Wi-Fi Name and Password

Intent: Customer asks for the default Wi-Fi network name (SSID) or password.

The default Wi-Fi name and password are printed on the router label. Customers who previously changed the password should use their custom password, not the label password.

Resolution steps

1. Look at the sticker on the bottom or back of the router.
2. Find the fields labeled Wi-Fi Name / SSID and Wi-Fi Password / Key.
3. On the device, open Wi-Fi settings, choose the matching network name, and enter the password exactly as printed.
4. If the customer changed the password and forgot it, follow KB-WIFI-103.

Important notes

- Wi-Fi passwords are case-sensitive.
- Do not ask customers to post their Wi-Fi password publicly in chat.

Escalate when: the router label is missing/damaged and the customer cannot access the router admin page.

Search keywords: wifi password, ssid, network name, default password, router sticker

KB-WIFI-102 - Change Wi-Fi Name or Password

Intent: Customer wants to rename the wireless network or change its password.

Customers can change the SSID and Wi-Fi password through the PromptNet Router app or local router admin page.

Resolution steps

5. Connect to the PromptNet router by Wi-Fi or Ethernet.
6. Open <http://192.168.1.1> in a browser.
7. Sign in with the router admin credentials printed on the device label.
8. Open Wireless or Wi-Fi Settings.
9. Change the Wi-Fi name and/or password. Use WPA2/WPA3 security when available.
10. Save changes. Devices will disconnect and must reconnect using the new credentials.

Important notes

- Recommended password: at least 12 characters with a mix of words, numbers, and symbols.
- Changing the Wi-Fi password disconnects smart TVs, cameras, speakers, and other saved devices until they are updated.

Escalate when: the admin page does not open after confirming the customer is connected to the PromptNet router.

Search keywords: change wifi password, rename wifi, change ssid, wireless settings, 192.168.1.1

KB-WIFI-103 - Forgot Custom Wi-Fi Password

Intent: Customer forgot a Wi-Fi password that they previously changed.

If at least one device is still connected, the customer may view or share the saved password from that device. Otherwise, use the router admin page. Factory reset is the last resort.

Resolution steps

11. Check whether a phone or computer is still connected and can display/share the saved Wi-Fi password.
12. If not, connect a computer by Ethernet and open <http://192.168.1.1>.
13. Sign in to the router admin page and set a new wireless password.
14. Only if admin access is also unavailable, follow KB-WIFI-111 for a factory reset.

Important notes

- A factory reset removes custom Wi-Fi names, passwords, guest networks, parental controls, port forwards, and other custom settings.

Escalate when: the customer cannot access the router, has no Ethernet-capable device, or the router rejects known admin credentials.

Search keywords: forgot wifi password, lost password, recover wireless password, reset wifi password

KB-WIFI-104 - Connect a New Device to Wi-Fi

Intent: Customer needs help connecting a phone, laptop, TV, console, camera, or smart device.

Select the PromptNet Wi-Fi network on the device and enter the correct Wi-Fi password. If the device only supports 2.4 GHz, use the 2.4 GHz network or temporarily disable band steering.

Resolution steps

15. Turn Wi-Fi on for the device.
16. Choose the PromptNet network name.
17. Enter the Wi-Fi password carefully.
18. If connection fails, forget the network and reconnect.
19. For older smart-home devices, try the 2.4 GHz SSID described in KB-WIFI-108.

Important notes

- Some IoT devices do not support 5 GHz or WPA3-only mode.

Escalate when: multiple devices cannot connect, which may indicate a router or service issue rather than a single-device issue.

Search keywords: connect device, new phone wifi, smart tv wifi, console wifi, iot wifi

5. No Internet and Connection Failures

KB-WIFI-105 - No Internet on All Devices

Intent: All devices connect to Wi-Fi but none can access the internet.

First determine whether the issue is a known outage, a fiber/ONT signal problem, or a router session problem. Do not factory-reset the router as the first step.

Resolution steps

20. Check status.promptnet.example for a known outage.
21. Confirm power is on for both the ONT/fiber box and Wi-Fi router.
22. Check the ONT optical indicators. If LOS is red or blinking, follow KB-WIFI-107.
23. Power-cycle the ONT and router: unplug both, wait 30 seconds, power the ONT first, wait 2-3 minutes, then power the router.
24. Wait up to 5 minutes and test two different devices.
25. If possible, test a laptop by Ethernet from the router.

Important notes

- Do not press the RESET pinhole during normal troubleshooting.
- A Wi-Fi icon can appear even when the internet connection itself is down.

Escalate when: there is no known outage and service remains offline after a correct reboot, or the ONT shows LOS red/blinking.

Search keywords: no internet, wifi connected no internet, internet down, all devices offline, wan down

KB-WIFI-106 - No Internet on One Device Only

Intent: Only one phone, laptop, TV, or other device cannot access the internet.

If other devices work normally, the internet line is probably healthy. Troubleshoot the affected device before escalating the network.

Resolution steps

26. Turn Wi-Fi off and back on on the affected device.
27. Forget the PromptNet network and reconnect.
28. Restart the device.
29. Disable VPN, private DNS, proxy, or security software temporarily for testing.
30. Check that date/time are set automatically.
31. Test another website/app.
32. If possible, connect the affected device to another Wi-Fi network to determine whether the issue follows the device.

Important notes

- PromptNet support cannot repair device operating systems or third-party VPN software.

Escalate when: multiple devices begin failing or the issue is reproducible only on the PromptNet network after basic device troubleshooting.

Search keywords: one device no internet, phone not working, laptop wifi issue, device only

KB-WIFI-107 - Red or Blinking LOS Light on Fiber ONT

Intent: Customer reports a red LOS light, blinking LOS light, or no optical/PON link.

A red or blinking LOS indicator means Loss of Signal on the fiber connection. This is usually a fiber path, connector, splice, or upstream network issue and normally requires line investigation.

Resolution steps

33. Confirm the thin fiber cable is not sharply bent, crushed, unplugged, or visibly damaged.
34. Do not remove the green fiber connector unless specifically instructed by a technician.
35. Restart the ONT once by disconnecting power for 30 seconds.
36. If LOS remains red/blinking, create a fiber fault ticket.

Important notes

- Never look directly into a fiber connector.
- Do not repeatedly reboot the ONT when LOS is red; rebooting cannot repair a broken optical path.

Escalate when: immediately if LOS stays red/blinking after one power cycle, or if the fiber cable is damaged.

Search keywords: red los, los blinking, fiber light red, ont los, optical signal

KB-WIFI-108 - 2.4 GHz vs 5 GHz Wi-Fi

Intent: Customer asks which Wi-Fi band to use.

2.4 GHz reaches farther and passes through walls better but is slower and more crowded. 5 GHz is usually faster with lower interference but has shorter range.

Resolution steps

37. Use 5 GHz when near the router for fast phones, laptops, TVs, consoles, and large downloads.
38. Use 2.4 GHz for distant rooms, basic smart-home devices, and equipment that does not support 5 GHz.
39. If a device frequently drops on 5 GHz at long range, try 2.4 GHz.

Important notes

- If band steering is enabled, both bands may use one shared SSID and the router chooses a band automatically.

Search keywords: 2.4 ghz, 5 ghz, wifi band, which wifi, band steering, range

6. Slow Speed, Buffering, Lag, and Weak Signal

KB-WIFI-109 - Slow Internet Speed

Intent: Customer says the internet is slower than the subscribed plan.

Speed problems must be isolated between the internet line and local Wi-Fi conditions. A single wireless speed test is not enough to confirm a line fault.

Resolution steps

40. Pause large downloads, cloud backups, torrents, and streaming on other devices.
41. Restart the router if it has not been rebooted recently.

42. Test near the router using a modern 5 GHz-capable device.
43. Run two speed tests to a nearby server.
44. For an official line test, connect a gigabit-capable computer by Ethernet to the router and test again.
45. If Ethernet speed is normal but Wi-Fi is slow, follow KB-WIFI-110.

Important notes

- Older devices may have 100 Mbps Ethernet ports or older Wi-Fi radios that cannot reach high plan speeds.
- Speed test results can vary by server, device capability, background traffic, and wireless interference.

Escalate when: wired speed is consistently below 70% of the provisioned download speed across multiple tests after reboot and no heavy traffic is present.

Search keywords: slow internet, speed test, not getting speed, bandwidth low, download speed

KB-WIFI-110 - Weak Wi-Fi Signal or Dead Zones

Intent: Customer has low bars, weak signal, or poor performance in certain rooms.

Wi-Fi coverage depends on distance, walls, building materials, interference, router position, and device capability. A healthy internet line can still have weak Wi-Fi in distant rooms.

Resolution steps

46. Place the router in a central, open, elevated location.
47. Keep it away from metal cabinets, microwaves, thick concrete walls, aquariums, and large appliances.
48. Use 2.4 GHz for distant rooms when speed needs are moderate.
49. For multi-floor or large homes, add a compatible mesh node or wired access point.
50. Avoid placing the router inside a cupboard or behind a television.

Important notes

- Wi-Fi extenders can improve coverage but may reduce throughput. Mesh or wired access points are preferred for demanding use.

Escalate when: signal is poor within 2-3 meters of the router on multiple devices, suggesting router/radio hardware failure.

Search keywords: weak wifi, dead zone, low signal, wifi range, router placement, mesh

KB-WIFI-112 - Streaming Buffers or Video Quality Drops

Intent: Customer experiences buffering on Netflix, YouTube, IPTV, or other streaming services.

Buffering may come from Wi-Fi quality, household bandwidth use, the streaming provider, or the internet line. Test whether other services are affected.

Resolution steps

51. Check whether all streaming apps are affected or only one service.
52. Move the streaming device closer to the router or use Ethernet if possible.
53. Pause large downloads on other devices.
54. Restart the streaming device and router.
55. Run a speed test near the streaming device.
56. If only one app is affected while other services work, the issue may be with that content provider.

Important notes

- 4K streaming generally needs a stable connection, not only a high peak speed.

Escalate when: multiple services buffer across multiple devices and a wired speed test is also abnormal.

Search keywords: buffering, netflix slow, youtube buffering, stream quality, iptv

KB-WIFI-113 - Gaming Lag, High Ping, or Packet Loss

Intent: Customer reports high latency, lag, rubber-banding, or packet loss in games.

Gaming problems can be caused by Wi-Fi interference, background uploads, distant game servers, or routing outside the local ISP network. Ping is not determined by download speed alone.

Resolution steps

57. Use Ethernet for gaming whenever possible.
58. Pause cloud backups, uploads, torrents, and large downloads.

59. Restart the router and console/PC.
60. Test latency to more than one destination.
61. If only one game or region is affected, test another server/region.
62. If packet loss appears on the first ISP hops as well as multiple destinations, escalate with test timestamps.

Important notes

- PromptNet does not guarantee a specific ping to third-party game servers.

Escalate when: packet loss is reproducible on wired Ethernet across multiple independent destinations.

Search keywords: gaming lag, high ping, packet loss, latency, rubber banding

7. Router and Equipment

KB-WIFI-114 - Router Light Meanings

Intent: Customer asks what router or ONT lights mean.

Common indicators: Power solid = device powered. PON/Optical solid green = fiber registered. LOS red/blinking = optical signal lost. Internet/WAN solid or blinking = active WAN/session. Wi-Fi blinking = wireless traffic. LAN blinking = wired traffic.

Important notes

- Light names vary by model. The most important fiber fault indicator is LOS red/blinking.
- A dark Wi-Fi light may simply mean Wi-Fi is disabled; it does not always mean the fiber service is down.

Escalate when: the customer reports LOS red/blinking or all expected lights are dark despite a known-good power outlet.

Search keywords: router lights, ont lights, pon light, wan light, internet light, lan light

KB-WIFI-115 - Correctly Restart the Router and ONT

Intent: Customer needs to reboot equipment without erasing settings.

A restart/power cycle is different from a factory reset. Restarting is safe and does not remove settings.

Resolution steps

63. Unplug power from the Wi-Fi router and ONT.
64. Wait at least 30 seconds.
65. Reconnect power to the ONT first.
66. Wait until PON/Optical becomes stable, usually 2-3 minutes.
67. Reconnect power to the Wi-Fi router.
68. Wait up to 3 minutes, then test the connection.

Important notes

- Do not hold the RESET pinhole for a normal restart.

Search keywords: restart router, reboot wifi, power cycle, restart ont

KB-WIFI-111 - Factory Reset the Router

Intent: Customer specifically needs to erase router configuration and restore defaults.

Factory reset should be used only when necessary because it removes all custom settings and may require reprovisioning.

Resolution steps

69. Keep the router powered on.
70. Press and hold the RESET pinhole with a paperclip for about 10-15 seconds until LEDs flash.
71. Release the button and wait 3-5 minutes.
72. Reconnect using the default Wi-Fi name and password on the router label.
73. If internet service does not return, contact support for provisioning.

Important notes

- Factory reset removes custom SSIDs, passwords, guest networks, parental controls, port forwarding, DNS settings, and other custom configuration.
- Never recommend a factory reset for a red LOS light.

Escalate when: service does not return after reset, or the customer cannot locate default credentials.

Search keywords: factory reset, reset pin, restore router, default settings

KB-WIFI-116 - Router Overheating or Random Restarts

Intent: Router feels very hot, restarts itself, freezes, or powers off unexpectedly.

Routers should be warm but not excessively hot. Poor ventilation or a failing power adapter can cause instability.

Resolution steps

74. Place the router upright/open according to its design and ensure vents are not blocked.
75. Move it away from direct sunlight and heat sources.
76. Connect it directly to a stable wall outlet for testing.
77. Check whether the original power adapter is being used.
78. Restart once and observe whether random reboots continue.

Important notes

- Do not cover the router with cloth, papers, or other objects.

Escalate when: the router continues rebooting, smells burnt, has a swollen adapter, sparks, or becomes too hot to touch comfortably.

Search keywords: router hot, overheating, router rebooting, random restart, power adapter

8. Outages and Maintenance

KB-WIFI-117 - Known Area Outage

Intent: Customer asks whether PromptNet is down in their area.

Check the PromptNet status system before individual troubleshooting. During a confirmed outage, avoid unnecessary factory resets and technician bookings unless the account has a separate local fault.

Resolution steps

79. Check status.promptnet.example using the customer area or service ID.
80. If an outage is confirmed, provide the incident status and latest estimated restoration time shown in the system.
81. Advise the customer to keep equipment powered unless instructed otherwise.
82. After the outage is marked resolved, reboot the router only if service does not automatically return.

Important notes

- Never invent an estimated restoration time. Only quote the current ETA from the outage system.

Escalate when: the outage is marked resolved but the customer remains offline after a reboot, or their LOS light is red while nearby service is restored.

Search keywords: outage, internet down area, maintenance, service interruption, eta

KB-WIFI-118 - Planned Maintenance

Intent: Customer asks about scheduled maintenance or overnight downtime.

PromptNet may perform planned network maintenance between 12:00 AM and 5:00 AM. Customers should receive advance notice for maintenance expected to cause more than 15 minutes of interruption.

Important notes

- Maintenance windows are maximum windows; actual downtime may be shorter.
- If a customer asks for exact maintenance affecting their account, use the maintenance/outage system rather than relying on this general policy.

Escalate when: service remains unavailable beyond the announced maintenance window.

Search keywords: planned maintenance, maintenance window, overnight outage, scheduled downtime

9. Billing, Payments, Suspension, and Account Changes

KB-WIFI-201 - Bill Due Date and Grace Period

Intent: Customer asks when payment is due or whether there is a grace period.

Monthly invoices are due on the date printed on the invoice. PromptNet provides a 5-calendar-day grace period before automatic service suspension for unpaid residential invoices.

Important notes

- The grace period does not change the invoice due date.
- Account-specific balances and dates must come from the billing system.

Escalate when: the customer disputes an invoice, has an incorrect balance, or reports payment that is not reflected after the normal posting time.

Search keywords: bill due, payment due, grace period, invoice date

KB-WIFI-202 - Payment Methods

Intent: Customer asks how to pay the internet bill.

Demo payment methods include customer portal card payment, supported mobile wallet, bank transfer, and payment at a PromptNet service center.

Resolution steps

83. Open portal.promptnet.example and sign in.
84. Choose Billing > Pay Now.
85. Select the available payment method and complete payment.
86. Save the transaction reference until the payment appears on the account.

Important notes

- Card/mobile wallet payments normally post within 5 minutes. Bank transfers can take up to 1 business day.

Escalate when: a successful electronic payment is still missing after the stated posting period.

Search keywords: pay bill, payment method, online payment, bank transfer, wallet

KB-WIFI-203 - Service Suspended for Non-Payment

Intent: Customer says Wi-Fi stopped because the bill is unpaid.

When an account is suspended for non-payment, Wi-Fi may remain visible but internet access is blocked. Service is normally restored automatically after the full overdue amount is posted.

Resolution steps

87. Confirm the suspension reason in the billing system.
88. Ask the customer to pay the full overdue balance shown on the account.
89. After payment posts, wait up to 15 minutes for automatic reconnection.
90. If still offline, restart the router once.

Important notes

- Standard demo reconnection fee: NPR 200 if suspension lasted more than 7 days.
- Do not promise reconnection until payment is confirmed in the billing system.

Escalate when: payment is confirmed but access remains suspended after 15 minutes and one reboot.

Search keywords: suspended, non payment, reconnect internet, overdue bill, blocked internet

KB-WIFI-204 - Upgrade or Downgrade Internet Plan

Intent: Customer wants to change speed plan.

Customers can request a plan change from the portal or support. Upgrades can take effect the same day; downgrades take effect at the next billing cycle unless otherwise approved.

Resolution steps

91. Confirm the target plan and monthly price.
92. Check equipment compatibility.

93. Submit the plan change.
94. For an upgrade, wait up to 30 minutes and reboot the router if speed does not update.
95. Run a wired speed test if the customer wants to verify the new tier.

Important notes

- Prorated charges may apply to same-cycle upgrades.

Escalate when: the new plan is provisioned but wired speeds still match the old tier after 30 minutes and reboot.

Search keywords: upgrade plan, downgrade plan, change speed, internet package

KB-WIFI-205 - Move Service to a New Address

Intent: Customer is moving and wants to transfer service.

A relocation request requires coverage and installation availability at the new address. Existing equipment may be reused if compatible.

Resolution steps

96. Collect the new service address and desired move date.
97. Check PromptNet coverage.
98. Create a relocation order.
99. Schedule installation if required.
100. Advise the customer not to remove fixed fiber wall outlets or building-owned equipment.

Important notes

- Demo relocation fee: NPR 1,000 when a technician visit is required.
- Relocation requests should be submitted at least 3 business days before the preferred date.

Escalate when: the new address has no coverage, requires landlord/building approval, or needs civil/fiber construction.

Search keywords: move internet, relocate wifi, new address, transfer service

KB-WIFI-206 - Cancel Internet Service

Intent: Customer wants to cancel the subscription.

Cancellation is effective on the requested date after identity verification and settlement of outstanding charges. PromptNet-owned equipment must be returned within 7 days after service ends.

Resolution steps

101. Verify the account holder.
102. Confirm the requested cancellation date.
103. Explain any outstanding balance or final prorated charge.
104. Create the cancellation request.
105. Provide equipment return instructions and return deadline.

Important notes

- Demo early termination fee: none for month-to-month residential plans.
- Unreturned equipment charge: up to NPR 5,000 depending on device type.

Escalate when: the customer disputes charges, cannot pass identity verification, or has business/contract service with special terms.

Search keywords: cancel wifi, terminate service, close account, return router

10. Security, Guest Access, and Advanced Features

KB-WIFI-301 - Unknown Devices Connected to Wi-Fi

Intent: Customer sees an unfamiliar device on the network.

Unknown device names are not always malicious; phones and smart devices can appear with generic names or randomized MAC addresses. If access is not recognized, secure the network.

Resolution steps

106. Check the router client/device list and compare MAC/device details with household devices.

107. Change the Wi-Fi password to a new strong password.
108. Reconnect only trusted devices.
109. Disable WPS if it is not needed.
110. Use WPA2/WPA3 security.

Important notes

- Changing the password is more reliable than repeatedly blocking unknown randomized MAC addresses.

Escalate when: the customer believes an account or device has been compromised beyond Wi-Fi access, or sees repeated unauthorized access after credentials are changed.

Search keywords: unknown device, someone using wifi, wifi hacked, connected devices, security

KB-WIFI-302 - Set Up a Guest Wi-Fi Network

Intent: Customer wants visitors to use Wi-Fi without sharing the main password.

Guest Wi-Fi creates a separate wireless network and can isolate visitors from local devices depending on router model.

Resolution steps

111. Open <http://192.168.1.1> while connected to the router.
112. Go to Wi-Fi > Guest Network.
113. Enable Guest Network.
114. Choose a guest SSID and password.
115. Enable guest/client isolation if available.
116. Save settings and test with a phone.

Important notes

- Use a password even for guest Wi-Fi. Avoid leaving the network open.

Search keywords: guest wifi, guest network, visitor wifi, separate network

KB-WIFI-303 - Parental Controls and Device Schedules

Intent: Customer wants to pause internet or set schedules for a child/device.

Supported PromptNet routers can pause individual devices and apply time schedules from the router admin interface.

Resolution steps

117. Open the router admin page.
118. Go to Parental Controls or Connected Devices.
119. Select the device.
120. Set a pause, bedtime schedule, or allowed hours.
121. Save and test the rule.

Important notes

- Device names can be inaccurate. Verify the device MAC address before applying strict rules.
- Some devices use randomized/private MAC addresses and may appear as new devices.

Search keywords: parental control, pause internet, bedtime wifi, device schedule

KB-WIFI-304 - Port Forwarding and Public IP

Intent: Customer asks to open ports, host a server, use CCTV remote access, or needs a public IP.

Residential service may use CGNAT. Port forwarding will not work from the public internet when the customer is behind CGNAT unless a public IP option is provisioned.

Resolution steps

122. Confirm whether the use case requires inbound internet connections.
123. Check whether the WAN address is private/CGNAT.
124. If public IP service is required, explain the optional public IPv4 add-on: demo price NPR 500/month.
125. After public IP provisioning, configure port forwarding on the router only for necessary ports.

Important notes

- Opening ports can increase security risk. Never recommend exposing router administration, RDP, databases, or insecure services directly to the public internet.

Escalate when: the customer needs business-grade static addressing, complex firewall rules, or cannot configure a third-party router.

Search keywords: port forwarding, public ip, cgnat, static ip, cctv remote, open port

11. Technician Visits, Escalation, and Support Boundaries

KB-WIFI-401 - When to Book a Technician

Intent: Customer asks whether an on-site visit is required.

A technician is appropriate for physical fiber faults, confirmed equipment failure, internal cabling issues that cannot be resolved remotely, or installation/relocation work.

Important notes

- Remote troubleshooting should be completed first unless there is visible physical damage or LOS red/blinking.
- Standard arrival windows are 2 hours between 9:00 AM and 6:00 PM.
- Demo no-fault-found visit fee: NPR 750 when service is healthy and the issue is customer-owned equipment/cabling.

Escalate when: a technician appointment is required according to any KB article or remote diagnostics confirm a physical fault.

Search keywords: technician, home visit, engineer visit, repair appointment, onsite

KB-WIFI-402 - Priority Definitions for Support Tickets

Intent: Support agent needs to classify a case.

Use the following demo priorities: P1 Critical = widespread outage or safety/security incident; P2 High = complete service loss for one customer with no workaround; P3 Normal = degraded speed, intermittent Wi-Fi, billing issue, feature help; P4 Low = general question, configuration guidance, future request.

Important notes

- Priority should reflect impact, not customer frustration alone.
- A red LOS light for one residential customer is normally P2 unless part of a known widespread outage.

Search keywords: ticket priority, p1, p2, p3, p4, escalation severity

KB-WIFI-403 - Information to Collect Before Escalation

Intent: Support agent needs a complete ticket.

A useful escalation should contain enough evidence for the next team to act without repeating basic questions.

Resolution steps

126. Record the customer/account/service ID from the connected CRM, not from public chat.
127. Record the issue start time and whether it is continuous or intermittent.
128. Record affected devices and whether wired Ethernet is also affected.
129. Record router/ONT light status, especially PON and LOS.
130. Record troubleshooting already completed.
131. For speed issues, include wired test results, device type, server, and timestamps.
132. For outages, include address/area and outage-system result.
133. For intermittent issues, include at least two example timestamps if available.

Important notes

- Never store plaintext Wi-Fi passwords, payment card details, or unrelated sensitive personal information in ticket notes.

Search keywords: escalation info, ticket notes, collect details, support handoff

12. PromptBot Answering Rules for This Demo KB

- Answer the customer question directly before giving long troubleshooting steps.
- When a problem could be an area outage, check outage status before recommending destructive actions.

- Never recommend factory reset as the first step for no internet, slow speed, or red LOS.
- Distinguish Wi-Fi coverage problems from internet line problems.
- If only one device is affected and others work, troubleshoot the device first.
- If LOS is red/blinking, treat it as a fiber signal fault and escalate after one power cycle.
- Do not invent account balance, invoice due date, outage ETA, appointment time, or ticket status. Those require connected live systems.
- Never request full payment card numbers, banking passwords, OTPs, or the customer Wi-Fi password in plain chat.
- Use customer-friendly language. Explain technical terms such as SSID, ONT, CGNAT, or band steering when they appear.
- When an escalation is required, summarize what the customer tried and why escalation is needed.

13. Test Questions for PromptBot

Example customer question	Expected retrieval
My Wi-Fi has full bars but says no internet on every phone.	KB-WIFI-105
The LOS light is blinking red. What do I do?	KB-WIFI-107
Netflix buffers only in my upstairs bedroom.	KB-WIFI-110 + KB-WIFI-112
I pay for 200 Mbps but get 45 Mbps on my old phone.	KB-WIFI-109
How do I change my wireless password?	KB-WIFI-102
I forgot the Wi-Fi password I changed last month.	KB-WIFI-103
Why can my smart bulb not see the 5 GHz network?	KB-WIFI-108 + KB-WIFI-104
Someone I do not know is connected to my router.	KB-WIFI-301
My bill is overdue and now I can connect to Wi-Fi but websites do not open.	KB-WIFI-203
Can I host a CCTV recorder from home?	KB-WIFI-304
Only my laptop has no internet; my phone works.	KB-WIFI-106
Can I move my connection to a new apartment next week?	KB-WIFI-205
The router is extremely hot and keeps restarting.	KB-WIFI-116
Is there an outage in my area and when will it be fixed?	KB-WIFI-117; ETA must come from live outage system
How much is the 500 Mbps plan?	Plan table / Pro 500: NPR 4,500/month

14. Quick Retrieval Index

- Password / SSID: KB-WIFI-101, 102, 103
- Device connection: KB-WIFI-104, 106, 108
- No internet / fiber: KB-WIFI-105, 107, 117, 118
- Speed / signal / streaming / gaming: KB-WIFI-109, 110, 112, 113

- Router / ONT: KB-WIFI-111, 114, 115, 116
- Billing / payment / suspension: KB-WIFI-201, 202, 203
- Plan changes / relocation / cancellation: KB-WIFI-204, 205, 206
- Security / guest / parental / public IP: KB-WIFI-301, 302, 303, 304
- Technician / escalation: KB-WIFI-401, 402, 403

END OF DEMO KNOWLEDGE BASE