

Ex. No 4: Analyze email headers and detect email spoofing using MHA (Mail Header Analyzer)

Description:

Here's a step-by-step guide on how to execute and analyze an email header:

1. Access the Email Header

- **Gmail:** Open the email, click the three dots (More) in the upper right corner, and select "Show original."
- **Outlook:** Open the email, click on "File," then "Properties," and find the "Internet headers" box.
- **Yahoo:** Open the email, click on the three dots (More), and select "View raw message."

2. Copy the Email Header

- Once you access the header, copy all the text that appears. This text contains various metadata fields about the email's journey from the sender to your inbox.

3. Identify Key Header Fields

- **From:** The sender's email address.
- **To:** The recipient's email address.
- **Date:** The date and time the email was sent.
- **Subject:** The email's subject line.
- **Return-Path:** The return address if the email bounces.
- **Received:** A list of servers the email passed through on its way to the recipient. This is usually the most critical part of header analysis.
- **Message-ID:** A unique identifier for the email.
- **SPF (Sender Policy Framework) / DKIM (DomainKeys Identified Mail):** Indicators of email authentication.

4. Analyze the 'Received' Fields

- The Received fields show the path the email took from the sender to the recipient. These fields are listed in reverse order (from the last server to the first).
- Each Received line will show:
 - **The sending server's hostname/IP address.**
 - **The receiving server's hostname/IP address.**
 - **The date and time the email passed through.**

1. Check for IP Addresses and Hostnames

- Use tools like **WHOIS** or online IP lookup services to identify the geographical location and ownership of the IP addresses found in the Received lines.
- Check if any IP addresses are suspicious or if the hostname does not match the expected sending server.

6. Examine the SPF, DKIM, and DMARC Results

- **SPF:** Checks if the sender's IP is authorized to send emails for the domain.
 - **Pass:** Indicates the IP is authorized.
 - **Fail:** The IP is not authorized and could be a sign of spoofing.
- **DKIM:** Verifies that the email content has not been altered in transit.
 - **Pass:** The email has not been tampered with.
 - **Fail:** The email content may have been altered.
- **DMARC:** A policy that uses SPF and DKIM to authenticate the email.
 - **Pass:** Indicates alignment with SPF/DKIM policies.
 - **Fail:** Indicates possible spoofing or tampering.

7. Analyze the 'Message-ID'

- The Message-ID is unique to each email. It usually includes the domain of the sending server.
- Check if the domain in the Message-ID matches the sender's domain. If not, it could be a sign of spoofing.

8. Look for Anomalies

- **Mismatch in Email Domains:** Check if the From domain matches the domains in Return-Path, Message-ID, and other authentication results.
- **Strange IP Addresses:** Be wary of IP addresses that do not match the known sending server or are from unexpected locations.
- **Suspicious Time Stamps:** Check for significant time discrepancies in the Received lines, which could indicate delays or rerouting.

6. Use Online Tools

- Use online email header analysis tools like **MXToolbox** or **Google's G Suite Toolbox** to automatically parse and analyze the email header.

7. Document and Report Findings

- Document all your findings, especially if you detect phishing or spoofing.
- Report suspicious emails to your IT department or email provider for further investigation.

Example of a Header Analysis

Here's a quick example with a sample header:

vbnet

Copy code

Received: from mail.example.com (mail.example.com [192.0.2.1])

by mail.receiver.com with ESMTP id u29si8604336pjs.40.2023.08.10.07.00.16;

Thu, 10 Aug 2023 07:00:16 -0700 (PDT)


Received: by mail.example.com with SMTP id a1mr1243772ywh.51;

Thu, 10 Aug 2023 07:00:15 -0700 (PDT)

Message-ID: <CA+7eu=4pSeXgQ@mail.example.com>

- **Check IP Addresses:** Lookup 192.0.2.1 and ensure it is associated with mail.example.com.
- **Verify SPF/DKIM:** Check if mail.example.com is authorized to send emails for this domain.
- **Compare Time Stamps:** Ensure the times make sense chronologically without unusual delays.

Email:



Email Header:

Original Message

M	Message ID	<1243109074.20227341.1787376974128@ngatindigbmm01.ngat>
C	Created at:	Sat, Aug 22, 2026 at 11:08 AM (Delivered after 2 seconds)
F	From:	ticketadmin@irctc.co.in
T	To:	ballanishashank369@gmail.com
S	Subject:	Booking Confirmation on IRCTC, Train: 22716, 23-Aug-2026, SL, MDU - KRNT
S	SPF:	PASS with IP 103.252.142.31 Learn more
D	DKIM:	'PASS' with domain irctc.co.in Learn more
D	DMARC:	'PASS' Learn more

[Download Original](#)[Copy to clipboard](#)

SPF, DKIM, DMARC Results:

SPF:	PASS with IP 209.85.220.69 Learn more
DKIM:	'PASS' with domain klu.ac.in Learn more
DMARC:	'PASS' Learn more

Received ip address:

Delivered-To: 99248840117@klu.ac.in
Received: by 2092:a85:7381:5793:b0:111:c22b:b85 with SMTP id nz19csp280062dyc; Wed, 19 Aug 2026 09:09:37 -0700 (PDT)
X-Forwarded-Encrypted: i=5; AHgH+RpsFPRoGaJHC3r6GhT4CDKMIa7G26zxfwUkjadW/68mq2HwQ/1IfchQGoWIX42G8aycnI44gnUEQ==@klu.ac.in
X-Received: by 2092:a85:6482:1ed4:b0:6a3:714e:f5b4 with SMTP id 4fb4d7f45d1cf-6a4032f9642ar4260749a12.9.1787155777050; Wed, 19 Aug 2026 09:09:37 -0700 (PDT)
ARC-Seal: i=4; a=rsa-sha256; t=1787155777; cv=pass; d=google.com; s=arc-20260327; b=L/97bLNSo3Qhavi/oBebhkhH8Bk3wLbSALIBYefyQ2rh+gzMga3iQxd1iHyg+be3k
AuhvOulu0J3nvEIVdK8LBDi0FowP506+gfcK1X1xy+4TRPM+K0e4+Dzebe086Phwccs bCubOQ+X0odrdL6x2J7h7fLESF0jo/pF5cX11On+cv118LzLH/Xv91x1HVOJ2Rq4LA/
I3QLvFj2IIUTVQBvY1PaJTzZzCK5GgoZg2xtLm4hbuEmcfneNo5AhvvX0r/D5whZoR ZAYGIC01AHNMQILuLy/637JlppW0QdM4bLms1DQbedWuWwMUz1s1D:PXL+HD4pYTx3I 46fu==
ARC-Message-Signature: i=4; a=rsa-sha256; c=relaxed/relaxed; d=google.com; s=arc-20260327; h=list-unsubscribe:list-archive:list-help:list-post:list-id :mailing-
list:precedence:to:subject:message-id:date:from:in-reply-to:references:mime-version:dkim-signature; bh=e9G3fp0jRQ3hjOUXD6IDG3c7ok25X1GTLaBCwTQgJpc=;
fh=X0dQhucVRQ9IBHDXbu7oAtaHubF8Bvyw/okksAFVcc=; b=cUgdZncpkwUrekIIz1iG/RrRi/P5ZPcErVy6XLQ/P34+fc42Py9MbPKfgBwQgv+Kb
0Qucl753eCbaV7a17hfuvTkKzpwj7IZub5et8db4KCI3f87vbb6k520r3H8yo0BM1I NZzu3aa2+aukuvbIKV1z3:6pw0Xt9JvCCQbKz8a17z3zAdJw2Vc0bV1ys1yEqIbLS10Z hHw4Xtwy5Dgc5x/uhjK4X7H/p/
FCWY1uuyppDqL15Qc/Vq17Ac/gw0Dtfv0kzXfk8b +TM8Np/rVWw276wZj3eM7C1T9J/HHF3pjuISxdp/C6bECW88kg2MC+pH8pmtEX0B74 +xCA==; dara=google.com
ARC-Authentication-Results: i=4; mx.google.com; dkim=pass header.i=@klu.ac.in header.s=google header.b=h4exHbcn; arc=pass (i=3 spf=pass spfdomain=klu.ac.in dkim=pass
dkdomain=klu.ac.in dmarc=pass fromdomain=klu.ac.in); spf=pass (google.com: domain of 2024cse+bnrbccyx7xjleilxkux2qdbubccdayvg@klu.ac.in designates 209.85.220.69 as
permitted sender) smtp.mailfrom=2024cse+bnrbccyx7xjleilxkux2qdbubccdayvg@klu.ac.in; dmarc=pass (p=QUARANTINE sp=NONE dis=NONE) header.from=klu.ac.in; dara=neutral
header.i=@klu.ac.in
Return-Path: <2024cse+bnrbccyx7xjleilxkux2qdbubccdayvg@klu.ac.in>
Received: from mail-sor-f69.google.com (mail-sor-f69.google.com. [209.85.220.69]) by mx.google.com with SMTPS id
4fb4d7f45d1cf-6a3fa1fd89sor779546a12.8.2026.08.19.09.36 for <99248840117@klu.ac.in> (Google Transport Security); Wed, 19 Aug 2026 09:09:37 -0700 (PDT)
Received-SPF: pass (google.com: domain of 2024cse+bnrbccyx7xjleilxkux2qdbubccdayvg@klu.ac.in designates 209.85.220.69 as permitted sender) client-ip=209.85.220.69;
Authentication-Results: mx.google.com; dkim=pass header.i=@klu.ac.in header.s=google header.b=h4exHbcn; arc=pass (i=3 spf=pass spfdomain=klu.ac.in dkim=pass
dkdomain=klu.ac.in dmarc=pass fromdomain=klu.ac.in); spf=pass (google.com: domain of 2024cse+bnrbccyx7xjleilxkux2qdbubccdayvg@klu.ac.in designates 209.85.220.69 as
permitted sender) smtp.mailfrom=2024cse+bnrbccyx7xjleilxkux2qdbubccdayvg@klu.ac.in; dmarc=pass (p=QUARANTINE sp=NONE dis=NONE) header.from=klu.ac.in; dara=neutral
header.i=@klu.ac.in
ARC-Seal: i=3; a=rsa-sha256; t=1787155776; cv=pass; d=google.com; s=arc-20260327; b=LcQ+I1cQhUa7EiCqDSYfC1Fqp00CMQhLYPeshxlarH8ga0BMXw6pLBU79/EAjQ/E
2e#5h8aiXuH1H/3Vpsty2P73Mqteq+eFBxciNThypkQEL43e5XN11C382br+02q68c y1rs6pwauf00Kw0QxU0TH9Q+RstMARC13L8H+8vaQ8SYrYY1izJOY+0FZ48ruXATly
Phyc4btQ30n0kbo+3ckEvsTpwVrtNOCdqgPaig7r93iz50/kb1Eon01u+13Paw6G0wN r8Ibcutp8lrgSh1pi8pc49jndf/Cd6ngv2t4NEZ38yeitzneQ10wPj1512Tau8K6Qy GT0==
ARC-Message-Signature: i=3; a=rsa-sha256; c=relaxed/relaxed; d=google.com; s=arc-20260327; h=list-unsubscribe:list-archive:list-help:list-post:list-id :mailing-
list:precedence:to:subject:message-id:date:from:in-reply-to:references:mime-version:dkim-signature; bh=e9G3fp0jRQ3hjOUXD6IDG3c7ok25X1GTLaBCwTQgJpc=;
fh=X0dQhucVRQ9IBHDXbu7oAtaHubF8Bvyw/okksAFVcc=; b=HzA88syDLYWdbq9kr5U+V86FD7R3tInekm/Yb60N0xuvvtihXgD5x1N8NF2k3t p5iennqR455x/yVp2idueHb01UGRlec6nxa8CfapK/
I1r6RXsn8800g/X5vTMSviY ogy0B28Gtctag9124aM8kzkyQCNxM111Cv2MHyRjZqkMLIaVhc/dby0PvdwhurgX F81PQDbaXuluKAPk0CvznP04dsU7uppsF4CmknIP90uT5a09/LG2XJl0Joto99wDE
3LZKGo7aouhS007X52akJuy0zqqKMIj1xjcfEikNjLAhdid/izKsec50RThDoej q85A==; dara=klu.ac.in
ARC-Authentication-Results: i=3; mx.google.com; dkim=pass header.i=@klu.ac.in header.s=google header.b=oVGoCtX6; arc=pass (i=1); spf=pass (google.com: domain of
hodcse@klu.ac.in designates 209.85.220.41 as permitted sender) smtp.mailfrom=hodcse@klu.ac.in; dmarc=pass (p=QUARANTINE sp=NONE dis=NONE) header.from=klu.ac.in;
dara=neutral header.i=@klu.ac.in

Whois Verification:

Whois.com

Domains Hosting Websites Email Security Whois Deals

209.85.220.69

Whois

209.85.220.69

Whois IP 209.85.220.69

Updated 5 days ago

ARIN WHOIS data and services are subject to the Terms of use available at: <https://www.arin.net/resources/registry/whois/tou/>

If you see inaccuracies in the results, please report at https://www.arin.net/resources/registry/whois/inaccuracy_reporting/

Copyright 1997-2026, American Registry for Internet Numbers, Ltd.

NetRange: 209.85.128.0 - 209.85.255.255

CIDR: 209.85.128.0/17

NetName: GOOGLE

NetHandle: NET-209-85-128-0-1

Parent: NET200 (NET-200-0-0-0-0)

NetType: Direct Allocation

OriginAS:

Organization: Google LLC (GOGL)

RegDate: 2006-01-13

Updated: 2012-02-24

Ref: <https://rdap.arin.net/registry/ip/209.85.128.0>

OrgName: Google LLC

OrgId: GOGL

Address: 1600 Amphitheatre Parkway

City: Mountain View

StateProv: CA

PostalCode: 94043

Country: US

RegDate: 2006-03-30

Updated: 2019-10-31

Comment: Please note that the recommended way to file abuse complaints are located in the

Space

On Sale!

i c u

.ICU @ \$1.48 ~~\$24.48~~

Website Builder

Build A Beautiful Website In Minutes!

Starts at \$2.48

MXtoolbox Header Analysis:

MXtoolbox

Super Tools

Pricing Tools Delivery Center Monitoring Products Resources

Log In

Super Tool MX Lookup Headers Diagnostics Email Health DNS Lookup Analyze Headers All Tools

Header Analyzed

Email Subject: Fwd: IEEE Communication Society - Data Challenge Hackathon 28th and 29th August 2025

Analyze New Header

Delivery Information

DMARC Compliant

SPF Aligned

SPF Authenticated

DKIM Aligned

DKIM Authenticated

Relay Information

Received: 9 seconds

Delay:

From mail-va141.google.com to mx.google.com

To mx.google.com

Time (Seconds)

Map Delay From By With Time (UTC) Result

1 0 mail-va141.google.com 209.85.220.41 mx.google.com SMTPS 8/19/2026 4:09:20 PM

Success

MXtoolbox

Super Tools

Pricing Tools Delivery Center Monitoring Products Resources

Log In