- 1. Is the Python Standard Library included with PyInputPlus? Ans:- No, the Python Standard Library does not include PyInputPlus1. It is a separate module that you need to install
- 2. Why is PyInputPlus commonly imported with import pyinputplus as pypi? Ans:- PyInputPlus is commonly imported with import pyinputplus as pyip because it allows you to use a shorter name when calling the module's functions
- 3. How do you distinguish between inputInt() and inputFloat()?

  Ans:- inputInt() and inputFloat() are both functions in PyInputPlus used for taking integer and floating-point inputs respectively inputInt() accepts an integer value and returns an integer, while inputFloat() accepts a floating-point numeric value and returns a float
- 4. Using PyInputPlus, how do you ensure that the user enters a whole number between 0 and 99? Ans:- To ensure that the user enters a whole number between 0 and 99 using PyInputPlus, you can use the inputInt() function with the min and max parameters set to 0 and 99 respectively
- 5. What is transferred to the keyword arguments allowRegexes and blockRegexes?

  Ans:- The keyword arguments allowRegexes and blockRegexes in PyInputPlus accept a list of regular expression stringsallowRegexes allows inputs that match any of the provided regular expressions, while blockRegexes blocks inputs that match any of the provided regular expressions
- 6. If a blank input is entered three times, what does inputStr(limit=3) do?

  Ans:- If a blank input is entered three times, inputStr(limit=3) will raise a RetryLimitException
- 7. If blank input is entered three times, what does inputStr(limit=3, default='hello') do? Ans:- If a blank input is entered three times, inputStr(limit=3, default='hello') will return the default value 'hello'