

MINGW64:/c/Users/e020ax/sample/akhil/se1

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample (main)  
\$ mkdir akhil

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample (main)  
\$ cd akhil

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (main)  
\$ git init  
Initialized empty Git repository in C:/Users/e020ax/sample/akhil/.git/

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (master)  
\$ touch a.txt

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (master)  
\$ git status  
On branch master

No commits yet

Untracked files:  
(use "git add <file>..." to include in what will be committed)  
a.txt

nothing added to commit but untracked files present (use "git add" to track)

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (master)  
\$ git add .

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (master)  
\$ git status  
On branch master

No commits yet

Changes to be committed:  
(use "git rm --cached <file>..." to unstage)  
new file: a.txt

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (master)  
\$ c:/windows/notepad as

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (master)  
\$ git commit -m "commit"  
[master (root-commit) 0e9aeed] commit  
1 file changed, 0 insertions(+), 0 deletions(-)  
create mode 100644 a.txt

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (master)  
\$ git remote add origin https://github.com/pulipaakalaakhil/se1.git

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (master)  
\$ git branch -M main

e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (main)  
\$ git push -u origin main  
info: please complete authentication in your browser...



MINGW64:/c/Users/e020ax/sample/akhil/se1

```
$ git push -u origin main
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 205 bytes | 205.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/pulipaakalaakhil/se1.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
```

```
e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (main)
$ git clone https://github.com/pulipaakalaakhil/se1.git
Cloning into 'se1'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
```

```
e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil (main)
$ cd se1
```

```
e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil/se1 (main)
$ git checkout -b "s"
Switched to a new branch 's'
```

```
e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil/se1 (s)
$ git add .
```

```
e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil/se1 (s)
$ git commit -m "updated"
On branch s
nothing to commit, working tree clean
```

```
e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil/se1 (s)
$ git push origin "s"
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 's' on GitHub by visiting:
remote:   https://github.com/pulipaakalaakhil/se1/pull/new/s
remote:
To https://github.com/pulipaakalaakhil/se1.git
 * [new branch]      s -> s
```

```
e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil/se1 (s)
$ git add .
```

```
e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil/se1 (s)
$ git commit -m "address"
On branch s
nothing to commit, working tree clean
```

```
e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil/se1 (s)
$ git push origin s
Everything up-to-date
```

```
e020ax@LAPTOP-LJRAHF4L MINGW64 ~/sample/akhil/se1 (s)
$ git pull origin main
From https://github.com/pulipaakalaakhil/se1
```