TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

IMAGE

DOCUMENT #: 119200-TPE-001
REV #: 00

# TEST EXECUTION REPORT
# FOR
# TRACELINK LIFE SCIENCES CLOUD
# NEW RELEASE VALIDATION - PROD

Confidential, Not for Recirculation

*DOCUMENT #: 119200-TPE-001*
*REV #: 00*

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 1 of 27

IMAGE

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

DOCUMENT #: 119200-TPE-001
REV #: 00

## POST EXECUTION APPROVALS:

An individual's review of the executed test suite consists of the following:

• Ensure the test scripts have been executed.

• Ensure that the documented evidence has been correctly produced for all applicable test steps.

• Ensure the exceptions/incidents have been documented to address test failures (if any).

• Confirm the output (Pass / Fail status) of the test based on documented evidence, if applicable.

• Completed by xLM Quality and Customer Quality who have sufficient knowledge to evaluate and verify the test execution.

## REVIEW COMMENTS:

| Commented By | Comments |
|---|---|
|  |  |
|  |  |
|  |  |
|  |  |
|  |  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 2 of 27

IMAGE

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

DOCUMENT #: 119200-TPE-001
REV #: 00

_____

Nagesh Nama, Chief Quality Officer

_____

Date

_____

Approver1

_____

Date

_____

Approver2

_____

Date

_____

Approver3

_____

Date

_____

Approver4

_____

Date

IMAGE

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

DOCUMENT #: 119200-TPE-001
REV #: 00

# 1. ENVIRONMENT DETAILS

## 1.1. AUTOMATION MODEL VERSION RELEASE DETAILS

| | |
|---|---|
| Model Version | 1.1 |
| Model Name | Veloxis_TL_Operational_Verification |
| Approved By | Bhaskar Kende |
| Approval Date | October 6, 2018 |

## 1.2. TEST EXECUTION ENVIRONMENT DETAILS

| | |
|---|---|
| TraceLink Life | Einstein 4 2018.4.5 |
| Server Name | Ayodhya |
| Plugins used | Selenium,Service |
| Execution Start | 2018-09-25 21:43:22 EDT |
| Login User ID | veloxis@continuousvalidation.com |
| Server IP | 127.0.0.1 |
| Login Status | Successful |
| Application URL | Selenium:https://app.tracelink.com |
| Browser | firefox |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 4 of 27

IMAGE

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

DOCUMENT #: 119200-TPE-001
REV #: 00

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 5 of 27

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

IMAGE

DOCUMENT #: 119200-TPE-001
REV #: 00

## 2. TEST CASE : Test-0

| Test Objective | |
|---|---|
| Test Acceptance | |

| STEP # | STEP DESCRIPTION | EXPECTED RESULT | ACTUAL RESULT |
|---|---|---|---|
| 1 | Executing the test number 0 Step number : 1 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 0 | PASS  |
| 2 | Executing the test number 0 Step number : 2 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 0 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 6 of 27

IMAGE

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

DOCUMENT #: 119200-TPE-001
REV #: 00

| 3 | Executing the test number 0 Step number : 3 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 0 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 7 of 27

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

IMAGE

DOCUMENT #: 119200-TPE-001
REV #: 00

## 3. TEST CASE : Test-1

| Test Objective | |
|---|---|
| Test Acceptance | |

| STEP # | STEP DESCRIPTION | EXPECTED RESULT | ACTUAL RESULT |
|---|---|---|---|
| 1 | Executing the test number 1 Step number : 1 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 1 | PASS |
| 2 | Executing the test number 1 Step number : 2 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 1 | PASS |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 8 of 27

IMAGE

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

DOCUMENT #: 119200-TPE-001
REV #: 00

| 3 | Executing the test number 1 Step number : 3 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 1 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 9 of 27

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

IMAGE

DOCUMENT #: 119200-TPE-001
REV #: 00

## 4. TEST CASE : Test-2

| Test Objective | |
|---|---|
| Test Acceptance | |

| STEP # | STEP DESCRIPTION | EXPECTED RESULT | ACTUAL RESULT |
|---|---|---|---|
| 1 | Executing the test number 2 Step number : 1 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 2 | PASS  |
| 2 | Executing the test number 2 Step number : 2 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 2 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 10 of 27

| 3 | Executing the test number 2 Step number : 3 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 2 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 11 of 27

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

IMAGE

DOCUMENT #: 119200-TPE-001
REV #: 00

## 5. TEST CASE : Test-3

| Test Objective | |
|---|---|
| Test Acceptance | |

| STEP # | STEP DESCRIPTION | EXPECTED RESULT | ACTUAL RESULT |
|---|---|---|---|
| 1 | Executing the test number 3 Step number : 1 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 3 | PASS  |
| 2 | Executing the test number 3 Step number : 2 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 3 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 12 of 27

| 3 | Executing the test number 3 Step number : 3 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 3 | PASS |
|---|---|---|---|

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 13 of 27

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

IMAGE

DOCUMENT #: 119200-TPE-001
REV #: 00

## 6. TEST CASE : Test-4

| Test Objective | |
|---|---|
| Test Acceptance | |

| STEP # | STEP DESCRIPTION | EXPECTED RESULT | ACTUAL RESULT |
|---|---|---|---|
| 1 | Executing the test number 4 Step number : 1 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 4 | PASS  |
| 2 | Executing the test number 4 Step number : 2 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 4 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 14 of 27

| 3 | Executing the test number 4 Step number : 3 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 4 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 15 of 27

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

IMAGE

DOCUMENT #: 119200-TPE-001
REV #: 00

## 7. TEST CASE : Test-5

| Test Objective | |
|---|---|
| Test Acceptance | |

| STEP # | STEP DESCRIPTION | EXPECTED RESULT | ACTUAL RESULT |
|---|---|---|---|
| 1 | Executing the test number 5 Step number : 1 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 5 | PASS  |
| 2 | Executing the test number 5 Step number : 2 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 5 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 16 of 27

IMAGE

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

DOCUMENT #: 119200-TPE-001
REV #: 00

| 3 | Executing the test number 5 Step number : 3 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 5 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 17 of 27

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

IMAGE

DOCUMENT #: 119200-TPE-001
REV #: 00

## 8. TEST CASE : Test-6

| Test Objective | |
|---|---|
| Test Acceptance | |

| STEP # | STEP DESCRIPTION | EXPECTED RESULT | ACTUAL RESULT |
|---|---|---|---|
| 1 | Executing the test number 6 Step number : 1 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 6 | PASS  |
| 2 | Executing the test number 6 Step number : 2 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 6 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 18 of 27

| 3 | Executing the test number 6 Step number : 3 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 6 | PASS  |
|---|---|---|---|

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 19 of 27

IMAGE

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

DOCUMENT #: 119200-TPE-001
REV #: 00

## 9. TEST CASE : Test-7

| Test Objective | |
| --- | --- |
| Test Acceptance | |

| STEP # | STEP DESCRIPTION | EXPECTED RESULT | ACTUAL RESULT |
| --- | --- | --- | --- |
| 1 | Executing the test number 7 Step number : 1 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 7 | PASS |
| 2 | Executing the test number 7 Step number : 2 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 7 | PASS |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 20 of 27

| 3 | Executing the test number 7 Step number : 3 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 7 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 21 of  27

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

IMAGE

DOCUMENT #: 119200-TPE-001
REV #: 00

## 10. TEST CASE : Test-8

| Test Objective | |
|---|---|
| Test Acceptance | |

| STEP # | STEP DESCRIPTION | EXPECTED RESULT | ACTUAL RESULT |
|---|---|---|---|
| 1 | Executing the test number 8 Step number : 1 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 8 | PASS  |
| 2 | Executing the test number 8 Step number : 2 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 8 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 22 of 27

IMAGE

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

DOCUMENT #: 119200-TPE-001
REV #: 00

| 3 | Executing the test number 8 Step number : 3 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 8 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 23 of 27

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

IMAGE

DOCUMENT #: 119200-TPE-001
REV #: 00

## 11. TEST CASE : Test-9

| Test Objective | |
|---|---|
| Test Acceptance | |

| STEP # | STEP DESCRIPTION | EXPECTED RESULT | ACTUAL RESULT |
|---|---|---|---|
| 1 | Executing the test number 9 Step number : 1 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 9 | PASS  |
| 2 | Executing the test number 9 Step number : 2 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 9 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 24 of 27

| 3 | Executing the test number 9 Step number : 3 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 9 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 25 of 27

TEST EXECUTION REPORT
FOR
TRACELINK LIFE SCIENCES CLOUD
NEW RELEASE VALIDATION - PROD

IMAGE

DOCUMENT #: 119200-TPE-001
REV #: 00

## 12. TEST CASE : Test-10

| Test Objective | |
|---|---|
| Test Acceptance | |

| STEP # | STEP DESCRIPTION | EXPECTED RESULT | ACTUAL RESULT |
|---|---|---|---|
| 1 | Executing the test number 10 Step number : 1 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 10 | PASS  |
| 2 | Executing the test number 10 Step number : 2 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 10 | PASS  |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 26 of 27

| 3 | Executing the test number 10 Step number : 3 | Result should be either of PASS, FAIL, SKIP, NORUN for test number 10 | PASS<br> |

The information contained within this document is considered CONFIDENTIAL and is the property of xLM, LLC.

Page 27 of 27