8 AI FEATURES — 6 OPTIMIZED PROMPTS

Autopilot • Predictions • Time Machine • Delegation • Context Switcher • Workflow Recorder • Daily Planner • Document Autopilot

All 47 components. Zero features removed. Optimized for minimum Replit credits.

BUILD ORDER

#	Name	Mode	What's Built	~ Cr
1	UI: Shared+Autopilot+Predictions+TimeMachine1	⚡ Lite	SuggestionCard, ProgressModal, TimelineVisualizer, AutopilotPanel(5tabs+widget), RuleCreatorModal, AutopilotSettings, PredictionBanner(+card), PostCompletionPopup, SprintPlanner, TimeMachine(+summary), VisualTimeline, ActivityBreakdown	0.20

2	UI: TimeMachine2+Delegation+Context+Workflow+Planner	⚡ Lite	AIInsightsPanel, DetailedActivityLog, WeeklyHeatmap, TMSettings, DelegationPanel(+candidates), TeamWorkload(+cards), ContextSwitcher(+cards), CatchUpCard, RecordingBar, WorkflowReviewModal, WorkflowRunModal, WorkflowLibrary(+cards), DailyPlanner(+blocks+bar), TemplateSelector, CustomTemplateCreator	0.20
3	Logic: Infrastructure+Autopilot+Predictions+TimeMachine	🔵 Economy	Event tracker, queues, AI service, tabs, rule form, triggers, actions, undo, patterns, templates, prediction engine, sequences, session analyzer, focus score	1.00
4	Logic: Delegation+Context+Workflow+Planner+DocGen	🔵 Economy	Scoring, workload, context save/restore, recorder+processor+executor, plan generator, block interactions, data gatherer, assembler	1.00
5	DB: All Tables + Connect Events+Autopilot+Predictions	🔵 Economy	18 tables, events API, rules CRUD, pattern detection, predictions, sequences	1.00

6	DB: TM+Delegation+Context+Workflows+Planner+DocGen+Verify+Seed	🔵 Economy	Sessions, summaries, coaching, profiles, skills, contexts, workflow CRUD, plan persistence, template seeding, real AI, verification, seed data	1.00

TOTAL: ~4.40 credits (2 Lite × 0.20 + 4 Economy × 1.00)

INSTRUCTIONS

1. Copy ONE prompt at a time into Replit
2. Wait for full completion
3. Verify no console errors
4. If error → STOP → go to Claude → get targeted fix → never re-send failed prompt
5. If success → next prompt
6. Do NOT skip or reorder

PROMPT 1 OF 6

UI: Shared + Autopilot + Predictions + Time Machine Part 1

⚡ REPLIT: LITE MODE (lightning bolt) | App Testing: OFF | Code Optimization: OFF

PROMPT 1 — Copy into Replit

CONTEXT: App: AI-driven productivity platform (SaaS) with auth, workspaces, tasks, docs, messaging, meetings, calendar, AI service Tech: Next.js 14+, TypeScript, Tailwind, Shadcn/UI, PostgreSQL, Prisma, tRPC, Socket.io, Redis, OpenAI via centralized service, pgvector, BullMQ Rules: TypeScript strict, Zod validation, UUID PKs, createdAt/updatedAt/deletedAt, responsive, all AI through centralized service, BullMQ for >2s Feature: 12 UI shell components across shared, autopilot, predictions, and time machine Current state: Platform has all base features. No AI UI exists yet. Layer: Layer 1 — Structure only (all shells, hardcoded data, nothing interactive)

Files to create:

- src/components/ai/SuggestionCard.tsx
- src/components/ai/ProgressModal.tsx
- src/components/ai/TimelineVisualizer.tsx
- src/pages/autopilot/AutopilotPanel.tsx
- src/components/autopilot/RuleCreatorModal.tsx
- src/components/autopilot/AutopilotSettings.tsx
- src/components/predictions/PredictionBanner.tsx
- src/components/predictions/PostCompletionPopup.tsx
- src/components/predictions/SprintPlanner.tsx
- src/pages/analytics/TimeMachine.tsx
- src/components/timemachine/VisualTimeline.tsx
- src/components/timemachine/ActivityBreakdown.tsx

TASK: Add 12 UI shell components. Hardcoded data. Nothing interactive. No click handlers. No state changes. No API calls.

---

1. SUGGESTION CARD (SuggestionCard.tsx):
- Card (rounded-lg shadow-md border-l-4 border-blue-500 max-w-[400px] p-4 bg-white)
- Zap icon + "Autopilot Suggestion" (text-sm font-semibold text-gray-600)
- Title "Create follow-up task" (text-base font-bold text-gray-900 mt-1)
- "Because: You completed wireframes and usually create review next" (text-sm text-gray-500 mt-1)
- Detail row (flex gap-2 mt-2 text-sm): avatar (w-5 h-5 rounded-full bg-gray-200) + "@alice" + "Due: Mar 7" + blue dot
- 4 buttons (flex gap-2 mt-3): "Do It" (bg-blue-600 text-white px-3 py-1.5 rounded-md text-sm), "Edit First" (border rounded-md px-3 py-1.5 text-sm), "Skip" (text-gray-500 text-sm), "Never" (text-red-400 text-xs)
2. PROGRESS MODAL (ProgressModal.tsx):
- Overlay (fixed inset-0 bg-black/40 z-50 flex items-center justify-center)
- Card (max-w-[480px] bg-white rounded-xl shadow-2xl p-6)
- Robot emoji + "Processing..." (text-lg font-bold) + desc (text-sm text-gray-500)
- 4 steps (space-y-2 mt-4): 3 green CheckCircle + done text, 1 blue Loader2 spinning + "Generating..."
- Progress bar (h-2 rounded-full bg-gray-200 mt-4) blue fill at 75%
3. TIMELINE VISUALIZER (TimelineVisualizer.tsx):
- Full-width (w-full bg-white rounded-lg p-4)
- Hour labels (flex justify-between text-xs text-gray-400): "9AM" through "5PM"
- Bar row (h-8 flex gap-0.5 rounded-sm overflow-hidden mt-2): Blue 20%, Purple 12%, Green 12%, Yellow 5%, Gray 12%, Orange 15%, Blue 24%
- Legend (flex gap-4 mt-3 text-xs): dot+label for Task Work(blue), Meetings(purple), Docs(green), Messaging(yellow), Break(gray), Focus(orange)
- EMPTY: "No activity recorded today"
4. AUTOPILOT PANEL (AutopilotPanel.tsx):

- Full panel (bg-white border-l h-full overflow-y-auto)
- Header: Zap icon + "AI Work Autopilot" (text-xl font-bold) + gear icon (far right)
- Tab bar: "Dashboard"/"My Rules"/"Suggestions"/"Activity Log"/"Templates" (Dashboard active blue)
- DASHBOARD SECTION: 4 stats cards (flex gap-4): "Time Saved" "3.2h" green+0.5h, "Actions" "47" green+12, "Rules Active" "12" sub "6 learned", "Accuracy" "94%" green bar. Cards: bg-white rounded-lg shadow-sm p-4 border. "Pending Suggestions" header + 2 SuggestionCard imports. "Recent Actions" 3 rows: CheckCircle+time+text+[Undo][View]. Floating widget area: 2 stacked SuggestionCards fixed bottom-6 right-6 z-50 with X dismiss + "Dismissing in 30s"
- MY RULES SECTION: "+ Create New Rule" button + filters. 3 rule cards (border-l-4 purple/blue/green): name + toggle + "Type/Mode/Triggered/Confidence" + Edit/Duplicate/Delete/History
- SUGGESTIONS SECTION: 2 pattern cards: Brain icon + pattern description + auto/suggest/confirm pills + Enable/Customize/NotUseful buttons
- ACTIVITY LOG SECTION: date+status filters. 8 log entries: status icon + timestamp + description + rule badge
- TEMPLATES SECTION: category pills "All/Tasks/Meetings/Communication/Reporting". Grid 6 cards: icon+title+desc+"Used by X teams"+[Use Template]
- Show only Dashboard section visible (others hidden for testing)

5. RULE CREATOR MODAL (RuleCreatorModal.tsx):

- Overlay + card (max-w-[600px] max-h-[80vh] overflow-y-auto rounded-xl shadow-2xl p-6)
- "Create Autopilot Rule" + X. Name+Description inputs.
- "WHEN" (bg-gray-50 rounded px-4 py-2 font-semibold text-sm) + trigger dropdown "Select trigger..."
- "THEN" + action dropdown "Select action..." + "+ Add Another Action" link
- Execution Mode: 3 radios Suggest(selected)/Auto/Confirm with descriptions
- Safety: Max/day "50", Cooldown "0 min", Active hours toggle OFF, Active days checkboxes Mon-Fri
- Cancel + "Save Rule"

6. AUTOPILOT SETTINGS (AutopilotSettings.tsx):

- Slide-out (fixed right-0 top-0 h-full w-[400px] bg-white shadow-xl z-50 overflow-y-auto)
- "Autopilot Settings" + X. General: enabled ON, default "Suggest", tracking ON, detection ON.
- Notifications: alerts ON, floating ON, dismiss "30s". Limits: max "50", credits "100".
- Privacy: 5 checkboxes (tasks/messages/docs/meetings/calendar) + "Delete All Data" red button EMPTY: "No pending suggestions." "No rules yet." "No patterns detected." "No activity yet."

7. PREDICTION BANNER (PredictionBanner.tsx — includes PredictionCard inline):

- Collapsible container (bg-purple-50 rounded-lg border border-purple-200 p-3)
- Header: crystal ball + "AI Predictions (3 suggested tasks)" (font-semibold text-sm text-purple-800) + [Collapse] link

- Expanded: 2 prediction cards stacked (gap-3). Each card: bg-white rounded-lg shadow-sm p-4 border-l-4 border-purple-400. Crystal ball + title (font-semibold) + "Confidence: 94%" (inline green badge text-xs bg-green-100 text-green-700 rounded-full px-2) + reasoning (text-sm text-gray-500) + "Assign @carol | Due: Mar 8 | Priority: Medium" + 3 buttons "Create Task"(blue)/"Edit & Create"(border)/"Not Needed"(ghost)
- Collapsed: "3 predictions available" + [Expand]
- EMPTY: "AI is learning your patterns. Predictions appear after more activity."

8. POST-COMPLETION POPUP (PostCompletionPopup.tsx):

- Fixed bottom-6 right-6 z-40 (max-w-[380px] bg-white rounded-xl shadow-xl p-4)
- CheckCircle green + "Task completed!" (font-semibold)
- Crystal ball + "Usually you do this next:" (text-sm text-gray-500 mt-2)
- Predicted title (font-medium mt-1) + "Assign: @bob | Due: Tomorrow" (text-sm text-gray-500)
- "Create It"(bg-blue-600 text-white text-sm px-3 py-1.5 rounded-md) + "Skip"(text-gray-400 text-sm)
- "Dismissing in 10s" (text-xs text-gray-300 mt-2)

9. SPRINT PLANNER (SprintPlanner.tsx):

- Modal (max-w-[600px] rounded-xl shadow-2xl p-6)
- Crystal ball + "AI Sprint Planner" (text-lg font-bold) + "Based on your last 5 sprints:" (text-sm text-gray-500)
- 7 checkbox rows (divide-y h-11 px-3 hover:bg-gray-50): all checked, each with task title + "(assign: @role, day X)" + edit icon
- "Create All Selected"(blue) / "Customize"(border) / "Start Blank"(ghost)
- EMPTY: "Complete 3 sprints for AI suggestions."

10. TIME MACHINE PAGE (TimeMachine.tsx — includes DailySummaryCard inline):

- Sidebar "Analytics" → "Work Time Machine"
- Header: BarChart icon + "Work Time Machine" + date nav (ChevronLeft + "Mar 4" + ChevronRight)
- Tabs: "Daily"/"Weekly"/"Monthly" (Daily active blue)
- Inline summary bar (bg-white rounded-lg shadow-sm p-3 flex gap-6 text-sm mb-4): "Active: 6h 42m" | "Focus: 78/100" (green badge) | "Tasks: 5 done" | "Messages: 34" | "Meetings: 2 (1h 15m)" | "Docs: 3 edited"
- Content area below for child components

11. VISUAL TIMELINE (VisualTimeline.tsx):

- Import shared TimelineVisualizer. Show 9AM-5PM with hardcoded blocks: Blue "Login Redesign"(9-10:30), Purple "Sprint Planning"(10:30-11:15), Green "API Docs"(11:15-12), Yellow "Chat"(12-12:15), Gray "Lunch"(12:15-1:15), Orange "Focus"(1:15-2:15), Blue "Bug Fix"(2:15-3:30), Yellow "Messages"(3:30-3:45), Blue "Review"(3:45-5). "Hover for details" tooltip hint.

12. ACTIVITY BREAKDOWN (ActivityBreakdown.tsx):

- Two-column layout. Left: SVG pie chart (w-[200px] h-[200px]) with 5 colored segments
- Right: Category list. Each: colored dot (w-3 h-3 rounded-full) + name + time + percentage

- "Task Work 3h 12m (48%)", "Meetings 1h 15m (19%)", "Documentation 1h 02m (15%)", "Messaging 0h 45m (11%)", "Planning 0h 28m (7%)"

BOUNDARIES — CRITICAL:

- Do not add any click handlers or state changes
- Do not add any API calls or database connections
- Do not modify any existing files
- Build only and exactly what is described above

PROMPT 2 OF 6

UI: Time Machine 2 + Delegation + Context + Workflow + Planner + DocGen

⚡ REPLIT: LITE MODE (lightning bolt) | App Testing: OFF | Code Optimization: OFF

PROMPT 2 — Copy into Replit

CONTEXT: App: AI-driven productivity platform (SaaS) with auth, workspaces, tasks, docs, messaging, meetings, calendar, AI service Tech: Next.js 14+, TypeScript, Tailwind, Shadcn/UI, PostgreSQL, Prisma, tRPC, Socket.io, Redis, OpenAI via centralized service, pgvector, BullMQ Rules: TypeScript strict, Zod validation, UUID PKs, createdAt/updatedAt/deletedAt, responsive, all AI through centralized service, BullMQ for >2s Feature: 15 UI shell components for remaining features Current state: Prompt 1 done. Shared components + Autopilot + Predictions + TimeMachine Part 1 shells exist. Layer: Layer 1 — Structure only (all shells, hardcoded data, nothing interactive)

Files to create:

- src/components/timemachine/AIInsightsPanel.tsx
- src/components/timemachine/DetailedActivityLog.tsx
- src/components/timemachine/WeeklyHeatmap.tsx
- src/components/timemachine/TimeMachineSettings.tsx
- src/components/delegation/DelegationPanel.tsx
- src/components/delegation/TeamWorkloadDashboard.tsx
- src/components/context/ContextSwitcherModal.tsx
- src/components/context/CatchUpCard.tsx
- src/components/workflows/RecordingBar.tsx
- src/components/workflows/WorkflowReviewModal.tsx
- src/components/workflows/WorkflowRunModal.tsx

- src/components/workflows/WorkflowLibrary.tsx
- src/pages/planner/DailyPlanner.tsx
- src/components/docgen/TemplateSelector.tsx
- src/components/docgen/CustomTemplateCreator.tsx

TASK: Add 15 UI shell components. Hardcoded data. Nothing interactive. No click handlers. No state changes. No API calls.

---

1. AI INSIGHTS PANEL (AIInsightsPanel.tsx):
- "AI Insights" header (font-semibold). 4 cards (flex flex-col gap-2): Each bg-gray-50 rounded-lg p-3. Lightbulb "Most productive 10:00-11:30 AM — 3 tasks without switching", AlertTriangle "Checked messages 12 times 2-4 PM — broke flow", Trophy "5 tasks — 2 more than daily average!", TrendingUp "Score: 78/100 (up from 72 yesterday)".
2. DETAILED ACTIVITY LOG (DetailedActivityLog.tsx):
- 10 timestamped entries (text-sm): "9:00 AM — Opened Tasks → Sprint Board", "9:02 AM — Changed Login Redesign → In Progress" etc. [Show All 47 Activities] link. Weekly coaching section inline below (bg-blue-50 rounded-lg p-4): "Weekly AI Coaching" + 3 Brain icon cards + "Apply Suggestions"/"Export Report"/"Share" buttons.
3. WEEKLY HEATMAP (WeeklyHeatmap.tsx):
- Grid. Rows: 9AM-5PM (text-xs text-gray-400). Cols: Mon-Fri. Cells (w-10 h-10 rounded-sm gap-1): bg-blue-700(high)/bg-blue-400(medium)/bg-blue-200(low)/bg-gray-100(idle). Legend. Hardcoded data.
- EMPTY: "No activity for this day." "Not enough data for weekly view."
4. TM SETTINGS (TimeMachineSettings.tsx):
- Slide-out (w-[380px] bg-white shadow-xl). Tracking: 4 toggles ON. Daily: time "6:00 PM", timezone "Auto", notification ON, coaching ON. Weekly: day "Sunday", notification ON, share OFF. Privacy: notice + "Delete All Data". Display: default "Daily", score ON.
5. DELEGATION PANEL (DelegationPanel.tsx — includes CandidateCard inline):
- Dropdown (w-[380px] bg-white rounded-lg shadow-xl border p-4)
- Robot icon + "AI Delegation Suggestions" + task title (text-sm text-gray-500)
- 3 candidate rows (py-3 border-b last:border-0): Avatar(w-10 h-10) + Name(font-medium) + score badge "94/100"(bg-green-500 text-white text-xs rounded-full px-2). Status: green dot + "Available | 3 tasks | React Expert". Reasoning (italic text-sm text-gray-500). 3 mini factor bars inline (text-xs). [Assign] button (blue w-full mt-2). First: "Best Match" badge.
- Footer: "Assign to someone else..." link
6. TEAM WORKLOAD DASHBOARD (TeamWorkloadDashboard.tsx — includes MemberWorkloadCard inline):
- Header "Team Workload Overview" + [Auto-Balance] button (blue, Robot icon)
- Horizontal scroll (flex gap-3 overflow-x-auto pb-2) of 5 member cards
- Each card (w-[130px] bg-white rounded-lg shadow-sm p-3 flex-shrink-0): Avatar(w-10 mx-auto) + Name(text-sm font-medium text-center) + status

"Good"(green)/"Busy"(yellow)/"Overloaded"(red)(text-xs rounded-full) + "Tasks: 3" "Due: 1" + capacity bar (h-2 rounded-full: green<80%/orange/red>100%) + percentage

- Cards: Alice 60%, Bob 85%, Carol 15%, Dave 110%, Eve 45%
- EMPTY: "No team members available."

7. CONTEXT SWITCHER MODAL (ContextSwitcherModal.tsx — includes ProjectContextCard inline):

- Centered modal (max-w-[560px] max-h-[70vh] rounded-xl shadow-2xl p-5)
- Shuffle icon + "Switch Project Context" + X. Search "Search projects..."
- "PINNED": 1 project row (h-16 hover:bg-gray-50 rounded-lg px-3 py-2): pin icon + color dot(w-3 h-3) + name(font-medium) + "Last: 2h ago"(text-sm text-gray-400 ml-auto). Line 2: "5 active tasks | 3 unread | 1 draft"(text-xs text-gray-500)
- "RECENT": 3 project rows. One has "3 important updates"(text-xs text-orange-500). One has "2 decisions need input"
- Footer: "+ Create New Project Context" link
- EMPTY: "No project contexts detected."

8. CATCH-UP CARD (CatchUpCard.tsx):

- Floating (max-w-[440px] bg-white shadow-xl rounded-xl p-5). Shuffle + "Welcome back to "API Documentation"". "Away for 1 day 4 hours". "What happened:" 4 bullets (text-sm): "3 tasks completed", "2 new assigned to you", "@bob asked about auth", "Design review notes posted". "Suggested first action: Reply to Bob — 6 hours old". Buttons: "Go to message"(blue)/"View all"(border)/"Dismiss"(ghost).

9. RECORDING BAR (RecordingBar.tsx):

- Fixed top-center (fixed top-4 left-1/2 -translate-x-1/2 z-50). Pill (h-12 bg-white rounded-full shadow-lg border px-6 flex items-center gap-4): Red dot pulse + "Recording..." + "Steps: 5" + "Last: Created task"(text-sm text-gray-500 truncate max-w-[200px]). Buttons: "Pause"(border rounded-full px-3 py-1 text-sm)/"Stop"(bg-red-500 text-white rounded-full px-3 py-1)/"Undo Last"(text-gray-400 text-sm).

10. WORKFLOW REVIEW MODAL (WorkflowReviewModal.tsx):

- Modal (max-w-[600px] max-h-[80vh] overflow-y-auto rounded-xl shadow-2xl p-6). CheckCircle green + "Workflow Recorded: "Client Onboarding"". Name+Desc inputs. "INPUT VARIABLES": 4 rows: checkbox + "Client Name"[Text]/"Client Email"[Text]/"Start Date"[Date]/"Account Manager"[User] + "+ Add variable". "WORKFLOW STEPS": 5 numbered steps icon+desc+{{variables}} in blue text + [Edit][Remove][Make Optional]. "TRIGGER": 3 radios Manual/Scheduled/Event. Cancel+"Save Workflow".

11. WORKFLOW RUN MODAL (WorkflowRunModal.tsx):

- Modal (max-w-[440px] p-6). Play icon + "Run: Client Onboarding". 4 variable fields (label+input). Cancel+"Run Workflow". Completion state: 5 green checks + steps + "Time saved: ~8 min" + "View Created Items"/"Run Again"/"Done".

12. WORKFLOW LIBRARY (WorkflowLibrary.tsx — includes WorkflowCard inline):

- Header "Workflows" + "Record New Workflow"(blue). Tabs "My"/"Shared"/"All". Grid (grid-cols-2 gap-3): 4 cards each bg-white rounded-lg shadow-sm p-4 border hover:shadow-md. Icon+name(font-semibold text-sm)+desc(text-xs text-gray-500

line-clamp-2)+"Run 12 times | Avg: 45s"(text-xs text-gray-400)+Run+[Edit][Share][Delete] icons.

- EMPTY: "No workflows yet. Record your first!"

13. DAILY PLANNER (DailyPlanner.tsx — includes PlanBlock + PlanSummaryBar inline):

- Header: Calendar + "My Day — Wednesday, March 4" + Regenerate
- AI Reasoning (bg-blue-50 rounded-lg p-3 text-sm italic): "API deadline tomorrow, prioritized backend in peak hours"
- Vertical timeline: 8 blocks (bg-white rounded-lg shadow-sm p-3 border-l-4 gap-2). Each: time range (text-xs text-gray-400) + icon+title(font-medium) + priority badge "MUST DO"(bg-red-100 text-red-700 text-xs)/"Should Do"(blue)/"Nice to Do"(gray) + energy "High"/"Medium"/"Low" + [Done][Skip][Start Focus][Reschedule] buttons. Colors: task=blue, meeting=purple, break=gray, comms=yellow, focus=orange.
- 8 blocks: 9:00 Comms(30min), 9:30 "Implement auth API"(90min MUST DO), 11:00 Break(15min), 11:15 "Review mockups"(45min), 12:00 Lunch(60min), 1:00 Sprint Planning(45min meeting), 1:45 "Unit tests"(60min), 2:45 "Update docs"(45min Nice)
- Bottom bar (fixed bottom-0 bg-white shadow-lg border-t p-3 z-30): "Must Do: 1/2 | Should Do: 1/4 | Nice: 0/2" + "Planned: 6h 30m | Completed: 0h | Remaining: 6h 30m"
- EMPTY: "Click Regenerate to create today's plan"

14. TEMPLATE SELECTOR (TemplateSelector.tsx):

- Modal (max-w-[560px] rounded-xl shadow-2xl p-6). FileText + "Generate Document with AI". Sections: "REPORTS" [Weekly Status Report][Sprint Retrospective], "PLANNING" [Meeting Agenda][Project Brief/PRD], "HANDOFFS" [Handoff Document][Onboarding Guide], "CUSTOM" [Describe what you need]. Each card: bg-white rounded-lg shadow-sm p-4 border hover:shadow-md icon+title+desc. [Create Custom Template] link. Config form inline after select: date range, project, include data checkboxes, notes textarea, "Generate Document" button. Progress inline: 4 steps + bar.

15. CUSTOM TEMPLATE CREATOR (CustomTemplateCreator.tsx):

- Modal (max-w-[600px] max-h-[80vh] overflow-y-auto rounded-xl p-6). Name+Desc inputs. "Sections": 3 rows each drag handle+title input+type dropdown (Static Text/AI Generated/Data Query/User Input)+delete X. [+ Add Section]. Cancel+"Save Template".
- EMPTY: "No custom templates yet."

BOUNDARIES — CRITICAL:

- Do not add any click handlers or state changes
- Do not add any API calls or database connections
- Do not modify any existing files
- Build only and exactly what is described above

PROMPT 3 OF 6

Logic: Infrastructure + Autopilot + Predictions + Time Machine

🔵 REPLIT: AUTONOMOUS → ECONOMY | App Testing: OFF | Code Optimization: OFF

PROMPT 3 — Copy into Replit

CONTEXT: App: AI-driven productivity platform (SaaS) with auth, workspaces, tasks, docs, messaging, meetings, calendar, AI service Tech: Next.js 14+, TypeScript, Tailwind, Shadcn/UI, PostgreSQL, Prisma, tRPC, Socket.io, Redis, OpenAI via centralized service, pgvector, BullMQ Rules: TypeScript strict, Zod validation, UUID PKs, createdAt/updatedAt/deletedAt, responsive, all AI through centralized service, BullMQ for >2s Feature: Event tracking, queues, AI service extensions, all autopilot interactions, prediction engine, time machine logic Current state: Prompts 1-2 done. All UI shells exist. Layer: Layer 2+3

Files to create:

- src/hooks/useActivityTracker.ts
- src/lib/eventQueue.ts
- src/lib/jobQueues.ts
- src/lib/aiServiceExtensions.ts
- src/app/api/autopilot/events/route.ts
- src/lib/autopilot/triggerEngine.ts
- src/lib/autopilot/actionExecutor.ts
- src/lib/autopilot/undoSystem.ts
- src/lib/predictions/predictionEngine.ts
- src/lib/predictions/sequenceLearner.ts
- src/lib/timemachine/sessionAnalyzer.ts
- src/lib/timemachine/focusScoreCalculator.ts

Files to change:

- AutopilotPanel.tsx, RuleCreatorModal.tsx, AutopilotSettings.tsx
- PredictionBanner.tsx, PostCompletionPopup.tsx, SprintPlanner.tsx
- TimeMachine.tsx, VisualTimeline.tsx, ActivityBreakdown.tsx, AIInsightsPanel.tsx, DetailedActivityLog.tsx, WeeklyHeatmap.tsx, TimeMachineSettings.tsx

TASK: Wire all infrastructure, autopilot, prediction, and time machine interactions. All data in React state only (lost on refresh = expected). Do not change any visual design.

PART A — INFRASTRUCTURE

1. EVENT TRACKER (useActivityTracker.ts): Hook exporting {trackEvent, isTracking}. Events: task_created/completed/status_changed/assigned/due_changed/comment_added/viewed, message_sent/channel_switched, page_created/edited/shared, meeting_started/ended, feature_opened/search_performed/session_start/end. Each event: {eventType, eventData, sessionId(UUID), timestamp(ISO), dayOfWeek(0-6), hourOfDay(0-23)}. Debounce page_edited 30s. Daily cap 1000.

2. EVENT QUEUE (eventQueue.ts): In-memory array. flush() POSTs to /api/autopilot/events. Auto-flush 10s interval + beforeunload. Max queue 200.

3. EVENTS API (route.ts): POST {events:[]}. Zod validation. Max 100/request. Console.log for now. Return {success, eventsReceived}.

4. JOB QUEUES (jobQueues.ts): 6 BullMQ queues: "pattern-detection"(6h), "daily-summary"(user-timed), "plan-generation"(user-timed), "profile-update"(6h), "document-generation"(on-demand), "workflow-execution"(on-demand). Each: 3 retries, exponential backoff, 5min timeout, dead letter queue.

5. AI SERVICE (aiServiceExtensions.ts): generateStructured(prompt, zodSchema), generateWithContext(prompt, contextData), batchGenerate(prompts[]). Each: token estimation, credit deduction, Redis cache check, fallback.

PART B — AUTOPILOT LOGIC

6. PANEL: Sidebar Zap icon + Ctrl+Shift+A toggles panel. Tab clicking switches sections. Gear opens settings slide-out.

7. RULE CREATOR: "+ Create" opens modal. Cancel/X/Escape/overlay close. TRIGGER OPTIONS (each shows sub-config): "Task completed"(database+status+assignee filters), "Task created"(database+property filters), "Task assigned to me", "Task status changed"(from/to), "Task due in X hours"(number default 24), "Task overdue"(hours default 48), "Meeting ended"(type filter), "Meeting starting in X min"(default 15), "Message with keyword"(keywords+channel), "Time-based"(day/time), "Start of day"(time+timezone), "End of day"(time+timezone), "Weekly on day", "No activity X min"(default 30). ACTION OPTIONS: "Create task"(db+title with {{vars}}+assignee+due+priority), "Update task"(property+value), "Move to status", "Assign to person", "Send channel message"(channel+text), "Send DM"(user+text), "Create page"(title+template), "Send notification"(recipient+msg), "Send reminder"(delay+msg), "AI generate"(prompt+target), "AI summarize"(source), "Wait X min", "Condition check"(field+operator+value+if/else). "+Add action" max 5. Variables:

{{task.title}}, {{user.name}}, {{date.today}}. Validate name+trigger+action. Save to state.

8. SUGGESTIONS: "Do It" executes + toast + move to Recent. "Edit" opens RuleCreator pre-filled. "Skip" removes + animation. "Never" blocks.

9. FLOATING WIDGET: Show when pending. Max 3 stacked. Auto-dismiss 30s. X individual dismiss.

10. RULES: Toggle ON/OFF. Edit/Duplicate("Copy" appended)/Delete(confirm)/View History.

11. TRIGGER ENGINE (triggerEngine.ts): evaluateTriggers(event, rules) — match eventType to triggerType, check config filters, check cooldown+daily limit, max chain depth 3.

12. ACTION EXECUTOR (actionExecutor.ts): executeActions(rule, event) — process actions in order, replace {{vars}}, handlers: create_task/update_task/send_message/create_page add to state, send_notification=toast, wait=setTimeout, condition=branch. Auto mode: execute+toast with Undo. Suggest: add to pending. Confirm: modal first.

13. UNDO (undoSystem.ts): Store undoData per execution. [Undo] reverses. Available 24h. Toast "Autopilot did X. [Undo]" dismiss 10s.

14. SETTINGS: Toggles save to state. Master toggle disables all. "Delete All Data" confirms+clears.

15. TEMPLATES: "Use Template" pre-fills RuleCreator.

PART C — PREDICTIONS LOGIC

16. BANNER: [Collapse]/[Expand] toggles (200ms). Count from state.

17. PREDICTION CARDS: "Create Task" creates+toast+fade-out. "Edit & Create" opens task modal pre-filled. "Not Needed" removes+increments dismissals. 3+ dismissals pauses 1 week.

18. POST-COMPLETION: Auto-show on task "Done". If prediction exists show popup. "Create It"/"Skip". Auto-dismiss 10s countdown.

19. SPRINT: Checkboxes toggle. "Create All Selected". "Customize" = inline edit. "Start Blank" closes.

20. PREDICTION ENGINE (predictionEngine.ts): predictFollowUpTasks(task) — load task_sequences matching properties, confidence>0.7 generate prediction {title, assignee, due, reasoning}. Duplicate check 80% title match. Max 5 per db.

21. SEQUENCE LEARNER (sequenceLearner.ts): learnSequences(tasks30d) — find pairs within 24h same db, frequency>3 + confidence>0.6 save as sequence.

22. SPRINT PREDICTION: predictSprintTasks(projectId) from templates.

PART D — TIME MACHINE LOGIC

23. TIME MACHINE: Date nav arrows. Tab switching Daily/Weekly/Monthly.

24. TIMELINE: Hover shows tooltip (name+duration+details). Click scrolls to activity log.

25. ACTIVITY LOG: [Show All] expands. Click entry navigates to item.

26. SESSION ANALYZER (sessionAnalyzer.ts): analyzeSession(events[]) — group into blocks (same type 5min gap), calc totals, count context switches.

27. FOCUS SCORE (focusScoreCalculator.ts): (longestBlock/totalActive)*100. -5 per switch>10. +10 if session>45min. Clamp 0-100.

28. HEATMAP: Render from 5 days sessions (color by focus).

29. SETTINGS: All toggles to state.

BOUNDARIES — CRITICAL:

- Do not add any database reads or writes
- All data in React state only (lost on refresh — expected)
- Do not change any visual design from Structure prompts
- Do not add any features not described above

PROMPT 4 OF 6

Logic: Delegation + Context + Workflows + Planner + DocGen

🔵 REPLIT: AUTONOMOUS → ECONOMY | App Testing: OFF | Code Optimization: OFF

PROMPT 4 — Copy into Replit

CONTEXT: App: AI-driven productivity platform (SaaS) with auth, workspaces, tasks, docs, messaging, meetings, calendar, AI service Tech: Next.js 14+, TypeScript, Tailwind, Shadcn/UI, PostgreSQL, Prisma, tRPC, Socket.io, Redis, OpenAI via centralized service, pgvector, BullMQ Rules: TypeScript strict, Zod validation, UUID PKs, createdAt/updatedAt/deletedAt, responsive, all AI through centralized service, BullMQ for >2s Feature: Delegation scoring + context switching + workflow recording/processing/execution + plan generation + document assembly Current state: Prompt 3 done. Layer: Layer 2+3

Files to create:

- src/lib/delegation/scoringAlgorithm.ts
- src/lib/delegation/workloadCalculator.ts
- src/lib/context/contextManager.ts
- src/lib/workflows/actionRecorder.ts
- src/lib/workflows/workflowProcessor.ts
- src/lib/workflows/workflowExecutor.ts
- src/lib/planner/planGenerator.ts
- src/lib/docgen/dataGatherer.ts
- src/lib/docgen/documentAssembler.ts

Files to change:

- DelegationPanel.tsx, TeamWorkloadDashboard.tsx
- ContextSwitcherModal.tsx, CatchUpCard.tsx
- RecordingBar.tsx, WorkflowReviewModal.tsx, WorkflowRunModal.tsx, WorkflowLibrary.tsx
- DailyPlanner.tsx, TemplateSelector.tsx, CustomTemplateCreator.tsx

TASK: Wire all delegation, context, workflow, planner, and document generation interactions. All data in React state only (lost on refresh = expected). Do not change any visual design.

PART A — DELEGATION

1. DELEGATION: "AI Suggest" opens panel. Click outside closes. [Assign] assigns+closes+toast.

2. SCORING (scoringAlgorithm.ts): skillMatch(30%): Expert=100/Intermediate=70/Beginner=40/None=10. workloadFit(25%): <max=100/==max=50/>max=20/+10 no overdue/-20 overdue. availabilityFit(20%): working+50/timezone+20/no vacation+20/free slots+30. pastPerformance(15%): onTimeRate*100. domainExperience(10%): exact=100/related=60/none=20. Weighted sum. Sort DESC. AI reasoning top 3.

3. WORKLOAD (workloadCalculator.ts): Per member sum estimated_minutes. Capacity=assigned/40h*100. <80%Good/80-100%Busy/>100%Overloaded.

4. AUTO-BALANCE: Preview modal with suggested moves. [Apply All][Selected][Cancel].

PART B — CONTEXT SWITCHING

5. CONTEXT: Ctrl+Shift+P opens. Escape/X closes. Search filters.

6. CONTEXT MANAGER (contextManager.ts): saveCurrentContext() captures open items. restoreContext(projectId) loads+navigates+restores.

7. CATCH-UP: If away>2h show card. Count new messages/tasks/completions. Suggest first action.

8. PROJECT CARDS: Click opens. Right-click Pin/Edit/Remove. "+ Create" form.

PART C — WORKFLOW RECORDING

9. RECORDING: "Record" or Ctrl+Shift+R shows bar.

10. RECORDER (actionRecorder.ts): Intercept create_task/update_task/send_message/create_page/create_meeting. Store steps. Pause/Resume. Undo Last. Stop passes to processor.

11. PROCESSOR (workflowProcessor.ts): Clean navigation. Detect variables (names/dates/users). Detect references (step outputs). Generate descriptions. Return processedSteps+inputVariables.

12. Review modal opens after processing. Edit/remove/optional/variables. Save to state.

13. EXECUTOR (workflowExecutor.ts): executeWorkflow(workflow, values) — sequential: replace {{vars}}, replace refs, execute, capture output. Failure: [Retry][Skip][Cancel]. Progress in RunModal.

14. RUN: [Run] opens form. Validates required. "Run Again" pre-fills.

15. LIBRARY: Tabs filter. Share toggles. Delete confirms.

PART D — DAILY PLANNER

16. PLANNER BLOCKS: [Done]=green+check+completes linked task. [Skip]=gray. [Start Focus]=timer countdown. [Reschedule]=time picker. DRAG to reorder (recalculate times). Right-click "Move to tomorrow"/"Change time"/"Remove". [+Add Block] custom.

17. PLAN GENERATOR (planGenerator.ts): generateDailyPlan(userId) — a) Gather: tasks due 7d, calendar meetings, working hours, peak hours. b) Categorize: MUST DO(due today/overdue+High/Urgent), SHOULD DO(due 3d+Medium), NICE TO DO(due 7d+Low/no date). c) Estimate: estimated_minutes or default 30min. d) Schedule: meetings first(fixed), MUST DO in peak(10-12), comms blocks 9AM+after lunch(30min), SHOULD DO remaining, breaks every 90min(15min), lunch at configured time(60min), NICE TO DO low-energy, 30min buffer. e) Return blocks+counts+reasoning.

18. [Regenerate] calls generator.

19. SUMMARY BAR: Auto-calc completed/total per tier + time sums.

PART E — DOCUMENT AUTOPILOT

20. TEMPLATE FLOW: "New Document"→"AI Generate" or Ctrl+K. Click template shows config form inline. Date range: This/Last Week/Month/Custom. Project dropdown. 4 checkboxes. "Generate" triggers gathering.

21. DATA GATHERER (dataGatherer.ts): gatherData(config) — query state: tasks by project+date+status, messages by channels, meetings by date, docs recently edited. Return structured data.

22. ASSEMBLER (documentAssembler.ts): assembleDocument(template, data) — process sections: static_text=as-is, data_query=format as table/list/paragraph, ai_generated=build prompt+mock AI, user_input=provided text. Progress step-by-step. Return blocks.

23. Create page in state. Open in editor. Banner "AI-generated. Review and edit."

24. CUSTOM CREATOR: [+Add Section] adds row. Type dropdown changes fields. Drag reorder. Save stores.

25. 5 BUILT-IN CONFIGS: Weekly Status(8 sections), Meeting Agenda(5), Project Brief(8), Sprint Retro(5), Handoff Doc(7).

BOUNDARIES — CRITICAL:

- Do not add any database reads or writes
- All data in React state only (lost on refresh — expected)
- Do not change any visual design from Structure prompts
- Do not add any features not described above

PROMPT 5 OF 6

DB: All Tables + Connect Events + Autopilot + Predictions

🔵 REPLIT: AUTONOMOUS → ECONOMY | App Testing: OFF | Code Optimization: OFF

PROMPT 5 — Copy into Replit

CONTEXT: App: AI-driven productivity platform (SaaS) with auth, workspaces, tasks, docs, messaging, meetings, calendar, AI service Tech: Next.js 14+, TypeScript, Tailwind, Shadcn/UI, PostgreSQL, Prisma, tRPC, Socket.io, Redis, OpenAI via centralized service, pgvector, BullMQ Rules: TypeScript strict, Zod validation, UUID PKs, createdAt/updatedAt/deletedAt, responsive, all AI through centralized service, BullMQ for >2s Feature: Create all 18 database tables + connect events API, autopilot CRUD, pattern detection, predictions Current state: Prompts 1-4 done. Everything works with React state. Layer: Layer 4

TASK: Create all 18 tables in one migration. Then connect events, autopilot, and predictions to real database.

PART A — CREATE ALL 18 TABLES

Do NOT connect to UI yet in this part. Just create the tables.

1. "autopilot_rules": id(UUID PK), workspaceId(FK), userId(FK), name, description?, type(learned/user_created/suggested/template), triggerType, triggerConfig(Json), actions(Json), executionMode(auto/suggest/confirm default suggest), isActive(bool true), confidence(Float?), timesTriggered(Int 0), timesExecuted(Int 0), timesDeclined(Int 0), lastTriggeredAt?, lastExecutedAt?, cooldownMinutes(Int 0), maxExecutionsPerDay(Int 50), tags(String[]), timestamps+deletedAt. INDEX(userId,isActive,triggerType)

2. "autopilot_executions": id, ruleId(FK), userId, workspaceId, triggerEvent(Json), actions(Json), status(pending_approval/approved/executing/completed/failed/declined/expired), executionMode, approvedAt?, declinedAt?, completedAt?, error?, undoneAt?, undoData(Json?), creditsUsed(Int 0), createdAt

3. "autopilot_activity_log": id, userId, workspaceId, eventType, eventData(Json), sessionId?, timestamp, dayOfWeek(Int), hourOfDay(Int). INDEX(userId,timestamp),(userId,eventType,timestamp)

4. "autopilot_patterns": id, userId, workspaceId, patternType, description, eventSequence(Json), frequency(Int), confidence(Float), suggestedRule(Json?), status(detected/suggested/accepted/dismissed/expired), detectedAt, lastOccurredAt, timestamps

5. "task_predictions": id, workspaceId, userId, databaseId, predictedTitle, predictedDescription?, predictedProperties(Json), triggerTaskId?, triggerEvent, confidence(Float), reasoning, status(predicted/accepted/modified_and_accepted/dismissed/expired/auto_created), acceptedTaskId?, expiresAt, timestamps

6. "task_sequences": id, workspaceId, databaseId, precedingTaskPattern(Json), followingTaskPattern(Json), occurrences(Int), confidence(Float), lastObservedAt, isActive(bool true), timestamps

7. "project_templates_learned": id, workspaceId, name, description, taskSequence(Json), sourceProjectIds(String[]), usageCount(Int 0), confidence(Float), isVerified(bool false), timestamps

8. "work_sessions": id, userId, workspaceId, date, startTime, endTime?, totalActiveMinutes(Int), totalIdleMinutes(Int), activities(Json), summary(Json?), timestamps. UNIQUE(userId,date)

9. "work_patterns": id, userId, workspaceId, patternType, data(Json), analysisDate, periodDays(Int), timestamps

10. "ai_coaching_messages": id, userId, type, title, content, actionable(bool), actionData(Json?), priority, isRead(bool false), isDismissed(bool false), relatedPatternId?, createdAt

11. "team_member_profiles": id, userId, workspaceId, skills(Json), domains(String[]), currentWorkload(Json), availability(Json), preferences(Json), performanceMetrics(Json), lastProfileUpdateAt, timestamps. UNIQUE(workspaceId,userId)

12. "delegation_suggestions": id, taskId, workspaceId, suggestedById, candidates(Json), selectedUserId?, selectionSource, autoAssigned(bool false), createdAt

13. "delegation_rules": id, workspaceId, databaseId, name, conditions(Json), strategy, candidatePool(String[]), isActive(bool true), createdBy, timestamps

14. "project_contexts": id, userId, workspaceId, projectName, linkedDatabaseIds(String[]), linkedChannelIds(String[]), linkedPageIds(String[]), linkedMeetingIds(String[]), lastActiveAt, lastActiveDuration(Int), openItems(Json), aiCatchUpSummary(Json?), isPinned(bool false), color?, icon?, timestamps. INDEX(userId,lastActiveAt)

15. "recorded_workflows": id, userId, workspaceId, name, description?, icon?, recordedSteps(Json), processedSteps(Json), inputVariables(Json), triggerType(manual/scheduled/event default manual), triggerConfig(Json?), timesRun(Int 0), avgDurationSeconds(Float?), isActive(bool true), isPublic(bool false), timestamps+deletedAt

16. "daily_plans": id, userId, workspaceId, date, status(draft/active/completed/skipped), generatedPlan(Json), userModifications(Json), completionRate(Float?), reviewNotes?, timestamps. UNIQUE(userId,date)

17. "document_templates_ai": id, workspaceId, name, description, category, structure(Json), isBuiltIn(bool), usageCount(Int 0), createdBy, timestamps+deletedAt

18. "generated_documents": id, templateId?, userId, workspaceId, pageId, generationConfig(Json), dataSources(Json), status(generating/completed/failed), generationTimeMs(Int), createdAt

---

PART B — CONNECT EVENTS + AUTOPILOT + PREDICTIONS

1. EVENTS API: Replace console.log with prisma.autopilotActivityLog.createMany(). Add server timestamps.

2. AUTOPILOT RULES API: GET(user+workspace, filter isActive/type, order timesTriggered desc), POST(create+Zod), PUT(update, owner check), DELETE(soft). On panel open: load rules+executions.

3. EXECUTIONS API: GET(user, filter status/rule/date, paginate 20), POST(log execution), PUT(approve/decline/undo). After execution: POST with ruleId+triggerEvent+actions+results+undoData+credits.

4. SETTINGS: Save autopilotSettings JSON to user preferences. Load on open.

5. RATE LIMITING: Redis key "autopilot_daily:{userId}:{date}" TTL 24h.

6. PATTERN DETECTION JOB (BullMQ every 6h): Load 14 days activity_log (min 50 events). Sequence detection (pairs 5+ times 70%+). Time-based (same day+hour 3+ times). Conditional patterns. Confidence>0.75: insert patterns+suggestedRule. >0.85: badge+notification. 3 retries, 5min timeout.

7. FEEDBACK: "Enable" = accepted+create rule. "Not Useful" = dismissed+lower confidence.

8. SEED 10 TEMPLATES: Auto-Create Follow-Ups, Standup Summary, Meeting Notes, Overdue Escalator, EOD Report, Onboarding Tasks, PR Reminder, Weekly Summary, Auto-Assign Bugs, Sprint Notifier.

9. EDGE CASES: Circular(max depth 3). Rate limit(pause auto). AI failure(retry once). Stale targets(deactivate+notify). Conflicts(oldest first). Offline(execute auto, queue suggestions).

10. PREDICTIONS API: GET(user, db, status, confidence>0.75, max 5, exclude expired), POST(create), PUT(accept/dismiss+acceptedTaskId).

11. On task completion: BullMQ job, load sequences, AI generate prediction, insert, socket emit, expiresAt 7d.

12. SEQUENCE LEARNING (nightly 2AM): per workspace 30 days, frequency table, save task_sequences, AI descriptions.

13. WEEKLY (Sunday 8PM): analyze patterns, generate next week predictions.

14. FEEDBACK LOOP: accept +0.05 confidence. dismiss -0.03. 3+ pauses. Daily cleanup expired.

BOUNDARIES — CRITICAL:

- Do not change any UI design or layout
- Do not change any interaction behavior
- Only add database operations, background jobs, and API connections
- Do not add any features not described above

PROMPT 6 OF 6

DB: Time Machine + Delegation + Context + Workflows + Planner + DocGen + Verify + Seed

🔵 REPLIT: AUTONOMOUS → ECONOMY | App Testing: OFF | Code Optimization: OFF

PROMPT 6 — Copy into Replit

CONTEXT: App: AI-driven productivity platform (SaaS) with auth, workspaces, tasks, docs, messaging, meetings, calendar, AI service Tech: Next.js 14+, TypeScript, Tailwind, Shadcn/UI, PostgreSQL, Prisma, tRPC, Socket.io, Redis, OpenAI via centralized service, pgvector, BullMQ Rules: TypeScript strict, Zod validation, UUID PKs, createdAt/updatedAt/deletedAt, responsive, all AI through centralized service, BullMQ for >2s Feature: Connect remaining 5 features to DB + verify all connections + seed sample data Current state: Prompt 5 done. Tables exist. Events+Autopilot+Predictions connected. Layer: Layer 4 — Final prompt

TASK: Connect Time Machine, Delegation, Context, Workflows, Planner, and DocGen to real database. Then verify everything and seed sample data.

PART A — TIME MACHINE DB

1. SESSIONS: Save work_sessions on end-of-day. Load for selected date.

2. END-OF-DAY JOB (BullMQ, user time): Collect activity_log, run sessionAnalyzer, calc focus score. AI: "Analyze this day: {activities}. Provide narrative, 2-3 insights, 1-2 recommendations, score 0-100." Store in summary. Notify "Daily replay ready!"

3. WEEKLY JOB (Sunday 8PM): 7 days sessions, aggregate, detect patterns (peak hours, meeting days, deep work). Store work_patterns. AI coaching messages. Store ai_coaching_messages. Notify.

4. MONTHLY (1st): 30 days, update patterns, long-term trends.

5. COACHING: Load ai_coaching_messages. "Apply" creates autopilot rules. Mark read/dismissed.

6. SETTINGS: Persist user preferences.

PART B — DELEGATION DB

7. DELEGATION API: POST /suggest (score all members, save delegation_suggestions). PUT /assign (update task+selection).

8. PROFILE UPDATE JOB (every 6h): Count tasks/hours/dues/overdue per member. Completion rate 30d. Update team_member_profiles.

9. SKILL DETECTION (weekly): Analyze task titles/labels. AI: "What skills? Return [{skill,level,confidence}]." Merge. Update profiles.

10. CALENDAR (if connected): Fetch 7d events, calc free hours, update availability.

11. AUTO-DELEGATION RULES: CRUD for delegation_rules. On new task: auto-score+assign per strategy.

PART C — CONTEXT DB

12. CONTEXT CRUD: GET(user, order lastActiveAt), POST, PUT(openItems, pinned). Auto-save on switch.

13. AUTO-DETECTION (weekly+on new channel/db): Analyze dbs+channels+docs. Group by naming/links/co-activity. Create contexts. Notify for confirmation.

14. AI CATCH-UP: On switch(away>2h): query new messages/tasks/completions. AI summarize. Store aiCatchUpSummary. Show card.

15. STATE: openItems debounced 2s. lastActiveAt+Duration on switch.

PART D — WORKFLOWS DB

16. WORKFLOW CRUD: GET(user+shared), POST, PUT, DELETE(soft).

17. REAL EXECUTION: create_task via task API, send_message via messaging API, create_page via document API. Capture real IDs for refs.

18. TRACKING: Update timesRun+avgDurationSeconds after each run.

19. TRIGGERS: scheduled=BullMQ recurring. event=register with Autopilot triggers. manual=user clicks.

PART E — PLANNER + DOCGEN DB

20. PLAN PERSISTENCE: Save daily_plans on generate+modify. Load for today. One per user/day. Track userModifications.

21. AI OPTIMIZATION: After basic planGenerator, send to AI: "Optimize this schedule for energy patterns {peakHours} and {meetingCount} meetings." Replace with optimized.

22. CALENDAR: Fetch Google Calendar events as fixed purple blocks.

23. COMPLETION: [Done] updates task status in DB. Calculate completionRate end-of-day.

24. GENERATION TRIGGER (BullMQ at start-of-day): Auto-generate. Notify "Plan ready!"

25. SEED 5 TEMPLATES: Insert document_templates_ai (isBuiltIn=true): Weekly Status Report(8 sections), Meeting Agenda(5), Project Brief/PRD(8), Sprint Retrospective(5), Handoff Document(7).

26. CUSTOM TEMPLATE CRUD.

27. REAL DATA QUERIES: Replace state with DB: prisma.tasks.findMany, prisma.messages.findMany, prisma.meetings.findMany, prisma.pages.findMany.

28. REAL AI: Replace mock with centralized service. generateWithContext for ai_generated sections. batchGenerate for parallel.

29. REAL PAGE: Create via document API. Save generated_documents.

30. USAGE: Increment template usageCount.

31. SCHEDULED GENERATION: If template has schedule: BullMQ recurring. Notify with link.

PART F — VERIFY ALL CONNECTIONS

Verify every save/load works end-to-end:

- Create autopilot rule → persists after refresh
- Trigger fires → execution logged in DB
- Pattern detection job runs → patterns saved
- Task completion → prediction generated and shown
- Accept prediction → task created in DB
- Activity tracking → events in autopilot_activity_log
- End-of-day → work_session with AI summary saved
- Weekly analysis → patterns + coaching messages saved
- Delegation suggestion → candidates scored and saved
- Profile update job → team_member_profiles updated
- Context switch → state saved/restored from DB
- AI catch-up → summary generated on return
- Record workflow → saved to DB
- Run workflow → real tasks/messages created
- Generate daily plan → saved to daily_plans
- Generate document → real page created with AI content
- Template generation → document_templates_ai used

PART G — SEED SAMPLE DATA

Seed all of this:

- 5 autopilot rules (3 learned, 1 user_created, 1 template) with varied triggers
- 10 autopilot executions (mix of completed/declined/pending)
- 50 activity_log events across 3 days
- 3 detected patterns with varying confidence

- 5 task predictions (3 predicted, 1 accepted, 1 dismissed)
- 3 task sequences
- 3 work_sessions with full activity data and AI summaries
- 2 work_patterns (peak_hours, context_switching)
- 4 coaching messages
- 5 team_member_profiles with skills and workload
- 3 project_contexts (1 pinned, 2 recent)
- 2 recorded_workflows (1 manual, 1 scheduled)
- 2 daily_plans (today active, yesterday completed)
- 5 built-in document templates (already seeded above)
- 1 generated_document
- 5 notifications

BOUNDARIES — CRITICAL:

- Do not change any UI design or layout
- Do not change any interaction behavior
- Only add database operations, background jobs, and API connections
- Do not add any features not described above

CREDIT SUMMARY

Prompts	Mode	Cost
Prompt 1 (UI Part 1)	⚡ Lite	~0.20
Prompt 2 (UI Part 2)	⚡ Lite	~0.20
Prompt 3 (Logic Part 1)	🔵 Economy	~1.00
Prompt 4 (Logic Part 2)	🔵 Economy	~1.00
Prompt 5 (DB+Connect 1)	🔵 Economy	~1.00
Prompt 6 (DB+Connect 2+Verify+Seed)	🔵 Economy	~1.00
TOTAL		**~4.40**
Fix prompts if needed	~0.20-0.40	
REALISTIC TOTAL		**~4.40-5.00**

Savings vs original 19 prompts: ~7-8 credits saved (~60% reduction)

ALL 8 FEATURES BUILT

- **AI Work Autopilot** — Learned rules, trigger engine, action executor, undo, pattern detection, 10 templates, floating suggestions
- **AI Predictive Task Engine** — Sequence learning, prediction cards, post-completion popup, sprint planner, feedback loop
- **AI Work Time Machine** — Session tracking, visual timeline, activity breakdown, focus score, weekly heatmap, AI coaching
- **AI Smart Delegation** — Scoring algorithm (5 factors), candidate ranking, team workload dashboard, auto-balance
- **AI Context Switcher** — State save/restore, AI catch-up summaries, project auto-detection, keyboard shortcut
- **AI Workflow Recorder** — Action recording, AI processing, variable detection, workflow execution, library
- **AI Smart Daily Planner** — Plan generation algorithm, draggable blocks, focus integration, calendar sync
- **AI Document Autopilot** — 5 built-in templates, data gathering, AI generation, custom templates, scheduled generation

6 Prompts • 2 Lite + 4 Economy • ~4.40 Credits • 47 Components • Zero Features Removed