

Github link to repo consisting these files : <https://github.com/shashankgoud001/Major>
YouTube link for project demonstration : https://youtu.be/4h_SWHwu66l

```
index.php
<?php session_start() ?>
<!DOCTYPE html>
<html lang="en">

<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">

<!-- including CSS -->
<link rel="stylesheet" href="css/Style.css">

<!-- including font-awesome -->
<link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
<link rel="stylesheet" href="./fontawesome/css/all.min.css">

<!-- Including jquery -->
<script src="https://code.jquery.com/jquery-1.10.2.js"></script>

<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css"
integrity="sha384-1BmE4kWBq78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3"
crossorigin="anonymous">

<title>Happy Wedding</title>
</head>

<body>
<!-- <div id="nav-placeholder"></div>
<script>
$(function() {
    $("#nav-placeholder").load("nav.php");
});
</script> -->
<?php
$IPATH = $_SERVER["DOCUMENT_ROOT"] . "/assets/php/";
include($IPATH . "navbar.php");
```

```
?>

<div class="home-page">
    <!-- 
    <!-- <p>Happy Wedding</p> -->
    <!-- <form action="">
        <label for="city">City</label>
        <input type="text" id="city" name="city">
        <button>Search</button>
    </form> -->
</div>
<h1>Our Services</h1>
<div class="container home">
    <div class="card">
        <a class="element" href="venue.php">
            <p>Venue</p>
            
        </a>
    </div>

    <div class="card">
        <a class="element" href="decoration.php">
            <p>Decoration</p>
            
        </a>
    </div>

    <div class="card">
        <a class="element" href="catering.php">
            <p>Catering</p>
            
        </a>
    </div>

    <div class="card">
        <a class="element" href="photographers.php">
            <p>Photographers</p>
            
        </a>
    </div>
</div>
<center>
    <a href="services.php" class="a">View more</a>
```

```

</center>

<div class="plans">
  <h1>Our Plans</h1>
  <div class="combo-plans">
    <div class="card">
      <h1>Basic</h1>
      <ul>

        <li><i class="fa-solid fa-check"> </i> Venue</li>
        <li><i class="fa-solid fa-check"> </i> Decorators</li>
        <li><i class="fa-solid fa-check"> </i> Catering</li>
        <li><i class="fa-solid fa-xmark"> </i> Make Up</li>
        <li><i class="fa-solid fa-xmark"> </i> Photographers</li>
        <li><i class="fa-solid fa-xmark"> </i> Cake</li>
        <li><i class="fa-solid fa-xmark"> </i> Clothes</li>
        <li><i class="fa-solid fa-xmark"> </i> Jewelery</li>
        <li><i class="fa-solid fa-xmark"> </i> Honey Moon</li>
      </ul>
      <button onclick="location.href='plans.php'">Know More</button>
    </div>
    <div class="card" >
      <h1 style="color:silver;">Silver</h1>
      <ul>

        <li><i class="fa-solid fa-check"> </i> Venue</li>
        <li><i class="fa-solid fa-check"> </i> Decorators</li>
        <li><i class="fa-solid fa-check"> </i> Catering</li>
        <li><i class="fa-solid fa-check"> </i> Make Up</li>
        <li><i class="fa-solid fa-check"> </i> Photographers</li>
        <li><i class="fa-solid fa-check"> </i> Cake</li>
        <li><i class="fa-solid fa-xmark"> </i> Clothes</li>
        <li><i class="fa-solid fa-xmark"> </i> Jewelery</li>
        <li><i class="fa-solid fa-xmark"> </i> Honey Moon</li>
      </ul>
      <button onclick="location.href='plans.php'">Know More</button>
    </div>
    <div class="card">
      <h1 style="color:gold;">Gold</h1>
      <ul>

        <li><i class="fa-solid fa-check"> </i> Venue</li>
        <li><i class="fa-solid fa-check"> </i> Decorators</li>
        <li><i class="fa-solid fa-check"> </i> Catering</li>
      </ul>
    </div>
  </div>
</div>

```

```

        <li><i class="fa-solid fa-check"> </i> Make Up</li>
        <li><i class="fa-solid fa-check"> </i> Photographers</li>
        <li><i class="fa-solid fa-check"> </i> Cake</li>
        <li><i class="fa-solid fa-check"> </i> Clothes</li>
        <li><i class="fa-solid fa-check"> </i> Jewelery</li>
        <li><i class="fa-solid fa-check"> </i> Honey Moon</li>
    </ul>
    <button onclick="location.href='plans.php'">Know More</button>
</div>

</div>
</div>
<div class="customers homepageCustomers">
    <h1>Our Customers</h1>
    <div class="images">
        <a href="gallery.php">
            
            
            
            
            
            
            
            
            
        </a>
    </div>
    <center>
        <a href="gallery.php" class="a">View more</a>
    </center>
</div>
<!-- <div class="blog">
    <h1>Read our latest blogs</h1>

</div> -->

<!-- <div class="services">
    <h1>We offer the following services</h1>

    <div id="carouselExampleDark" class="carousel carousel-dark slide"
        data-bs-ride="carousel">

```

```
<div class="carousel-indicators">
  <button type="button" data-bs-target="#carouselExampleDark"
data-bs-slide-to="0" class="active" aria-current="true" aria-label="Slide 1"></button>
  <button type="button" data-bs-target="#carouselExampleDark"
data-bs-slide-to="1" aria-label="Slide 2"></button>
  <button type="button" data-bs-target="#carouselExampleDark"
data-bs-slide-to="2" aria-label="Slide 3"></button>
</div>
<div class="carousel-inner">
  <div class="carousel-item active" data-bs-interval="10000">
    
    <div class="carousel-caption d-none d-md-block">
      <h5>Venue</h5>
    </div>
    <h6>Venue</h6>
  </div>
  <div class="carousel-item" data-bs-interval="2000">
    
    <div class="carousel-caption d-none d-md-block">
      <h5>Cake</h5>
    </div>
    <h6>Cake</h6>
  </div>
  <div class="carousel-item">
    
    <div class="carousel-caption d-none d-md-block">
      <h5>Make Up</h5>
    </div>
    <h6>Make Up</h6>
  </div>
</div>
<button class="carousel-control-prev" type="button"
data-bs-target="#carouselExampleDark" data-bs-slide="prev">
  <span class="carousel-control-prev-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Previous</span>
</button>
<button class="carousel-control-next" type="button"
data-bs-target="#carouselExampleDark" data-bs-slide="next">
  <span class="carousel-control-next-icon" aria-hidden="true"></span>
  <span class="visually-hidden">Next</span>
</button>
</div>
```

```


</div> -->

<?php
include($IPATH . "footer.php");
?>

<!-- including JS -->
<script src="js/script.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p"
crossorigin="anonymous"></script>
</body>

</html>

```





Our Services

Venue



Decoration



Venue



Decoration



Catering



Photographers



[View more](#)

Our Plans

Basic

localhost:3000/catering.php

Silver

Gold

[View more](#)

Our Plans

Basic

- ✓ Venue
- ✓ Decorators
- ✓ Catering
- ✗ Make Up
- ✗ Photographers
- ✗ Cake
- ✗ Clothes
- ✗ Jewelry
- ✗ Honey Moon

[Know More](#)

Silver

- ✓ Venue
- ✓ Decorators
- ✓ Catering
- ✓ Make Up
- ✓ Photographers
- ✓ Cake
- ✗ Clothes
- ✗ Jewelry
- ✗ Honey Moon

[Know More](#)

Gold

- ✓ Venue
- ✓ Decorators
- ✓ Catering
- ✓ Make Up
- ✓ Photographers
- ✓ Cake
- ✓ Clothes
- ✓ Jewelry
- ✓ Honey Moon

[Know More](#)

Our Customers



Our Customers





[View more](#)

Services	Plans	Home
Venue	Basic	Cart
Catering	Silver	Contact Us
Photographers	Gold	
Jewelry		
View more		



[Facebook](#) [Twitter](#) [Instagram](#) [LinkedIn](#)

project demonstration - YouTube Major Project - Google Docs Happy Wedding project demonstration - YouTube Basic writing and formatting syntax

localhost:3000/index.php

Practice | GeeksforGeeks DSA Sheet by Lov... CLIST Gmail YouTube Algorithms - Geek... GitHub - ansh121/... Tutorials List - Java... freeCodeCamp Pr... Other Bookmarks

Home Services Plans Gallery Contact Cart (8) Login



Local instance 3306

Administration Schemas cards_data suggestions_data users_data Limit to 1000 rows Context Help Snippets

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Object Info Session

No object selected

1 • `SELECT * FROM project.users_data;`

100% 1:1

Result Grid Filter Rows: Search Edit: Export/Import: **Result Grid** Form Editor Field Types Query Stats Execution Plan

	id	fname	username	email	password	reg_date
1	1	admin	admin	admin@gmail.com	admin	2022-08-04 08:58:47
25	25	guest1	guest1	guest1@gmail.com	guest1	2022-08-04 08:59:17
26	26	customer	customer	customer@gmail.com	customer	2022-08-04 09:03:19

users_data 1 Apply Revert

Action Output

	Time	Action	Response	Duration / Fetch Time
1	09:49:39	SELECT * FROM project.users_data LIMIT 0, 1000	3 row(s) returned	0.0011 sec / 0.00001...

Query Completed

project demonstration - YouTube Major Project - Google Docs Happy Wedding project demonstration - YouTube Basic writing and formatting syntax +

localhost:3000/index.php Practice | GeeksforGeeks... DSA Sheet by Lov... CLIST Gmail YouTube Algorithms - Geek... GitHub - ansh121/... Tutorials List - Java... freeCodeCamp Pr... Other Bookmarks

Happy Wedding

Home Services Plans Gallery Contact Cart (8) Login

Sign Up

Name

Email

Username

Password

Sign Up **Cancel** Login

The screenshot shows the MySQL Workbench interface with the following details:

- Top Bar:** Local instance 3306, Administration, Schemas, Context Help, Snippets.
- Left Sidebar:**
 - MANAGEMENT:** Server Status, Client Connections, Users and Privileges, Status and System Variables, Data Export, Data Import/Restore.
 - INSTANCE:** Startup / Shutdown, Server Logs, Options File.
 - PERFORMANCE:** Dashboard, Performance Reports, Performance Schema Setup.
- Central Area:**
 - Query Editor: 1 • `SELECT * FROM project.users_data;`
 - Result Grid (1 row):

	id	fname	username	email	password	reg_date
▶	1	admin	admin	admin@gmail.com	admin	2022-08-04 08:58:47
	25	guest1	guest1	guest1@gmail.com	guest1	2022-08-04 08:59:17
	26	customer	customer	customer@gmail.com	customer	2022-08-04 09:03:19
	27	person	person	person@gmail.com	person	2022-08-04 09:50:27
	NULL	NULL	NULL	NULL	NULL	NULL
 - Toolbar: Limit to 1000 rows, various icons for search, refresh, etc.
 - Panel on the right: Result Grid, Form Editor, Field Types, Query Stats, Execution Plan.
 - Bottom: Action Output table showing query history.
- Bottom Status:** Query Completed.

services.php

```
<?php session_start() ?>
```

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->
    <link rel="stylesheet" href="css/Style.css">
    <!-- including font-awesome -->
    <link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
    <link rel="stylesheet" href="./fontawesome/css/all.min.css">

    <!-- Including -->
    <script src="https://code.jquery.com/jquery-1.10.2.js"></script>

    <!-- including JS -->
    <script src="js/script.js"></script>

    <title>Happy Wedding</title>

</head>
<body>
    <?php
        $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
        include($IPATH."navbar.php");
    ?>
    <h1>Wedding Categories</h1>
    <div class="container">
        <div class="card">
            <a class="element" href="venue.php">
                <p>Venue</p>
                
            </a>
        </div>

        <div class="card">
            <a class="element" href="decoration.php">
                <p>Decoration</p>
                
            </a>
        </div>
        <div class="card">

```

```
    <a class="element" href="catering.php">

        <p>Catering</p>
        
    </a>
</div>
<div class="card">
    <a class="element" href="photographers.php">

        <p>Photographers</p>
        
    </a>
</div>
<div class="card">
    <a class="element" href="makeup.php">

        <p>Make up</p>
        
    </a>
</div>
<div class="card">
    <a class="element" href="bridalwear.php">

        <p>Bridal Wear</p>
        
    </a>
</div>
<div class="card">
    <a class="element" href="groomwear.php">

        <p>Groom Wear</p>
        
    </a>
</div>
<div class="card">
    <a class="element" href="cakes.php">

        <p>Cakes</p>
        
    </a>
</div>
<div class="card">
```

```

<a class="element" href="jewelry.php">

    <p>Jewlery</p>
    
</a>
</div>
<div class="card">
    <a class="element" href="honeymoon.php">
        <p>Honeymoon</p>
        
    </a>
</div>
</div>
<?php
include($IPATH . "footer.php");
?>
</body>
</html>

```



Home Services Plans Gallery Contact Cart (0) Login

Wedding Categories

Venue



Decoration



Catering



Photographers



Make up



Bridal Wear



Catering		Photographers	
Make up		Bridal Wear	
Groom Wear		Cakes	
Jewelry		Honeymoon	
Groom Wear		Cakes	
Jewelry		Honeymoon	

Services

[Venue](#)

[Catering](#)

[Photographers](#)

[Jewelry](#)

[View more](#)

Plans

[Basic](#)

[Silver](#)

[Gold](#)

Home

[Cart](#)

[Contact Us](#)

[!\[\]\(8466c1700b5d4c5fc203a11ba0e02003_img.jpg\)](#) [!\[\]\(89e2d1a551629137453bee41457ec7bd_img.jpg\)](#) [!\[\]\(793d91a4fcff307ea6526bf821c59217_img.jpg\)](#) [!\[\]\(15592ff1fb26a7d62ef9e3ce709d7f37_img.jpg\)](#) [!\[\]\(1dcffc40518d1cf3968c47c5a58a616b_img.jpg\)](#)

© All rights reserved | Happy Wedding Limited

plans.php

```

<?php session_start() ?>
<!DOCTYPE html>
<html lang="en">
<head>

```

```

<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<!-- including CSS -->
<link rel="stylesheet" href="css/Style.css">
<!-- including font-awesome -->
<link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
<link rel="stylesheet" href="./fontawesome/css/all.min.css">

<!-- Including -->
<script src="https://code.jquery.com/jquery-1.10.2.js"></script>

<!-- including JS -->
<script src="js/script.js"></script>

<title>Happy Wedding</title>

</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>
<div class="plans planspage">
<h1>Our Plans</h1>
<div class="combo-plans">
<div class="card">
<h1>Basic</h1>
<ul>

    <li><i class="fa-solid fa-check"> </i> Venue</li>
    <li><i class="fa-solid fa-check"> </i> Decorators</li>
    <li><i class="fa-solid fa-check"> </i> Catering</li>
    <li><i class="fa-solid fa-xmark"> </i> Make Up</li>
    <li><i class="fa-solid fa-xmark"> </i> Photographers</li>
    <li><i class="fa-solid fa-xmark"> </i> Cake</li>
    <li><i class="fa-solid fa-xmark"> </i> Clothes</li>
    <li><i class="fa-solid fa-xmark"> </i> Jewelery</li>
    <li><i class="fa-solid fa-xmark"> </i> Honey Moon</li>
</ul>
<!-- <p>10% discount</p> -->
<button>10% Discount</button>

```

```

</div>
<div class="card">
<h1 style="color:silver;">Silver</h1>
<ul>
<li><i class="fa-solid fa-check"> </i> Venue</li>
<li><i class="fa-solid fa-check"> </i> Decorators</li>
<li><i class="fa-solid fa-check"> </i> Catering</li>
<li><i class="fa-solid fa-check"> </i> Make Up</li>
<li><i class="fa-solid fa-check"> </i> Photographers</li>
<li><i class="fa-solid fa-check"> </i> Cake</li>
<li><i class="fa-solid fa-xmark"> </i> Clothes</li>
<li><i class="fa-solid fa-xmark"> </i> Jewelery</li>
<li><i class="fa-solid fa-xmark"> </i> Honey Moon</li>
</ul>
<!-- <p>20% discount</p> -->
<button >20% Discount</button>
</div>
<div class="card">
<h1 style="color:gold;">Gold</h1>
<ul>
<li><i class="fa-solid fa-check"> </i> Venue</li>
<li><i class="fa-solid fa-check"> </i> Decorators</li>
<li><i class="fa-solid fa-check"> </i> Catering</li>
<li><i class="fa-solid fa-check"> </i> Make Up</li>
<li><i class="fa-solid fa-check"> </i> Photographers</li>
<li><i class="fa-solid fa-check"> </i> Cake</li>
<li><i class="fa-solid fa-check"> </i> Clothes</li>
<li><i class="fa-solid fa-check"> </i> Jewelery</li>
<li><i class="fa-solid fa-check"> </i> Honey Moon</li>
</ul>
<!-- <p>30% discount</p> -->
<button >30% Discount</button>
</div>

</div>
<?php
include($IPATH . "footer.php");
?>
</body>
</html>

```



Our Plans

Basic

- ✓ Venue
- ✓ Decorators
- ✓ Catering
- ✗ Make Up
- ✗ Photographers
- ✗ Cake
- ✗ Clothes
- ✗ Jewelry
- ✗ Honey Moon

10% Discount

Silver

- ✓ Venue
- ✓ Decorators
- ✓ Catering
- ✓ Make Up
- ✓ Photographers
- ✓ Cake
- ✗ Clothes
- ✗ Jewelry
- ✗ Honey Moon

20% Discount

Gold

- ✓ Venue
- ✓ Decorators
- ✓ Catering
- ✓ Make Up
- ✓ Photographers
- ✓ Cake
- ✓ Clothes
- ✓ Jewelry
- ✓ Honey Moon

30% Discount

Services	Plans	Home
Venue	Basic	Cart
Catering	Silver	Contact Us
Photographers	Gold	

gallery.php

```
<?php
session_start();

// Include pagination library file
include_once './assets/php/Pagination.class.php';
// Include database configuration file
require_once './assets/php/connect.php';
// Set some useful configuration
$baseURL = './assets/php/getDataGallery.php';
$limit = 4;
$flag = 0;
$pageName = "customer.php";
// echo substr($pageName,0,strlen($pageName)-4); //works fine
// $websitename = 'cakes';
$websitename = substr($pageName,0,strlen($pageName)-4);

// Count of all records
$query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data WHERE
typename='$websitename' ");
$result = $query->fetch_assoc();
$rowCount= $result['rowNum'];
// Initialize pagination class
$pagConfig = array(
'baseURL' => $baseURL,
```

```

'totalRows' => $rowCount,
'perPage' => $limit,
'contentDiv' => 'commonCard',
'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);
// Fetch records based on the limit
$query = $conn->query("SELECT * FROM cards_data WHERE typename='$websitename' ORDER BY id ASC LIMIT $limit");
?>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<!-- including CSS -->
<link rel="stylesheet" href="css/Style.css">
<!-- including font-awesome -->
<link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
<link rel="stylesheet" href="./fontawesome/css/all.min.css">

<!-- Including -->
<script src="https://code.jquery.com/jquery-1.10.2.js"></script>

<!-- including JS -->
<script src="js/script.js"></script>

<title>Happy Wedding</title>
</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>

<script>
function searchFilter(page_num) {

```

```

page_num = page_num?page_num:0;
console.log(page_num);
var keywords = $('#keywords').val();
var filterBy = $('#filterBy').val();
$.ajax({
  type: 'POST',
  url: './assets/php/getDataGallery.php',
  data:'page='+page_num+'&keywords='+keywords+'&filterBy='+filterBy+'&service_type=<?php
echo $websitename ?>',
  success: function (html) {
    $('#dataContainer').html(html);
  }
});
}

</script>

<div class="datalist-wrapper">

  <!-- Data list container -->
  <center>
    <h1>Our Customers</h1>
  </center>
  <div id="dataContainer" class="gallerydataContainer">

    <div class="commonContainer">
      <?php
      if($query->num_rows > 0){ $i=0;
        while($row = $query->fetch_assoc()) { $i++;
      ?>
        <div class="commonCard">
          
        </div>
      <?php
        $flag = 1;
      }
      ?>
      <!-- Display pagination links -->
    </div>

```

```

<?php
    echo $pagination->createLinks();
?
</div>
<?php
if($flag == 0) {
    echo "<br><br><br>";
    echo '<center>No data is present<br>';
    echo '</center>';
    unset($flag);
}
include($IPATH . "footer.php");
?>
</body>
</html>

```



Home Services Plans Gallery Contact Cart (0) Login

Our Customers





1 2 >

Services	Plans	Home
Venue	Basic	Cart
Catering	Silver	Contact Us
Photographers	Gold	
Jewelry		
View more		

[Facebook](#) [Twitter](#) [YouTube](#) [Instagram](#) [LinkedIn](#)

© All rights reserved | Happy Wedding Limited





◀ 1 2 3 ▶

Services	Plans	Home
Venue	Basic	Cart
Catering	Silver	Contact Us
	Gold	



[Home](#) [Services](#) [Plans](#) [Gallery](#) [Contact](#) [Cart \(0\)](#) [Login](#)

Our Customers



◀ 4 5 ▶

Services	Plans	Home
	Basic	Cart

contact.php

```
<?php session_start() ?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<!-- including CSS -->
<link rel="stylesheet" href="css/Style.css">
<!-- including font-awesome -->
<link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
<link rel="stylesheet" href="./fontawesome/css/all.min.css">

<!-- Including -->
<script src="https://code.jquery.com/jquery-1.10.2.js"></script>

<!-- including JS -->
<script src="js/script.js"></script>
<title>Happy Wedding</title>

</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>
<div class="front">

    <h1>Contact</h1>
    <div class="container-contact-1">
        <div class="box">
            <i class="fa-solid fa-phone"> </i>
            <p>Phone : +91-9876543210</p>
        </div>
        <div class="box">
            <i class="fa-solid fa-envelope"> </i>
            <p>Email : happywedding@gmail.com</p>
        </div>
        <div class="box">
            <i class="fa-solid fa-location-dot"> </i>
            <p> Address : Suraj Towers,<br> Miyapur, Hyderabad, India.</p>
        </div>
    </div>
    <div class="container-contact-2">
        <form action=".//assets/php/suggestion.php" method="POST">
            <div class="box-out">
                <div class="box">

```

```
        <label for="name">Name</label>
        <input type="text" name="name" placeholder="Your Name"
required>

        <label for="email" >Email</label>
        <input type="text" name="email" placeholder="Your Email"
required>

        <label for="phone">Phone</label>
        <input type="text" name="phone" placeholder="Your Phone
Number" required>

    </div>
    <div class="box">
        <label for="message">Message</label>
        <textarea name="message" id="message-c" placeholder="Message"
required></textarea>
    </div>
    <input type="submit" value="Submit" name="suggestion">
</form>
</div>
</div>
<?php
include($IPATH . "footer.php");
?>
</body>
</html>
```

Contact



Phone : +91-9876543210



Email : happywedding@gmail.com



Address : Suraj Towers,
Miyapur, Hyderabad, India.

Name

Email

Phone

Message

Submit

cart.php

```
<?php
session_start() ;
$total_cost = 0;
$_SESSION['venueFlag'] = 0;
$_SESSION['decorationFlag'] = 0;
$_SESSION['cateringFlag'] = 0;
$_SESSION['makeupFlag'] = 0;
$_SESSION['cakesFlag'] = 0;
$_SESSION['photographersFlag'] = 0;
$_SESSION['bridalwearFlag'] = 0;
$_SESSION['groomwearFlag'] = 0;
$_SESSION['jewelryFlag'] = 0;
$_SESSION['honeymoonFlag'] = 0;

$flag1 = 0;
$flag2 = 0;
$flag3 = 0;

$discount = 0;

?>
<!DOCTYPE html>
<html lang="en">
<head>
```

```

<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<!-- including CSS -->
<link rel="stylesheet" href="css/Style.css">
<!-- including font-awesome -->
<link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
<link rel="stylesheet" href="./fontawesome/css/all.min.css">

<!-- Including -->
<script src="https://code.jquery.com/jquery-1.10.2.js"></script>

<!-- including JS -->
<script src="js/script.js"></script>
<title>Happy Wedding</title>

</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
    include_once($IPATH."connect.php");
?>
<div class="cartPage">

<h1>Cart</h1>
<?php  $nodata = 1;
    if(isset($_SESSION['cart']) && count($_SESSION['cart'])>0){ ?>
<table class="cartTable">
    <tr class="commonCartHeading">
        <th>Image</th>
        <th>Service</th>
        <th>Cost</th>
        <th>Delete</th>
    </tr>
    <?php

        foreach($_SESSION['cart'] as $items) {
            $nodata = 0;

```

```

$sql = "SELECT * FROM cards_data WHERE id=$items";
$query = $conn->query($sql);
$row = $query->fetch_assoc();
?>
<tr class="commonCartCard" id="cartitem<?php echo $row['id'] ?>" >
<th></th>
<th><?php echo $row['title']; ?></th>
<th><?php echo $row['cost']; ?></th>
<th>
<form action=".//assets/php/removeFromCart.php" method="POST">
<input type="hidden" value="<?php echo $row['id']; ?>" name="deleteID">
<input type="submit" value="Delete" name="deleteItem">
</form>
</th>
</tr>
<?php
$total_cost += $row['cost'];
$_SESSION[$row["typename"] . "Flag"] = 1;
} ?>
</table>

<?php
}

if($nodata==1) {
echo "<br><br><br>";
echo '<center >    <h3>No items are present in cart</h3>
<br>';
echo '</center>';
unset($nodata);
} else{ ?>
<?php

if($_SESSION['venueFlag']==1 && $_SESSION['decorationFlag']==1 && $_SESSION['cateringFlag']==1) {
$flag1 = 1;
}

```

```

if($_SESSION['makeupFlag']==1&&$_SESSION['cakesFlag']==1&&$_SESSION['photographersFlag']==1) {
    $flag2 = 1;
}

if($_SESSION['bridalwearFlag']||$_SESSION['groomwearFlag'])&&$_SESSION['jewelryFlag']==1&&$_SESSION['honeymoonFlag']==1) {
    $flag3 = 1;
}

if($flag1==1) {

    if($flag2==1) {
        if($flag3==1) {
            $discount = 0.3;
        }else{
            $discount = 0.2;
        }
    }else{
        $discount = 0.1;
    }
}

?>

<div class="costSection">
    <div class="subtotal">
        <div>Subtotal</div>
        <div>$<?php echo $total_cost ?></div>
    </div>
    <div class="discount">
        <div>Discount</div>
        <div><?php echo 100*$discount."%"; ?></div>
    </div>
    <hr>
    <div class="totalCost">
        <div>Total Cost</div>
        <div>$<?php echo $total_cost*(1-$discount); ?></div>
    </div>
    <center>
        <button>Buy</button>
    </center>
</div>
<?php

```

```
    } ?>
</div>

<?php
include($IPATH . "footer.php");
?>

</body>
</html>
```


Cart

No items are present in cart





Services	Plans	Home
Venue	Basic	Cart
Catering	Silver	Contact Us
Photographers	Gold	
Jewelry		
View more		




Home Services Plans Gallery Contact Cart (1) Login

Cart

Image	Service	Cost	Delete
	The White Dove Events Place	5000	Delete

Subtotal \$5000

Discount 0%



Subtotal \$5000

Discount 0%

Total Cost \$5000

Buy


Image	Service	Cost	Delete
	The White Dove Events Place	5000	Delete
	Blue Sea Events	2000	Delete
	Triangle Love	280	Delete

	Triangle Love	280	Delete
--	---------------	-----	------------------------

Subtotal	\$7280
Discount	10%
<hr/>	
Total Cost	\$6552
Buy	

localhost:3000/cart.php

			
	Bella Beauty	290	Delete
	Film Photography	300	Delete
	Genoise Cake	340	Delete



Subtotal	\$8210
Discount	20%
Total Cost	\$6568
	Buy




Image	Service	Cost	Delete
	The White Dove Events Place	5000	Delete
	Blue Sea Events	2000	Delete

	Bella Beauty	290	Delete
	Film Photography	300	Delete
	Genoise Cake	340	Delete
	University Inn	1500	Delete

	Dreamy Lace Dress	450	Delete
---	-------------------	-----	------------------------

Subtotal	\$13160
Discount	30%
Total Cost	\$9212

	Carcanet	3000	Delete
	Dreamy Lace Dress	450	Delete

bridalwear.php

			
	University Inn	1500	Delete
	Carcanet	3000	Delete

Subtotal	\$12710
----------	---------

<?php

```

session_start();

// Include pagination library file
include_once './assets/php/Pagination.class.php';
// Include database configuration file
require_once './assets/php/connect.php';
// Set some useful configuration
$baseURL = './assets/php/getData.php';
$limit = 2;
$flag = 0;
$pageName = basename($_SERVER['PHP_SELF']);
// echo substr($pageName,0,strlen($pageName)-4); //works fine
// $websitename = 'cakes';
$websitename = substr($pageName,0,strlen($pageName)-4);

// Count of all records
$query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data WHERE
typename='$websitename' ");
$result = $query->fetch_assoc();
$rowCount= $result['rowNum'];
// Initialize pagination class
$pagConfig = array(
    'baseURL' => $baseURL,
    'totalRows' => $rowCount,
    'perPage' => $limit,
    'contentDiv' => 'commonCard',
    'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);
// Fetch records based on the limit
$query = $conn->query("SELECT * FROM cards_data WHERE typename='$websitename' ORDER BY
id ASC LIMIT $limit");
?>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->

```

```

<link rel="stylesheet" href="css/Style.css">
<!-- including font-awesome -->
<link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
<link rel="stylesheet" href="./fontawesome/css/all.min.css">

<!-- Including -->
<script src="https://code.jquery.com/jquery-1.10.2.js"></script>

<!-- including JS -->
<script src="js/script.js"></script>

<title>Happy Wedding</title>
</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>
<div class="search-panel">
    <div class="searchsortcontainer">
        <div class="search">
            <input type="text" class="form-control" id="keywords" placeholder="Type
keywords..." onkeyup="searchFilter();">
            <i class="fa fa-search"></i>
        <div class="options">
            <select class="form-control" id="filterBy" onchange="searchFilter();">
                <option value="">Sort by</option>
                <option value="cost">Cost</option>
                <option value="stars">Ratings</option>
            </select>
        </div>
    </div>
</div>
</div>

<script>
function searchFilter(page_num) {
    page_num = page_num?page_num:0;
    console.log(page_num);
    var keywords = $('#keywords').val();
    var filterBy = $('#filterBy').val();

```

```

$.ajax({
  type: 'POST',
  url: './assets/php/getData.php',
  data:'page=' +page_num+'&keywords=' +keywords+'&filterBy=' +filterBy+'&service_type=<?php
echo $websitename ?>',
  success: function (html) {
    $('#dataContainer').html(html);
  }
});

</script>

<div class="datalist-wrapper">

  <!-- Data list container -->
  <div id="dataContainer" class="bridalweardataContainer">

    <div class="commonContainer">
      <?php
      if($query->num_rows > 0){ $i=0;
        while($row = $query->fetch_assoc()) { $i++;
      ?>
        <div class="commonCard">
          
          <div class="commonContent">
            <p class="commonName"><?php echo $row['title']; ?></p>
            <div class="stars">
              <div class="stars-inner" style="width: <?php echo
$row['stars']*20 ?>%;"></div>
            </div>
            <?php if($row['location']!=='none'){ ?>
              <p class="location"> <i class="fa-solid
fa-location-dot"></i> <?php echo $row['location']; ?> </p>
            <?php } ?>
            <?php if($row['venueType']!=='none'){ ?>
              <p class="type"><i class="fa-solid fa-hotel"></i> <?php
echo $row['venueType']; ?></p>
            <?php } ?>
            <?php if($row['people_range']!=='none'){ ?>

```

```

                <p class="range"><i class="fa-solid
fa-people-group"></i> <?php echo $row['people_range']; ?></p>
                <?php } ?>
                <p class="cost">$ <?php echo $row['cost']; ?></p>
            </div>
            <form action=".//assets/php/addToCart.php" method="POST">
                <!-- <button class="commonBuy"
onclick="addToCart('<?php echo $row['id']; ?>')">Add to Cart</button> -->
                <input type="hidden" name="Pid" value="<?php echo
$row['id'] ?>">
                <input type="submit" value="Add to Cart"
class="commonBuy" name="addToCart">
            </form>
        </div>
        <?php
            $flag = 1;
        }
    }
    ?>
    <!-- Display pagination links -->
</div>
<?php
    echo $pagination->createLinks();
?
</div>
<?php
    if($flag == 0) {
        echo "<br><br><br>";
        echo '<center>No data is present<br>';
        echo '</center>';
        unset($flag);
    }
    include($IPATH . "footer.php");
?
</body>
</html>

```

localhost:3000/services.php

Happy Wedding

Catering 

Photographers 

Make up 

Bridal Wear 

Groom Wear 

Cakes 

Jewelry 

Honeymoon 

localhost:3000/bridalwear.php

Happy Wedding

Services Plans Gallery Contact Cart (0) Logout

Type keywords... Sort by



Dreamy Lace Dress

★★★★☆

\$ 450

Add to Cart



Vision in Tulle

★★☆☆☆

\$ 700

Add to Cart

shashankgoud001/Major: Skill Verte Major Project - Google Docs Happy Wedding x +

localhost:3000/bridalwear.php

Practice | GeeksforGeeks DSA Sheet by Lov... CLIST Gmail YouTube Algorithms - Geek... GitHub - ansh121/... Tutorials List - Java... freeCodeCamp Pr... Other Bookmarks

The screenshot shows a web browser with a tab titled 'Happy Wedding'. The URL is 'localhost:3000/bridalwear.php'. The page displays two wedding dresses. The first dress, 'Balloon Sleeves', is shown hanging in front of a window with a view of a landscape. The second dress, 'Minimalist Design', is shown on a woman walking through a sunlit forest. Both dresses have a white, flowing skirt. Below each dress is a product card with the name, a 5-star rating, and a price. Each card has a yellow 'Add to Cart' button at the bottom.

Balloon Sleeves

★★★★☆

\$ 580

Add to Cart

Minimalist Design

★★★★☆

\$ 270

Add to Cart

⟨ 2 3 4 ⟩

shashankgoud001/Major: Skill Verte Major Project - Google Docs Happy Wedding x +

localhost:3000/bridalwear.php

Practice | GeeksforGeeks DSA Sheet by Lov... CLIST Gmail YouTube Algorithms - Geek... GitHub - ansh121/... Tutorials List - Java... freeCodeCamp Pr... Other Bookmarks

The screenshot shows a web browser with a tab titled 'Happy Wedding'. The URL is 'localhost:3000/bridalwear.php'. The page displays two more wedding dresses. The first dress, 'Unconventional Hue', is shown on a mannequin with a pink and blue color scheme. The second dress, 'Double in White', is shown on a woman in a white gown with a large, voluminous white skirt. Below each dress is a product card with the name, a 5-star rating, and a price. Each card has a yellow 'Add to Cart' button at the bottom.

Unconventional Hue

★★★★☆

\$ 320

Add to Cart


Double in White

★★★★☆

\$ 180

Add to Cart

⟨ 4 5 6 ⟩



re

Sort by



Dreamy Lace Dress

★★★★☆☆

\$ 450

Add to Cart




Glittery Red Lehenga

★★★★☆

\$ 600

Add to Cart



Type keywords...

Sort by

Cost

Ratings



Dreamy Lace Dress

★★★★☆☆

\$ 450

Add to Cart



Vision in Tulle

★★☆☆☆


\$ 700

Add to Cart

shashankgoud001/Major: Skill Verte Major Project - Google Docs Happy Wedding x +

localhost:3000/bridalwear.php

Practice | GeeksforGeeks DSA Sheet by Lov... CLIST Gmail YouTube Algorithms - Geek... GitHub - ansh121/... Tutorials List - Java... freeCodeCamp Pr... Other Bookmarks



Double in White



\$ 180

Add to Cart



Floral Number




\$ 199

Add to Cart

shashankgoud001/Major: Skill Verte Major Project - Google Docs Happy Wedding x +

localhost:3000/bridalwear.php

Practice | GeeksforGeeks DSA Sheet by Lov... CLIST Gmail YouTube Algorithms - Geek... GitHub - ansh121/... Tutorials List - Java... freeCodeCamp Pr... Other Bookmarks



Timeless Elegance



\$ 250

Add to Cart




Minimalist Design



\$ 270

Add to Cart



cakes.php

```

<?php
session_start();

// Include pagination library file
include_once './assets/php/Pagination.class.php';
// Include database configuration file
require_once './assets/php/connect.php';
// Set some useful configuration
$baseURL = './assets/php/getData.php';
$limit = 2;
$flag = 0;
$pageName = basename($_SERVER['PHP_SELF']);
// echo substr($pageName,0,strlen($pageName)-4); //works fine
// $websitename = 'cakes';
$websitename = substr($pageName,0,strlen($pageName)-4);

// Count of all records
$query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data WHERE
typename='$websitename' ");

```

```

$result  = $query->fetch_assoc();
$rowCount= $result['rowNum'];
// Initialize pagination class
$pagConfig = array(
    'baseURL' => $baseURL,
    'totalRows' => $rowCount,
    'perPage' => $limit,
    'contentDiv' => 'commonCard',
    'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);
// Fetch records based on the limit
$query = $conn->query("SELECT * FROM cards_data WHERE typename='$_WEBSITE' ORDER BY id ASC LIMIT $limit");
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->
    <link rel="stylesheet" href="css/Style.css">
    <!-- including font-awesome -->
    <link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
    <link rel="stylesheet" href="./fontawesome/css/all.min.css">

    <!-- Including -->
    <script src="https://code.jquery.com/jquery-1.10.2.js"></script>

    <!-- including JS -->
    <script src="js/script.js"></script>

    <title>Happy Wedding</title>
</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>

```

```

<div class="search-panel">
  <div class="searchsortcontainer">
    <div class="search">
      <input type="text" class="form-control" id="keywords" placeholder="Type
      keywords..." onkeyup="searchFilter();">
      <i class="fa fa-search"></i>
    <div class="options">
      <select class="form-control" id="filterBy" onchange="searchFilter();">
        <option value="">Sort by</option>
        <option value="cost">Cost</option>
        <option value="stars">Ratings</option>
      </select>
    </div>
  </div>
</div>

<script>
  function searchFilter(page_num) {
    page_num = page_num?page_num:0;
    console.log(page_num);
    var keywords = $('#keywords').val();
    var filterBy = $('#filterBy').val();
    $.ajax({
      type: 'POST',
      url: './assets/php/getData.php',
      data: 'page=' + page_num + '&keywords=' + keywords + '&filterBy=' + filterBy + '&service_type=<?php
echo $websitename ?>',
      success: function (html) {
        $('#dataContainer').html(html);
      }
    });
  }
</script>

<div class="datalist-wrapper">
  <!-- Data list container -->
  <div id="dataContainer">

```

```

<div class="commonContainer">
    <?php
        if($query->num_rows > 0){ $i=0;
            while($row = $query->fetch_assoc()) { $i++;
        ?>
            <div class="commonCard" id="<?php echo
$row['typename'].$row['count']; ?>">
                
                <div class="commonContent">
                    <p class="commonName"><?php echo $row['title']; ?></p>
                    <div class="stars">
                        <div class="stars-inner" style="width: <?php echo
$row['stars']*20 ?>%;"></div>
                    </div>
                    <?php if($row['location']!=='none'){ ?>
                        <p class="location"> <i class="fa-solid
fa-location-dot"></i> <?php echo $row['location']; ?> </p>
                    <?php } ?>
                    <?php if($row['venueType']!=='none'){ ?>
                        <p class="type"><i class="fa-solid fa-hotel"></i> <?php
echo $row['venueType']; ?></p>
                    <?php } ?>
                    <?php if($row['people_range']!=='none'){ ?>
                        <p class="range"><i class="fa-solid
fa-people-group"></i> <?php echo $row['people_range']; ?></p>
                    <?php } ?>
                        <p class="cost">$ <?php echo $row['cost']; ?></p>
                    </div>
                    <form action=".//assets/php/addToCart.php" method="POST">
                        <!-- <button class="commonBuy"
onclick="addToCart('<?php echo $row['id']; ?>')">Add to Cart</button> -->
                        <input type="hidden" name="Pid" value="<?php echo
$row['id'] ?>">
                        <input type="submit" value="Add to Cart"
class="commonBuy" name="addToCart">
                    </form>
                </div>
            <?php
                $flag = 1;
            }
        }
    }



```

```

?>

<!-- Display pagination links -->
</div>
<?php
echo $pagination->createLinks();
?>
</div>
<?php
if($flag == 0) {
    echo "<br><br><br>";
    echo '<center>No data is present<br>';
    echo '</center>';
    unset($flag);
}
include($IPATH . "footer.php");
?>
</body>
</html>

```



1 2 >

shashankgoud001/Major: Skill Verte Major Project - Google Docs Happy Wedding x +

localhost:3000/cakes.php

Practice | GeeksforGeeks DSA Sheet by Lov... CLIST Gmail YouTube Algorithms - Geek... GitHub - ansh121/... Tutorials List - Java... freeCodeCamp Pr... Other Bookmarks

Type keywords...



Pound Cake

★★☆☆☆

\$ 150

Add to Cart



Sponge Cake

★★☆☆☆

\$ 150

Add to Cart

1 2 >

shashankgoud001/Major: Skill Verte Major Project - Google Docs Happy Wedding x +

localhost:3000/cakes.php

Practice | GeeksforGeeks DSA Sheet by Lov... CLIST Gmail YouTube Algorithms - Geek... GitHub - ansh121/... Tutorials List - Java... freeCodeCamp Pr... Other Bookmarks

Type keywords...



Yellow Butter Cake

★★★★★

\$ 200

Add to Cart




Genoise Cake

★★★★★

\$ 340

Add to Cart

1 2 >



catering.php

```

<?php
session_start();

// Include pagination library file
include_once './assets/php/Pagination.class.php';
// Include database configuration file
require_once './assets/php/connect.php';
// Set some useful configuration
$baseURL = './assets/php/getData.php';
$limit = 2;
$flag = 0;
$pageName = basename($_SERVER['PHP_SELF']);
// echo substr($pageName,0,strlen($pageName)-4); //works fine
// $websitename = 'cakes';
$websitename = substr($pageName,0,strlen($pageName)-4);

// Count of all records

```

```

$query    = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data WHERE
typename='$websitename' ");
$result  = $query->fetch_assoc();
$rowCount= $result['rowNum'];
// Initialize pagination class
$pagConfig = array(
    'baseURL' => $baseURL,
    'totalRows' => $rowCount,
    'perPage' => $limit,
    'contentDiv' => 'commonCard',
    'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);
// Fetch records based on the limit
$query = $conn->query("SELECT * FROM cards_data WHERE typename='$websitename' ORDER BY
id ASC LIMIT $limit");
?>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->
    <link rel="stylesheet" href="css/Style.css">
    <!-- including font-awesome -->
    <link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
    <link rel="stylesheet" href="./fontawesome/css/all.min.css">

    <!-- Including -->
    <script src="https://code.jquery.com/jquery-1.10.2.js"></script>

    <!-- including JS -->
    <script src="js/script.js"></script>

    <title>Happy Wedding</title>
</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";

```

```

        include($IPATH."navbar.php");
    ?>
<div class="search-panel">
<div class="searchsortcontainer">
    <div class="search">
        <input type="text" class="form-control" id="keywords" placeholder="Type
keywords..." onkeyup="searchFilter();">
        <i class="fa fa-search"></i>
        <div class="options">
            <select class="form-control" id="filterBy" onchange="searchFilter();">
                <option value="">Sort by</option>
                <option value="cost">Cost</option>
                <option value="stars">Ratings</option>
            </select>
        </div>
    </div>
</div>
</div>

<script>
function searchFilter(page_num) {
    page_num = page_num?page_num:0;
    console.log(page_num);
    var keywords = $('#keywords').val();
    var filterBy = $('#filterBy').val();
    $.ajax({
        type: 'POST',
        url: './assets/php/getData.php',
        data:'page='+page_num+'&keywords='+keywords+'&filterBy='+filterBy+'&service_type=<?php
echo $websitename ?>',
        success: function (html) {
            $('#dataContainer').html(html);
        }
    });
}

</script>

<div class="datalist-wrapper">
    <!-- Data list container -->

```

```


<div id="dataContainer">

    <div class="commonContainer">
        <?php
        if($query->num_rows > 0) { $i=0;
            while($row = $query->fetch_assoc()) { $i++;
        ?>
            <div class="commonCard">
                
                <div class="commonContent">
                    <p class="commonName"><?php echo $row['title']; ?></p>
                    <div class="stars">
                        <div class="stars-inner" style="width: <?php echo
$row['stars']*20 ?>%;"></div>
                    </div>
                    <?php if($row['location']!=='none'){ ?>
                        <p class="location"> <i class="fa-solid
fa-location-dot"></i> <?php echo $row['location']; ?> </p>
                    <?php } ?>
                    <?php if($row['venueType']!=='none'){ ?>
                        <p class="type"><i class="fa-solid fa-hotel"></i> <?php
echo $row['venueType']; ?></p>
                    <?php } ?>
                    <?php if($row['people_range']!=='none'){ ?>
                        <p class="range"><i class="fa-solid
fa-people-group"></i> <?php echo $row['people_range']; ?></p>
                    <?php } ?>
                        <p class="cost">$ <?php echo $row['cost']; ?></p>
                </div>
                <form action="./assets/php/addToCart.php" method="POST">
                    <!-- <button class="commonBuy"
onclick="addToCart('<?php echo $row['id']; ?>')">Add to Cart</button> -->
                    <input type="hidden" name="Pid" value="<?php echo
$row['id'] ?>">
                    <input type="submit" value="Add to Cart"
class="commonBuy" name="addToCart">
                </form>
            </div>
        <?php
            $flag = 1;
        }
    
```

```

        }
        ?>
        <!-- Display pagination links -->
</div>
<?php
echo $pagination->createLinks();
?>
</div>
<?php
if($flag == 0) {
echo "<br><br><br>";
echo '<center>No data is present<br>';
echo '</center>';
unset($flag);
}
include($IPATH . "footer.php");
?>
</body>
</html>

```



Taste & Fun Catering

★★★★★

📍 Banglore

\$ 300

[Add to Cart](#)


Duos Workers

★★★★★

📍 Delhi

\$ 290

[Add to Cart](#)



decoration.php

```

<?php
session_start();

// Include pagination library file
include_once './assets/php/Pagination.class.php';
// Include database configuration file
require_once './assets/php/connect.php';
// Set some useful configuration
$baseURL = './assets/php/getData.php';
$limit = 2;
$flag = 0;
$pageName = basename($_SERVER['PHP_SELF']);

$discountflag1 = 0;
$discountflag2 = 0;
$discountflag3 = 0;
$venueFlag = 0;

// echo substr($pageName,0,strlen($pageName)-4); //works fine

```

```

// $websitename = 'cakes';
$websitename = substr($pageName, 0, strlen($pageName)-4);

// Count of all records
$query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data WHERE
typename='$websitename' ");
$result = $query->fetch_assoc();
$rowCount= $result['rowNum'];
// Initialize pagination class
$pagConfig = array(
    'baseURL' => $baseURL,
    'totalRows' => $rowCount,
    'perPage' => $limit,
    'contentDiv' => 'commonCard',
    'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);
// Fetch records based on the limit
$query = $conn->query("SELECT * FROM cards_data WHERE typename='$websitename' ORDER BY
id ASC LIMIT $limit");
?>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->
    <link rel="stylesheet" href="css/Style.css">
    <!-- including font-awesome -->
    <link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
    <link rel="stylesheet" href="./fontawesome/css/all.min.css">

    <!-- Including -->
    <script src="https://code.jquery.com/jquery-1.10.2.js"></script>

    <!-- including JS -->
    <script src="js/script.js"></script>

<title>Happy Wedding</title>

```

```

</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>
<div class="search-panel">
<div class="searchsortcontainer">
    <div class="search">
        <input type="text" class="form-control" id="keywords" placeholder="Type
keywords..." onkeyup="searchFilter();">
        <i class="fa fa-search"></i>
        <div class="options">
            <select class="form-control" id="filterBy" onchange="searchFilter();">
                <option value="">Sort by</option>
                <option value="cost">Cost</option>
                <option value="stars">Ratings</option>
            </select>
        </div>
    </div>
</div>
</div>

<script>
function searchFilter(page_num) {
    page_num = page_num?page_num:0;
    console.log(page_num);
    var keywords = $('#keywords').val();
    var filterBy = $('#filterBy').val();
    $.ajax({
        type: 'POST',
        url: './assets/php/getData.php',
        data: 'page=' + page_num + '&keywords=' + keywords + '&filterBy=' + filterBy + '&service_type=<?php
echo $websitename ?>',
        success: function (html) {
            $('#dataContainer').html(html);
        }
    });
}
</script>

```

```
<div class="datalist-wrapper">

    <!-- Data list container -->
    <div id="dataContainer">

        <div class="commonContainer">
            <?php
                if($query->num_rows > 0){ $i=0;
                    while($row = $query->fetch_assoc()){ $i++;
                ?>
                    <div class="commonCard">
                        
                        <div class="commonContent">
                            <p class="commonName"><?php echo $row['title']; ?></p>
                            <div class="stars">
                                <div class="stars-inner" style="width: <?php echo
$row['stars']*20 ?>%;"></div>
                            </div>
                            <?php if($row['location']!='none'){ ?>
                                <p class="location"> <i class="fa-solid
fa-location-dot"></i> <?php echo $row['location']; ?> </p>
                            <?php } ?>
                            <?php if($row['venueType']!='none'){ ?>
                                <p class="type"><i class="fa-solid fa-hotel"></i> <?php
echo $row['venueType']; ?></p>
                            <?php } ?>
                            <?php if($row['people_range']!='none'){ ?>
                                <p class="range"><i class="fa-solid
fa-people-group"></i> <?php echo $row['people_range']; ?></p>
                            <?php } ?>
                                <p class="cost">$ <?php echo $row['cost']; ?></p>
                            </div>
                            <form action=".//assets/php/addToCart.php" method="POST">
                                <!-- <button class="commonBuy"
onclick="addToCart('<?php echo $row['id']; ?>')">Add to Cart</button> -->
                                <input type="hidden" name="Pid" value="<?php echo
$row['id'] ?>">
                                <input type="submit" value="Add to Cart"
class="commonBuy" name="addToCart">
                            </form>
                        </div>
                    </div>
                </div>
            </?php } ?>
        </div>
    </div>
</div>
```

```
        </div>
<?php
    $flag = 1;
}
}
?>
<!-- Display pagination links -->
</div>
<?php
    echo $pagination->createLinks();
?>
</div>
<?php
if($flag == 0) {
    echo "<br><br><br>";
    echo '<center>No data is present<br>';
    echo '</center>';
    unset($flag);
}
include($IPATH . "footer.php");
?>
</body>
</html>
```

shashankgoud001/Major: Skill Vert... Major Project - Google Docs Happy Wedding x +

localhost:3000/decoration.php

Practice | Geeksfo... DSA Sheet by Lov... CLIST Gmail YouTube Algorithms - Geek... GitHub - ansh121/... Tutorials List - Jav... freeCodeCamp Pr... Other Bookmarks

Type keywords...



Blue Sea Events



Kolkata

\$ 2000

Add to Cart



Dreamstrokes



Kolkata

\$ 1000

Add to Cart

1 2 >

shashankgoud001/Major: Skill Vert... Major Project - Google Docs Happy Wedding x +

localhost:3000/decoration.php

Practice | Geeksfo... DSA Sheet by Lov... CLIST Gmail YouTube Algorithms - Geek... GitHub - ansh121/... Tutorials List - Jav... freeCodeCamp Pr... Other Bookmarks



Jugaad



Delhi

\$ 5000

Add to Cart

Services	Plans	Home
Venue	Basic	Cart
	Silver	Contact Us

groomwear.php

<?php

```

session_start();

// Include pagination library file
include_once './assets/php/Pagination.class.php';
// Include database configuration file
require_once './assets/php/connect.php';
// Set some useful configuration
$baseURL = './assets/php/getData.php';
$limit = 2;
$flag = 0;
$pageName = basename($_SERVER['PHP_SELF']);
// echo substr($pageName,0,strlen($pageName)-4); //works fine
// $websitename = 'cakes';
$websitename = substr($pageName,0,strlen($pageName)-4);

// Count of all records
$query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data WHERE
typename='$websitename' ");
$result = $query->fetch_assoc();
$rowCount= $result['rowNum'];
// Initialize pagination class
$pagConfig = array(
    'baseURL' => $baseURL,
    'totalRows' => $rowCount,
    'perPage' => $limit,
    'contentDiv' => 'commonCard',
    'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);
// Fetch records based on the limit
$query = $conn->query("SELECT * FROM cards_data WHERE typename='$websitename' ORDER BY
id ASC LIMIT $limit");
?>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->

```

```

<link rel="stylesheet" href="css/Style.css">
<!-- including font-awesome -->
<link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
<link rel="stylesheet" href="./fontawesome/css/all.min.css">

<!-- Including -->
<script src="https://code.jquery.com/jquery-1.10.2.js"></script>

<!-- including JS -->
<script src="js/script.js"></script>

<title>Happy Wedding</title>
</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>
<div class="search-panel">
    <div class="searchsortcontainer">
        <div class="search">
            <input type="text" class="form-control" id="keywords" placeholder="Type
keywords..." onkeyup="searchFilter();">
            <i class="fa fa-search"></i>
        <div class="options">
            <select class="form-control" id="filterBy" onchange="searchFilter();">
                <option value="">Sort by</option>
                <option value="cost">Cost</option>
                <option value="stars">Ratings</option>
            </select>
        </div>
    </div>
</div>
</div>

<script>
function searchFilter(page_num) {
    page_num = page_num?page_num:0;
    console.log(page_num);
    var keywords = $('#keywords').val();
    var filterBy = $('#filterBy').val();

```

```

$.ajax({
  type: 'POST',
  url: './assets/php/getData.php',
  data:'page=' +page_num+'&keywords=' +keywords+'&filterBy=' +filterBy+'&service_type=<?php
echo $websitename ?>',
  success: function (html) {
    $('#dataContainer').html(html);
  }
});

</script>

<div class="datalist-wrapper">

<!-- Data list container -->
<div id="dataContainer" class="groomweardataContainer">




<div class="commonContainer">
  <?php
  if($query->num_rows > 0){ $i=0;
    while($row = $query->fetch_assoc()) { $i++;
  ?>
    <div class="commonCard">
      
      <div class="commonContent">
        <p class="commonName"><?php echo $row['title']; ?></p>
        <div class="stars">
          <div class="stars-inner" style="width: <?php echo
$row['stars']*20 ?>%;"></div>
        </div>
        <?php if($row['location']!=='none'){ ?>
          <p class="location"> <i class="fa-solid
fa-location-dot"></i> <?php echo $row['location']; ?> </p>
        <?php } ?>
        <?php if($row['venueType']!=='none'){ ?>
          <p class="type"><i class="fa-solid fa-hotel"></i> <?php
echo $row['venueType']; ?></p>
        <?php } ?>
        <?php if($row['people_range']!=='none'){ ?>

```

```

                <p class="range"><i class="fa-solid
fa-people-group"></i> <?php echo $row['people_range']; ?></p>
                <?php } ?>
                <p class="cost">$ <?php echo $row['cost']; ?></p>
            </div>
            <form action=".//assets/php/addToCart.php" method="POST">
                <!-- <button class="commonBuy"
onclick="addToCart('<?php echo $row['id']; ?>')">Add to Cart</button> -->
                <input type="hidden" name="Pid" value="<?php echo
$row['id'] ?>">
                <input type="submit" value="Add to Cart"
class="commonBuy" name="addToCart">
            </form>
        </div>
        <?php
            $flag = 1;
        }
    }
    ?>
    <!-- Display pagination links -->
</div>
<?php
    echo $pagination->createLinks();
?
</div>
<?php
    if($flag == 0) {
        echo "<br><br><br>";
        echo '<center>No data is present<br>';
        echo '</center>';
        unset($flag);
    }
    include($IPATH . "footer.php");
?
</body>
</html>

```



1 2 >

honeymoon.php

```

<?php
session_start();

// Include pagination library file
include_once './assets/php/Pagination.class.php';
// Include database configuration file
require_once './assets/php/connect.php';
// Set some useful configuration
$baseURL = './assets/php/getData.php';
$limit = 2;
$flag = 0;
$pageName = basename($_SERVER['PHP_SELF']);
// echo substr($pageName,0,strlen($pageName)-4); //works fine
// $websitename = 'cakes';
$websitename = substr($pageName,0,strlen($pageName)-4);

// Count of all records
$query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data WHERE
typename=' $websitename ' ");

```

```

$result  = $query->fetch_assoc();
$rowCount= $result['rowNum'];
// Initialize pagination class
$pagConfig = array(
    'baseURL' => $baseURL,
    'totalRows' => $rowCount,
    'perPage' => $limit,
    'contentDiv' => 'commonCard',
    'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);
// Fetch records based on the limit
$query = $conn->query("SELECT * FROM cards_data WHERE typename='{$websitename}' ORDER BY id ASC LIMIT $limit");
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->
    <link rel="stylesheet" href="css/Style.css">
    <!-- including font-awesome -->
    <link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
    <link rel="stylesheet" href="./fontawesome/css/all.min.css">

    <!-- Including -->
    <script src="https://code.jquery.com/jquery-1.10.2.js"></script>

    <!-- including JS -->
    <script src="js/script.js"></script>

    <title>Happy Wedding</title>
</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>

```

```

<div class="search-panel">
  <div class="searchsortcontainer">
    <div class="search">
      <input type="text" class="form-control" id="keywords" placeholder="Type
      keywords..." onkeyup="searchFilter();">
      <i class="fa fa-search"></i>
    <div class="options">
      <select class="form-control" id="filterBy" onchange="searchFilter();">
        <option value="">Sort by</option>
        <option value="cost">Cost</option>
        <option value="stars">Ratings</option>
      </select>
    </div>
  </div>
</div>

<script>
  function searchFilter(page_num) {
    page_num = page_num?page_num:0;
    console.log(page_num);
    var keywords = $('#keywords').val();
    var filterBy = $('#filterBy').val();
    $.ajax({
      type: 'POST',
      url: './assets/php/getData.php',
      data: 'page=' + page_num + '&keywords=' + keywords + '&filterBy=' + filterBy + '&service_type=<?php
echo $websitename ?>',
      success: function (html) {
        $('#dataContainer').html(html);
      }
    });
  }
</script>

<div class="datalist-wrapper">
  <!-- Data list container -->
  <div id="dataContainer">

```

```




<div class="commonContainer">
    <?php
        if($query->num_rows > 0){ $i=0;
            while($row = $query->fetch_assoc()) { $i++;
        ?>
            <div class="commonCard">
                
                <div class="commonContent">
                    <p class="commonName"><?php echo $row['title']; ?></p>
                    <div class="stars">
                        <div class="stars-inner" style="width: <?php echo
$row['stars']*20 ?>%;"></div>
                    </div>
                    <?php if($row['location'] != 'none') { ?>
                        <p class="location"> <i class="fa-solid
fa-location-dot"></i> <?php echo $row['location']; ?> </p>
                    <?php } ?>
                    <?php if($row['venueType'] != 'none') { ?>
                        <p class="type"><i class="fa-solid fa-hotel"></i> <?php
echo $row['venueType']; ?></p>
                    <?php } ?>
                    <?php if($row['people_range'] != 'none') { ?>
                        <p class="range"><i class="fa-solid
fa-people-group"></i> <?php echo $row['people_range']; ?></p>
                    <?php } ?>
                        <p class="cost">$ <?php echo $row['cost']; ?></p>
                </div>
                <form action=".//assets/php/addToCart.php" method="POST">
                    <!-- <button class="commonBuy"
onclick="addToCart('<?php echo $row['id']; ?>')">Add to Cart</button> -->
                    <input type="hidden" name="Pid" value="<?php echo
$row['id'] ?>">
                    <input type="submit" value="Add to Cart"
class="commonBuy" name="addToCart">
                </form>
            </div>
        <?php
            $flag = 1;
        }
    ?>

```

```

        <!-- Display pagination links -->
    </div>
    <?php
        echo $pagination->createLinks();
    ?>
</div>
<?php
if($flag == 0) {
    echo "<br><br><br>";
    echo '<center>No data is present<br>';
    echo '</center>';
    unset($flag);
}
include($IPATH . "footer.php");
?>
</body>
</html>

```



1 2 >

jewelry.php

```

<?php
session_start();

// Include pagination library file

```

```

include_once './assets/php/Pagination.class.php';
// Include database configuration file
require_once './assets/php/connect.php';
// Set some useful configuration
$baseURL = './assets/php/getData.php';
$limit = 2;
$flag = 0;
$pageName = basename($_SERVER['PHP_SELF']);
// echo substr($pageName,0,strlen($pageName)-4); //works fine
// $websitename = 'cakes';
$websitename = substr($pageName,0,strlen($pageName)-4);

// Count of all records
$query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data WHERE typename='$websitename' ");
$result = $query->fetch_assoc();
$rowCount= $result['rowNum'];
// Initialize pagination class
$pagConfig = array(
    'baseURL' => $baseURL,
    'totalRows' => $rowCount,
    'perPage' => $limit,
    'contentDiv' => 'commonCard',
    'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);
// Fetch records based on the limit
$query = $conn->query("SELECT * FROM cards_data WHERE typename='$websitename' ORDER BY id ASC LIMIT $limit");
?>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->
    <link rel="stylesheet" href="css/Style.css">
    <!-- including font-awesome -->
    <link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">

```

```

<link rel="stylesheet" href="./fontawesome/css/all.min.css">

<!-- Including -->
<script src="https://code.jquery.com/jquery-1.10.2.js"></script>

<!-- including JS -->
<script src="js/script.js"></script>

<title>Happy Wedding</title>
</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>
<div class="search-panel">
    <div class="searchsortcontainer">
        <div class="search">
            <input type="text" class="form-control" id="keywords" placeholder="Type
keywords..." onkeyup="searchFilter();">
            <i class="fa fa-search"></i>
            <div class="options">
                <select class="form-control" id="filterBy" onchange="searchFilter();">
                    <option value="">Sort by</option>
                    <option value="cost">Cost</option>
                    <option value="stars">Ratings</option>
                </select>
            </div>
        </div>
    </div>
</div>

<script>
function searchFilter(page_num) {
    page_num = page_num?page_num:0;
    console.log(page_num);
    var keywords = $('#keywords').val();
    var filterBy = $('#filterBy').val();
    $.ajax({
        type: 'POST',
        url: './assets/php/getData.php',

```

```

data:'page=' +page_num+'&keywords=' +keywords+'&filterBy=' +filterBy+'&service_type=<?php
echo $websitename ?>',
success: function (html) {
    $('#dataContainer').html(html);
}
});
}
</script>

<div class="datalist-wrapper">

<!-- Data list container -->
<div id="dataContainer">

<div class="commonContainer">


<?php
if($query->num_rows > 0){ $i=0;
    while($row = $query->fetch_assoc()) { $i++;
?>
    <div class="commonCard">
        
        <div class="commonContent">
            <p class="commonName"><?php echo $row['title']; ?></p>
            <div class="stars">
                <div class="stars-inner" style="width: <?php echo
$row['stars']*20 ?>%;"></div>
            </div>
            <?php if($row['location']!=='none'){ ?>
                <p class="location"> <i class="fa-solid
fa-location-dot"></i> <?php echo $row['location']; ?> </p>
            <?php } ?>
            <?php if($row['venueType']!=='none'){ ?>
                <p class="type"><i class="fa-solid fa-hotel"></i> <?php
echo $row['venueType']; ?></p>
            <?php } ?>
            <?php if($row['people_range']!=='none'){ ?>
                <p class="range"><i class="fa-solid
fa-people-group"></i> <?php echo $row['people_range']; ?></p>
            <?php } ?>

```

```

        <p class="cost">$ <?php echo $row['cost']; ?></p>
    </div>
    <form action=".//assets/php/addToCart.php" method="POST">
        <!-- <button class="commonBuy"
        onclick="addToCart ('<?php echo $row['id']; ?>')">Add to Cart</button> -->
            <input type="hidden" name="Pid" value="<?php echo
        $row['id'] ?>">
            <input type="submit" value="Add to Cart"
        class="commonBuy" name="addToCart">
    </form>
    </div>
<?php
    $flag = 1;
}
}
?>
<!-- Display pagination links -->
</div>
<?php
    echo $pagination->createLinks();
?>
</div>
<?php
    if($flag == 0) {
        echo "<br><br><br>";
        echo '<center>No data is present<br>';
        echo '</center>';
        unset($flag);
    }
    include($IPATH . "footer.php");
?>
</body>
</html>

```



1 2 >

makeup.php

```

<?php
session_start();

// Include pagination library file
include_once './assets/php/Pagination.class.php';
// Include database configuration file
require_once './assets/php/connect.php';
// Set some useful configuration
$baseURL = './assets/php/getData.php';
$limit = 2;
$flag = 0;
$pageName = basename($_SERVER['PHP_SELF']);
// echo substr($pageName,0,strlen($pageName)-4); //works fine
// $websitename = 'cakes';
$websitename = substr($pageName,0,strlen($pageName)-4);

// Count of all records
$query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data WHERE
typename='$websitename' ");
$result = $query->fetch_assoc();

```

```

$rowCount= $result['rowNum'];
// Initialize pagination class
$pagConfig = array(
    'baseURL' => $baseURL,
    'totalRows' => $rowCount,
    'perPage' => $limit,
    'contentDiv' => 'commonCard',
    'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);
// Fetch records based on the limit
$query = $conn->query("SELECT * FROM cards_data WHERE typename='$websitename' ORDER BY id ASC LIMIT $limit");
?>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->
    <link rel="stylesheet" href="css/Style.css">
    <!-- including font-awesome -->
    <link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
    <link rel="stylesheet" href="./fontawesome/css/all.min.css">

    <!-- Including -->
    <script src="https://code.jquery.com/jquery-1.10.2.js"></script>

    <!-- including JS -->
    <script src="js/script.js"></script>

    <title>Happy Wedding</title>
</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>
<div class="search-panel">

```

```

<div class="searchsortcontainer">
    <div class="search">
        <input type="text" class="form-control" id="keywords" placeholder="Type
keywords..." onkeyup="searchFilter();">
        <i class="fa fa-search"></i>
        <div class="options">
            <select class="form-control" id="filterBy" onchange="searchFilter();">
                <option value="">Sort by</option>
                <option value="cost">Cost</option>
                <option value="stars">Ratings</option>
            </select>
        </div>
    </div>
</div>

<script>
function searchFilter(page_num) {
    page_num = page_num?page_num:0;
    console.log(page_num);
    var keywords = $('#keywords').val();
    var filterBy = $('#filterBy').val();
    $.ajax({
        type: 'POST',
        url: './assets/php/getData.php',
        data:'page='+page_num+'&keywords='+keywords+'&filterBy='+filterBy+'&service_type=<?php
echo $websitename ?>',
        success: function (html) {
            $('#dataContainer').html(html);
        }
    });
}
</script>

<div class="datalist-wrapper">
    <!-- Data list container -->
    <div id="dataContainer">
        <div class="commonContainer">

```

```

<?php
if($query->num_rows > 0){ $i=0;
    while($row = $query->fetch_assoc()) { $i++;
?>


![img](./assets/imgs/<?php echo
$row['typename'].$row['count']; ?>.png)

<?php echo $row['title']; ?>



<?php if($row['location']!='none'){ ?>


<i class="fa-solid
fa-location-dot"></i> <?php echo $row['location']; ?> </p>
<?php } ?>
<?php if($row['venueType']!='none'){ ?>


<i class="fa-solid fa-hotel"></i> <?php
echo $row['venueType']; ?></p>
<?php } ?>
<?php if($row['people_range']!='none'){ ?>


<i class="fa-solid
fa-people-group"></i> <?php echo $row['people_range']; ?></p>
<?php } ?>


$ <?php echo $row['cost']; ?></p>


<form action="./assets/php/addToCart.php" method="POST">
    <!-- <button class="commonBuy"
onclick="addToCart('<?php echo $row['id']; ?>')">Add to Cart</button> -->
    <input type="hidden" name="Pid" value="<?php echo
$row['id'] ?>">
    <input type="submit" value="Add to Cart"
class="commonBuy" name="addToCart">



<?php
    $flag = 1;
}
}
?>
<!-- Display pagination links -->


```

```

        </div>
        <?php
            echo $pagination->createLinks();
        ?>
    </div>
    <?php
        if($flag == 0) {
            echo "<br><br><br>";
            echo '<center>No data is present<br>';
            echo '</center>';
            unset($flag);
        }
        include($IPATH . "footer.php");
    ?>
</body>
</html>

```



1 2 >

photographers.php

```

<?php
session_start();

```

```

// Include pagination library file
include_once './assets/php/Pagination.class.php';
// Include database configuration file
require_once './assets/php/connect.php';
// Set some useful configuration
$baseURL = './assets/php/getData.php';
$limit = 2;
$flag = 0;
$pageName = basename($_SERVER['PHP_SELF']);
// echo substr($pageName,0,strlen($pageName)-4); //works fine
// $websitename = 'cakes';
$websitename = substr($pageName,0,strlen($pageName)-4);

// Count of all records
$query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data WHERE
typename='$websitename' ");
$result = $query->fetch_assoc();
$rowCount= $result['rowNum'];
// Initialize pagination class
$pagConfig = array(
    'baseURL' => $baseURL,
    'totalRows' => $rowCount,
    'perPage' => $limit,
    'contentDiv' => 'commonCard',
    'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);
// Fetch records based on the limit
$query = $conn->query("SELECT * FROM cards_data WHERE typename='$websitename' ORDER BY
id ASC LIMIT $limit");
?>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->
    <link rel="stylesheet" href="css/Style.css">

```

```

<!-- including font-awesome -->
<link rel="stylesheet" href="./fontawesome/css/fontawesome.min.css">
<link rel="stylesheet" href="./fontawesome/css/all.min.css">

<!-- Including -->
<script src="https://code.jquery.com/jquery-1.10.2.js"></script>

<!-- including JS -->
<script src="js/script.js"></script>

<title>Happy Wedding</title>
</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>
<div class="search-panel">
<div class="searchsortcontainer">
    <div class="search">
        <input type="text" class="form-control" id="keywords" placeholder="Type
keywords..." onkeyup="searchFilter();">
        <i class="fa fa-search"></i>
        <div class="options">
            <select class="form-control" id="filterBy" onchange="searchFilter();">
                <option value="">Sort by</option>
                <option value="cost">Cost</option>
                <option value="stars">Ratings</option>
            </select>
        </div>
    </div>
</div>
</div>

<script>
function searchFilter(page_num) {
    page_num = page_num?page_num:0;
    console.log(page_num);
    var keywords = $('#keywords').val();
    var filterBy = $('#filterBy').val();
    $.ajax({

```

```

        type: 'POST',
        url: './assets/php/getData.php',

data:'page='+page_num+'&keywords='+keywords+'&filterBy='+filterBy+'&service_type=<?php
echo $websitename ?>',

        success: function (html) {
            $('#dataContainer').html(html);
        }
    );
}

}

</script>

<div class="datalist-wrapper">

    <!-- Data list container -->
    <div id="dataContainer">


        <div class="commonContainer">
            <?php
                if($query->num_rows > 0){ $i=0;
                    while($row = $query->fetch_assoc()) { $i++;
                ?>
                    <div class="commonCard">
                        
                        <div class="commonContent">
                            <p class="commonName"><?php echo $row['title']; ?></p>
                            <div class="stars">
                                <div class="stars-inner" style="width: <?php echo
$row['stars']*20 ?>%;"></div>
                            </div>
                            <?php if($row['location']!='none'){ ?>
                                <p class="location"> <i class="fa-solid
fa-location-dot"></i> <?php echo $row['location']; ?> </p>
                            <?php } ?>
                            <?php if($row['venueType']!='none'){ ?>
                                <p class="type"><i class="fa-solid fa-hotel"></i> <?php
echo $row['venueType']; ?></p>
                            <?php } ?>
                            <?php if($row['people_range']!='none'){ ?>
                                <p class="range"><i class="fa-solid
fa-people-group"></i> <?php echo $row['people_range']; ?></p>
                            <?php } ?>
                        </div>
                    </div>
                }
            }
        </div>
    </div>
</div>

```

```

<?php } ?>
    <p class="cost">$ <?php echo $row['cost']; ?></p>
</div>
<form action=".//assets/php/addToCart.php" method="POST">
    <!-- <button class="commonBuy"
onclick="addToCart('<?php echo $row['id']; ?>')">Add to Cart</button> -->
        <input type="hidden" name="Pid" value="<?php echo
$row['id'] ?>">
            <input type="submit" value="Add to Cart"
class="commonBuy" name="addToCart">
        </form>
    </div>
<?php
    $flag = 1;
}
}
?>
<!-- Display pagination links -->
</div>
<?php
    echo $pagination->createLinks();
?>
</div>
<?php
    if($flag == 0) {
        echo "<br><br><br>";
        echo '<center>No data is present<br>';
        echo '</center>';
        unset($flag);
    }
    include($IPATH . "footer.php");
?>
</body>
</html>

```



Film Photography



Hyderabad

\$ 300

Add to Cart



Vertical Lens Pro



Kolkata

\$ 290

Add to Cart

1 2 >

venue.php

```

<?php
session_start();

// Include pagination library file
include_once './assets/php/Pagination.class.php';
// Include database configuration file
require_once './assets/php/connect.php';
// Set some useful configuration
$baseURL = './assets/php/getData.php';
$limit = 2;
$flag = 0;
$pageName = basename($_SERVER['PHP_SELF']);
// echo substr($pageName,0,strlen($pageName)-4); //works fine
// $websitename = 'cakes';
$websitename = substr($pageName,0,strlen($pageName)-4);

// Count of all records
$query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data WHERE
typename='$websitename' ");
$result = $query->fetch_assoc();
$rowCount= $result['rowNum'];
// Initialize pagination class

```

```

$pagConfig = array(
    'baseURL' => $baseURL,
    'totalRows' => $rowCount,
    'perPage' => $limit,
    'contentDiv' => 'commonCard',
    'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);
// Fetch records based on the limit
$query = $conn->query("SELECT * FROM cards_data WHERE typename='$websitename' ORDER BY id ASC LIMIT $limit");
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->
    <link rel="stylesheet" href="css/Style.css">
    <!-- including font-awesome -->
    <link rel="stylesheet" href=".fontawesome/css/fontawesome.min.css">
    <link rel="stylesheet" href=".fontawesome/css/all.min.css">

    <!-- Including -->
    <script src="https://code.jquery.com/jquery-1.10.2.js"></script>

    <!-- including JS -->
    <script src="js/script.js"></script>

    <title>Happy Wedding</title>
</head>
<body>
<?php
    $IPATH = $_SERVER["DOCUMENT_ROOT"]."/assets/php/";
    include($IPATH."navbar.php");
?>
<div class="search-panel">
<div class="searchsortcontainer">
    <div class="search">

```

```

        <input type="text" class="form-control" id="keywords" placeholder="Type
keywords..." onkeyup="searchFilter();">
        <i class="fa fa-search"></i>
        <div class="options">
            <select class="form-control" id="filterBy" onchange="searchFilter();">
                <option value="">Sort by</option>
                <option value="cost">Cost</option>
                <option value="stars">Ratings</option>
            </select>
        </div>
    </div>
</div>

<script>
function searchFilter(page_num) {
    page_num = page_num?page_num:0;
    console.log(page_num);
    var keywords = $('#keywords').val();
    var filterBy = $('#filterBy').val();
    $.ajax({
        type: 'POST',
        url: './assets/php/getData.php',
        data: 'page=' + page_num + '&keywords=' + keywords + '&filterBy=' + filterBy + '&service_type=<?php
echo $websitename ?>',
        success: function (html) {
            $('#dataContainer').html(html);
        }
    });
}
</script>

<div class="datalist-wrapper">
    <!-- Data list container -->
    <div id="dataContainer">
        <div class="commonContainer">
            <?php
            if($query->num_rows > 0){ $i=0;

```

```

        while($row = $query->fetch_assoc()) { $i++;
    ?>
        <div class="commonCard">
            
            <div class="commonContent">
                <p class="commonName"><?php echo $row['title']; ?></p>
                <div class="stars">
                    <div class="stars-inner" style="width: <?php echo
$row['stars']*20 ?>%;"></div>
                </div>
                <?php if($row['location'] != 'none') { ?>
                    <p class="location"> <i class="fa-solid
fa-location-dot"></i> <?php echo $row['location']; ?> </p>
                <?php } ?>
                <?php if($row['venueType'] != 'none') { ?>
                    <p class="type"><i class="fa-solid fa-hotel"></i> <?php
echo $row['venueType']; ?></p>
                <?php } ?>
                <?php if($row['people_range'] != 'none') { ?>
                    <p class="range"><i class="fa-solid
fa-people-group"></i> <?php echo $row['people_range']; ?></p>
                <?php } ?>
                    <p class="cost">$ <?php echo $row['cost']; ?></p>
                </div>
                <form action=".//assets/php/addToCart.php" method="POST">
                    <!-- <button class="commonBuy"
onclick="addToCart('<?php echo $row['id']; ?>')">Add to Cart</button> -->
                    <input type="hidden" name="Pid" value="<?php echo
$row['id'] ?>">
                    <input type="submit" value="Add to Cart"
class="commonBuy" name="addToCart">
                </form>
            </div>
        <?php
            $flag = 1;
        }
    }
    ?>
    <!-- Display pagination links -->
</div>
<?php

```

```

echo $pagination->createLinks();
?>
</div>
<?php
if($flag == 0) {
echo "<br><br><br>";
echo '<center>No data is present<br>';
echo '</center>';
unset($flag);
}
include($IPATH . "footer.php");
?>
</body>
</html>

```



Home Services Plans Gallery Contact Cart (0) Login

Type keywords...



Sort by



The White Dove Events Place



📍 Hyderabad



₹ 1000

\$ 5000



The Sunset View



📍 Delhi



₹ 2000

\$ 7000



The White Dove Events Place



📍 Hyderabad



1000

\$ 5000

Add to Cart



The Sunset View



📍 Delhi



2000

\$ 7000

Add to Cart

1 2 >

\$ 5000

Add to Cart

\$ 7000

Add to Cart

1 2 >

Services

Venue

Catering

Photographers

Jewelry

[View more](#)

Plans

Basic

Silver

Gold

Home

[Cart](#)

[Contact Us](#)



© All rights reserved | Happy Wedding Limited



Infinity Events Place

★★★★☆

📍 Bangalore

🏨 Hotel

₹ 1500

\$ 2000

Add to Cart



The Sandbar

★★★★★

📍 Hyderabad

🏨 Function Hall

₹ 3000

\$ 8000

Add to Cart

⟨ 1 2 3 ⟩



White Castle

★★★★☆

📍 Hyderabad

🏨 Resort

₹ 1200

\$ 3000

Add to Cart



Honeycomb Function Rooms

★★★★☆

📍 Bangalore

🏨 Resort

₹ 2200

\$ 5000

Add to Cart

⟨ 2 3 4 ⟩

Sort by
Cost
Ratings



White Castle

★★★★☆☆

📍 Hyderabad

📍 Resort

★★ 1200

\$ 3000

[Add to Cart](#)



Honeycomb Function Rooms

★★☆☆☆

📍 Bangalore

📍 Resort

★★ 2200

\$ 5000

[Add to Cart](#)

Cost



Sands and Rocks

★★★★☆☆

📍 Delhi

📍 Function Hall

★★ 1000

\$ 1000

[Add to Cart](#)



© iStockPhoto.com - csp17953237

Glass Gardens

★★★★★

📍 Delhi

📍 Resort

★★ 500

\$ 1000

[Add to Cart](#)

Type keywords...



Sands and Rocks

★★★★☆

Delhi

Function Hall

1000

\$ 1000

[Add to Cart](#)



Glass Gardens

★★★★★

Delhi

Resort

500

\$ 1000

[Add to Cart](#)

Type keywords...



Glass Gardens

★★★★★

Delhi

Resort

500

\$ 1000

[Add to Cart](#)



The Sandbar

★★★★★

Hyderabad

Function Hall

3000

\$ 8000

[Add to Cart](#)



The View

 5

 Bangalore

 Hotel

 3500

\$ 10000

[Add to Cart](#)



The White Dove Events Place

 5

 Hyderabad

 Resort

 1000

\$ 5000

[Add to Cart](#)

addToCart.php

```

<?php
    session_start();
    $url = $_SERVER['HTTP_REFERER'];

    if(!isset($_SESSION['cart'])){
        $_SESSION['cart'] = array();
    }

    if(isset($_POST['addToCart'])){
        echo $_POST['Pid'];
        $flag = 1;
        foreach($_SESSION['cart'] as $items){
            if($items===$_POST['Pid']){
                $flag = 0;
                break;
            }
        }
        if($flag==1)
            array_push($_SESSION['cart'],$_POST['Pid']);
    }

    ob_start();
    while (ob_get_status())

```

```

    {
        ob_end_clean();
    }
    header( "Location: $url" );
?>

```

```

cards.php
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <!-- including CSS -->
    <link rel="stylesheet" href="css/Style.css">
    <!-- including font-awesome -->
    <link rel="stylesheet" href=".fontawesome/css/fontawesome.min.css">
    <link rel="stylesheet" href=".fontawesome/css/all.min.css">

    <!-- Including -->
    <script src="https://code.jquery.com/jquery-1.10.2.js"></script>

    <!-- including JS -->
    <script src="js/script.js"></script>

    <title>Happy Wedding</title>
</head>
<body>
    <div class="commonContainer">

        <div class="commonCard">
            
            <div class="commonContent">
                <p class="commonName">Title</p>
                <div class="stars">
                    <div class="stars-inner"></div>
                </div>
                <p class="location"> <i class="fa-solid fa-location-dot"></i> location
            </p>
            <p class="type"><i class="fa-solid fa-hotel"></i> type</p>
            <p class="range"><i class="fa-solid fa-people-group"></i> range</p>
            <p class="cost">$cost</p>
        </div>
    </div>
</body>

```

```
        </div>
        <button class="commonBuy">Add to Cart</button>
    </div>
    <div class="commonCard">
        
        <div class="commonContent">
            <p class="commonName">Title</p>
            <div class="stars">
                <div class="stars-inner"></div>
            </div>
            <p class="location"> <i class="fa-solid fa-location-dot"></i> location
        </p>
        <p class="type"><i class="fa-solid fa-hotel"></i> type</p>
        <p class="range"><i class="fa-solid fa-people-group"></i> range</p>
        <p class="cost">$cost</p>
    </div>
    <button class="commonBuy">Add to Cart</button>
</div>
<div class="commonCard">
    
    <div class="commonContent">
        <p class="commonName">Title</p>
        <div class="stars">
            <div class="stars-inner"></div>
        </div>
        <p class="location"> <i class="fa-solid fa-location-dot"></i> location
    </p>
    <p class="type"><i class="fa-solid fa-hotel"></i> type</p>
    <p class="range"><i class="fa-solid fa-people-group"></i> range</p>
    <p class="cost">$cost</p>
    </div>
    <button class="commonBuy">Add to Cart</button>
</div>
<div class="commonCard">
    
    <div class="commonContent">
        <p class="commonName">Title</p>
        <div class="stars">
            <div class="stars-inner"></div>
        </div>
        <p class="location"> <i class="fa-solid fa-location-dot"></i> location
    </p>
</div>
```

```
<p class="type"><i class="fa-solid fa-hotel"></i> type</p>
<p class="range"><i class="fa-solid fa-people-group"></i> range</p>
<p class="cost">$cost</p>
</div>
<button class="commonBuy">Add to Cart</button>
</div>
<div class="commonCard">
  
  <div class="commonContent">
    <p class="commonName">Title</p>
    <div class="stars">
      <div class="stars-inner"></div>
    </div>
    <p class="location"> <i class="fa-solid fa-location-dot"></i> location
  </p>
  <p class="type"><i class="fa-solid fa-hotel"></i> type</p>
  <p class="range"><i class="fa-solid fa-people-group"></i> range</p>
  <p class="cost">$cost</p>
</div>
<button class="commonBuy">Add to Cart</button>
</div>
<div class="commonCard">
  
  <div class="commonContent">
    <p class="commonName">Title</p>
    <div class="stars">
      <div class="stars-inner"></div>
    </div>
    <p class="location"> <i class="fa-solid fa-location-dot"></i> location
  </p>
  <p class="type"><i class="fa-solid fa-hotel"></i> type</p>
  <p class="range"><i class="fa-solid fa-people-group"></i> range</p>
  <p class="cost">$cost</p>
</div>
<button class="commonBuy">Add to Cart</button>
</div>
<div class="commonCard">
  
  <div class="commonContent">
    <p class="commonName">Title</p>
    <div class="stars">
      <div class="stars-inner"></div>
    </div>
  </div>
</div>
```

```

        </div>
        <p class="location"> <i class="fa-solid fa-location-dot"></i> location
    </p>
        <p class="type"><i class="fa-solid fa-hotel"></i> type</p>
        <p class="range"><i class="fa-solid fa-people-group"></i> range</p>
        <p class="cost">$cost</p>
    </div>
    <button class="commonBuy">Add to Cart</button>
</div>
<div class="commonCard">
    
    <div class="commonContent">
        <p class="commonName">Title</p>
        <div class="stars">
            <div class="stars-inner"></div>
        </div>
        <p class="location"> <i class="fa-solid fa-location-dot"></i> location
    </p>
        <p class="type"><i class="fa-solid fa-hotel"></i> type</p>
        <p class="range"><i class="fa-solid fa-people-group"></i> range</p>
        <p class="cost">$cost</p>
    </div>
    <button class="commonBuy">Add to Cart</button>
</div>
<div class="commonCard">
    
    <div class="commonContent">
        <p class="commonName">Title</p>
        <div class="stars">
            <div class="stars-inner"></div>
        </div>
        <p class="location"> <i class="fa-solid fa-location-dot"></i> location
    </p>
        <p class="type"><i class="fa-solid fa-hotel"></i> type</p>
        <p class="range"><i class="fa-solid fa-people-group"></i> range</p>
        <p class="cost">$cost</p>
    </div>
    <button class="commonBuy">Add to Cart</button>
</div>
</div>

```

```
</body>
</html>

connect.php
<?php
// Database configuration
$dbHost      = "localhost";
$dbUsername  = "root";
$dbPassword  = "password";
$dbName       = "project";
// Create database connection
$conn = new mysqli($dbHost, $dbUsername, $dbPassword, $dbName);
// Check connection
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
?>
```

?

footer.php

```
<div class="footer">
  <div class="upperbox">
    <div class="planning">
      <h4>
        <a href="services.php">
          Services
        </a>
      </h4>
      <div class="totalpart">
        <p>
          <a href="venue.php">
            Venue
          </a>
        </p>
        <p>
          <a href="catering.php">
            Catering
          </a>
        </p>
      </div>
    </div>
  </div>
</div>
```

```
<p>
  <a href="photographers.php">
    Photographers
  </a>
</p>
<p>
  <a href="jewelry.php">
    Jewlery
  </a>
</p>
<p>
  <a href="services.php">
    View more
  </a>
</p>
</div>
</div>
<div class="ourplans">
  <h4>
    <a href="plans.php">
      Plans
    </a>
  </h4>
  <div class="totalpart">
    <p>
      <a href="plans.php">
        Basic
      </a>
    </p>
    <p>
      <a href="plans.php">
        Silver
      </a>
    </p>
    <p>
      <a href="plans.php">
        Gold
      </a>
    </p>
```

```
        </div>
    </div>
<div class="home">
    <h4>
        <a href="index.php">
            Home
        </a>
    </h4>
    <p>
        <a href="cart.php">
            Cart
        </a>
    </p>
    <p>
        <a href="contact.php">
            Contact Us
        </a>
    </p>
</div>

</div>
<div class="message">
    <div class="social-media">
        <a href="https://www.facebook.com/">
            <i class="fa-brands fa-facebook"></i>
        </a>
        <a href="https://twitter.com/">
            <i class="fa-brands fa-twitter"></i>
        </a>
        <a href="https://www.youtube.com/">
            <i class="fa-brands fa-youtube"></i>
        </a>
        <a href="https://www.instagram.com/">
            <i class="fa-brands fa-instagram"></i>
        </a>
        <a href="https://www.linkedin.com/">
            <i class="fa-brands fa-linkedin"></i>
        </a>
    </div>
</div>
<h4>© All rights reserved | Happy Wedding Limited</h4>
</div>
```

```
</div>
```

```
getData.php
<?php
if(isset($_SESSION['cart'])) {
    echo $_SESSION['cart'][0];
}

if(isset($_POST['service_type'])) {
    if(isset($_POST['page'])) {
        include_once 'Pagination.class.php';
        require_once 'connect.php';
        $baseURL = 'getData.php';
        $offset = !empty($_POST['page'])?$_POST['page']:0;
        $limit = 2; // change
        $temp = "SELECT * FROM cards_data WHERE typename='".$_POST['service_type']."' ";
        $temp_query = $conn->query($temp);
        $temp_row = $temp_query->fetch_assoc();
        $whereSQL = " WHERE typename='".$_POST['service_type']."' ";
        if(!empty($_POST['keywords'])) {
            $temp_count = 0;

            if($temp_row['title']!='none') {
                $whereSQL .= " AND ( title LIKE '%".$_POST['keywords']."%' ";
                $temp_count = 1;
            }

            if($temp_row['location']!='none') {
                if($temp_count==0) {
                    $whereSQL .= " AND ( ";
                }else{
                    $whereSQL .= " OR ";
                }
                $whereSQL .= " location LIKE '%".$_POST['keywords']."%' ";
                $temp_count = 1;
            }

            if($temp_row['venueType']!='none') {
                if($temp_count==0) {
                    $whereSQL .= " AND ( ";
                }else{
                    $whereSQL .= " OR ";
                }
            }
        }
    }
}
```

```

        $whereSQL .= " venueType LIKE '%".$_POST['keywords']."%' ";
        $temp_count = 1;
    }
    if($temp_count==1)
        $whereSQL .= " ";
}

// $whereSQL .= " ORDER BY id ASC LIMIT $offset,$limit ";
if(isset($_POST['filterBy']) && $_POST['filterBy'] != ''){
    $whereSQL .= " ORDER BY ".$_POST['filterBy'];
    if($_POST['filterBy']=='cost'){
        $whereSQL .= " ASC ";
    }else{
        $whereSQL .= " DESC ";
    }
}

// Count of all records
$query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data
".$whereSQL);
$result = $query->fetch_assoc();
$rowCount= $result['rowNum'];

// Initialize pagination class
$pagConfig = array(
    'baseURL' => $baseURL,
    'totalRows' => $rowCount,
    'perPage' => $limit,
    'currentPage' => $offset,
    'contentDiv' => 'dataContainer',
    'link_func' => 'searchFilter'
);
$pagination = new Pagination($pagConfig);

// Fetch records based on the offset and limit
// echo "SELECT * FROM cards_data $whereSQL LIMIT $offset,$limit" ;
$query = $conn->query("SELECT * FROM cards_data $whereSQL LIMIT $offset,$limit
");
?>
<div class="commonContainer">
<?php
if($query->num_rows > 0){
    while($row = $query->fetch_assoc()) {

```

```

        $offset++
    ?>
    <div class="commonCard" id="<?php echo $row['id']; ?>">
        
        <div class="commonContent">
            <p class="commonName"><?php echo $row['title']; ?></p>
            <div class="stars">
                <div class="stars-inner" style="width: <?php echo $row['stars']*20
?>%;" ></div>
            </div>
            <?php if($row['location'] != 'none') { ?>
                <p class="location"> <i class="fa-solid fa-location-dot"></i> <?php
echo $row['location']; ?> </p>
                <?php } ?>
                <?php if($row['venueType'] != 'none') { ?>
                    <p class="type"><i class="fa-solid fa-hotel"></i> <?php echo
$row['venueType']; ?></p>
                    <?php } ?>
                    <?php if($row['people_range'] != 'none') { ?>
                        <p class="range"><i class="fa-solid fa-people-group"></i> <?php
echo $row['people_range']; ?></p>
                        <?php } ?>
                        <p class="cost">$ <?php echo $row['cost']; ?></p>
                </div>
                <form action=".//assets/php/addToCart.php" method="POST">
                    <!-- <button class="commonBuy"
onclick="addToCart('<?php echo $row['id']; ?>')">Add to Cart</button> -->
                    <input type="hidden" name="Pid" value="<?php echo
$row['id'] ?>">
                    <input type="submit" value="Add to Cart"
class="commonBuy" name="addToCart">
                </form>
            </div>
            <?php
            }
        }
    ?>
</div>

```

```

<!-- Display pagination links -->
<?php echo $pagination->createLinks(); ?>
<?php
    }
}

?>

getDataGallery.php
<?php
if(isset($_POST['service_type'])){
    if(isset($_POST['page'])){
        include_once 'Pagination.class.php';
        require_once 'connect.php';
        $baseURL = 'getData.php';
        $offset = !empty($_POST['page'])?$_POST['page']:0;
        $limit = 4; // change
        $temp = "SELECT * FROM cards_data WHERE typename='". $_POST['service_type']."' ";
        $temp_query = $conn->query($temp);
        $temp_row = $temp_query->fetch_assoc();
        $whereSQL = " WHERE typename='". $_POST['service_type']."' ";

        // Count of all records
        $query = $conn->query("SELECT COUNT(*) as rowNum FROM cards_data
".$whereSQL);
        $result = $query->fetch_assoc();
        $rowCount= $result['rowNum'];

        // Initialize pagination class
        $pagConfig = array(
            'baseURL' => $baseURL,
            'totalRows' => $rowCount,
            'perPage' => $limit,
            'currentPage' => $offset,
            'contentDiv' => 'dataContainer',
            'link_func' => 'searchFilter'
        );
        $pagination = new Pagination($pagConfig);

        // Fetch records based on the offset and limit
        // echo "SELECT * FROM cards_data $whereSQL LIMIT $offset,$limit" ;
    }
}

```

```

        $query = $conn->query("SELECT * FROM cards_data $whereSQL LIMIT $offset,$limit
");
?>
<div class="commonContainer">
<?php
if($query->num_rows > 0){
    while($row = $query->fetch_assoc()) {
        $offset++
    ?>
    <div class="commonCard">
        
    </div>
    <?php
    }
}
?>

</div>

<!-- Display pagination links -->
<?php echo $pagination->createLinks(); ?>
<?php
}
}
?>

```

login.php

```

<?php
    session_start();

$url = $_SERVER['HTTP_REFERER'];

if(isset($_SESSION['uname']) && !isset($_POST["uname"])){
    header("Location: $url");
}
else{

    if(isset($_POST["uname"])){
        $uname = $_POST["uname"];
    }
}

```

```

if(isset($_POST["psw"])){
    $psw = $_POST["psw"];
}

if(isset($_POST["name"])&&!empty($_POST["name"])){
    $name = $_POST["name"];
    $_SESSION['signup'] = true;
    echo "name is $name ";
}

if(isset($_POST["email"])&&!empty($_POST["email"])){
    $email = $_POST["email"];
}

include "connect.php";

$sql = "SELECT * FROM users_data WHERE username='$uname' AND password='$psw'";

$result = $conn->query(($sql));

if ($result->num_rows > 0) {
    if(isset($_SESSION['signup'])){
        $_SESSION["login_fail"] = true;
    }else{
        $_SESSION['uname'] = $uname;
        $_SESSION['psw'] = $psw;
    }
}
else {
    if(isset($_SESSION['signup'])){
        $sql = "INSERT INTO users_data (fname,username,email,password) VALUES
        ('$name','$uname','$email','$psw')";
        $result = $conn->query(($sql));
        $_SESSION['uname'] = $uname;
        $_SESSION['psw'] = $psw;
        $_SESSION['name'] = $name;
        $_SESSION['email'] = $email;
        echo "this is happening";
    }else{
}
}

```

```

        $_SESSION["login_fail"] = true;

    }

}

if(isset($_SESSION['signup'])) unset($_SESSION['signup']);
ob_start();
while (ob_get_status())
{
    ob_end_clean();
}
header( "Location: $url" );

$conn->close();
}

?>

```

logout.php

```

<?php

session_start();
$url = $_SERVER['HTTP_REFERER'];
session_unset();
session_destroy();
header("Location: $url");

?>

```

navbar.php

```

<script >

function callCorrectPage() {

if(document.getElementById("id01").getElementsByClassName("vanish")[0].getElementsByName("a")[0].textContent==="Sign Up"){
    $(createRequiredPage("inline-block",true,"Sign Up","Login"));
} else{
    $(createRequiredPage("none",false,"Login","Sign Up"));
}

}

function createRequiredPage(display,required,title,change) {
    var y = document.getElementById("id01");

```

```

var x = y.getElementsByClassName("forSignup");
var z = y.getElementsByClassName("notrequired");
var heading = y.getElementsByTagName("h1");
// console.log(heading[0]);
heading[0].innerHTML = title;

y.getElementsByClassName("vanish")[0].getElementsByTagName("a")[0].textContent=change;
for(var i = 0;i<x.length;++i){
    x[i].style.display = display;
}
for(var i = 0;i<z.length;++i){
    z[i].required = required;
}
var b = document.getElementById("loginbutton");
b.innerHTML = title;
}

function cancelButton(){

if(document.getElementById("id01").getElementsByClassName("vanish")[0].getElementsByTagName("a")[0].textContent!="Sign Up"){
    $(createRequiredPage("none",false,"Login","Sign Up"));
}
document.getElementById('id01').style.display='none'
incorrectCredentials("none");
}

function incorrectCredentials(display){
    var x =
document.getElementById("id01").getElementsByClassName("incorrectcredentials");
    x[0].style.display = display;
}

</script>
<nav class="navbar">
    <div class="logo">
        <a href="index.php"></a>
    </div>
    <a href="#" class="toggle-button">
        <span class="bar"></span>
        <span class="bar"></span>
        <span class="bar"></span>
    </a>
    <div class="navbarlinks">

```

```

<ul>
    <li><a href="index.php" class="a">Home</a></li>
    <li><a href="services.php" class="a ">Services</a></li>
    <li><a href="plans.php" class="a">Plans</a></li>
    <li><a href="gallery.php" class="a">Gallery</a></li>
    <li><a href="contact.php" class="a">Contact</a></li>
    <li><a href="cart.php" class="a">Cart (<?php
if(isset($_SESSION['cart'])) {echo count($_SESSION['cart']);} else{echo "0";} ?>
</a></li>

<?php if(isset($_SESSION['uname'])){ ?>

    <li><a class="a" onclick="location.href='./assets/php/logout.php'">Log
Out</a></li>
    <?php }else{ ?>
        <li><a class="a"
onclick="document.getElementById('id01').style.display='block'">Login</a></li>
        <?php } ?>
    </ul>
</div>
</nav>
<div id="id01" class="maincontainer">
    <form class="login animate" action="./assets/php/login.php" method="post">
        <div class="txtlogincontainer">
            <span onclick="document.getElementById('id01').style.display='none'">
                <?--  -->
            <h1>Login</h1>
        </div>
        <h2 class="incorrectcredentials">INCORRECT CREDENTIALS!!</h2>
        <div class="logincontainer">

            <label for="name" class="forSignup" style="display: none;">Name</label>
            <input type="text" placeholder="Enter name" id="name" name="name"
style="display:none;" class="forSignup notrequired">
                <label for="email" class="forSignup" style="display: none;">Email</label>
                <input type="text" placeholder="Enter Email" id="email" name="email"
class="forSignup notrequired" style="display: none;" class="forSignup notrequired">
                    <label for="uname"><b>Username</b></label>
                    <input type="text" placeholder="Enter Username" id="uname" name="uname"
required>
                    <label for="psw"><b>Password</b></label>

```

```

        <input type="password" placeholder="Enter Password" id="psw" name="psw"
required>

        <button type="submit" id="loginbutton">Login</button>
    </div>
    <div class="logincontainer" style="background-color:#f1f1f1">
        <button type="button" onclick="$(cancelButton())"
class="cancelbtn">Cancel</button>
        <span class="signup vanish">
            <a onclick="callCorrectPage ()">Sign Up</a>
        </span>
    </div>
</form>
</div>
<script> var maincontainer = document.getElementById('id01');
function clicking() {
    const toggleButton = document.getElementsByClassName("toggle-button") [0];
    const navbarlinks = document.getElementsByClassName("navbarlinks") [0];
    toggleButton.addEventListener('click', () => {
        navbarlinks.classList.toggle('active');
    });
}
$(clicking());
// When the user clicks anywhere outside of the maincontainer, close it
window.onclick = function(event) {
    if (event.target == maincontainer) {
        maincontainer.style.display = "none";
    }
}
if(document.getElementById("id01").getElementsByClassName("vanish") [0].getElementsByTagName("a") [0].textContent!=="Sign Up"){
    $(createRequiredPage("none",false,"Login","Sign Up"));
}
incorrectCredentials("none");
}
};

<?php
if(isset($_SESSION['login_fail'])){
    if($_SESSION['login_fail']==true){
        unset($_SESSION['login_fail']);
    }
    document.getElementById('id01').style.display='block';
    incorrectCredentials("block");
}

```

```

<?php if(isset($_SESSION['signup'])) {
    unset($_SESSION['signup']);
    ?>
    callCorrectPage();
    <?php } ?>
<?php
}
}

?>
</script>

```

Pagination.class.php

```

<?php

class Pagination{
    var $baseURL = "";
    var $totalRows = "";
    var $perPage = 2;
    var $numLinks = 1;
    var $currentPage = 0;
    var $anchorClass = "changePage";
    var $link_func = "";
    var $contentDiv = "";
    var $additionalParam = "";
    function __construct($params= array())
    {
        if(count($params)>0) {
            foreach ($params as $key => $val) {
                if(isset($this->$key)) {
                    $this->$key = $val;
                }
            }
        }

        if($this->anchorClass!="") {
            $this->anchorClass = ' class = "'.$this->anchorClass.' " ';
        }
    }

    function getAJAXLink($count,$text,$flag=0) {
        if($this->link_func == "" && $this->contentDiv == "") {

```

```

        return '<a
href="'. $this->baseURL.'?' . $count . "''. $this->anchorClass.'>'. $text.'</a>';
    }

$pageCount = $count ? $count : 0;
if(!empty($this->link_func)){
    $link_click = 'onclick = "'. $this->link_func. '('. $pageCount .')' . "'";
}
else{
    $this->additionalParam = "{'page' : $pageCount}";
    $link_click = "style=\"$\" on click=\"$post('". $this->baseURL .", ".
$this->additionalParam .", function(data) {
    $('#'. $this->contentDiv.'"html(data); });
    return false;\"";
}
$activePage = "";
if($flag==1) $activePage = " id=\"$activePage\" ";
return "<a href=\"$javascript:void(0);\" ". $activePage. $this->anchorClass . "
    . $link_click .>". $text.'</a>';
}

function createLinks(){
if($this->totalRows==0 OR $this->perPage==0){
    return '';
}

$totalPages = ceil($this->totalRows/$this->perPage);

if($totalPages==1){
    return '';
}

if(!is_numeric($this->currentPage)){
    $this->currentPage = 0;
}

$output = "";

if($this->currentPage > $this->totalRows){
    $this->currentPage = ($totalPages- 1) * $this->perPage;
}

$uriPagenum = $this->currentPage;

```

```

$this->currentPage = floor(( $this->currentPage / $this->perPage) + 1);

$start = (( $this->currentPage - $this->numLinks) > 0 ) ? $this->currentPage -
($this->numLinks - 1) : 1;
$end = (( $this->currentPage + $this->numLinks) < $totalPages ) ?
$this->currentPage+$this->numLinks : $totalPages;

if($this->currentPage != 1) {
    $i = $uriPagenum - $this->perPage;
    if($i==0) $i = "";
    $output .= $this->getAJAXLink($i,"&#8249;");
}

for($loop = $start -1; $loop <= $end; $loop++) {
    $i = ($loop * $this->perPage) - $this->perPage;
    if($i>=0) {
        $n = ($i==0) ? ' ' : $i;
        $flag = 0;
        if($this->currentPage==$loop) {
            $flag = 1;
        }
        $output .= $this->getAJAXLink($n,$loop,$flag);
    }
}

if($this->currentPage < $totalPages) {
    $output .= $this->getAJAXLink($this->currentPage *
$this->perPage,"&#8250;");
}
$output = preg_replace("#([^\:])/+\#", "\\\1/", $output); //temp

$output = "<div class=\"pagination\">".$output."</div>";

return $output;
}

?>

```

register.php

```
<?php

if(isset($_POST["username"])){
    $uname = $_POST["username"];
}

if(isset($_POST["password"])){
    $pwd = $_POST["password"];
}

include "connect.php";

// $sql = "SELECT * FROM users_data WHERE username='$uname' AND password1='$pwd'";

$sql = "CREATE TABLE users_data (
    id INT(6) UNSIGNED AUTO_INCREMENT PRIMARY KEY,
    firstname VARCHAR(30) NOT NULL,
    lastname VARCHAR(30) NOT NULL,
    email VARCHAR(50),
    reg_date TIMESTAMP DEFAULT CURRENT_TIMESTAMP ON UPDATE CURRENT_TIMESTAMP
) ";

$conn->close();

?>
```

removeFromCart.php

```
<?php
    session_start();
    $url = $_SERVER['HTTP_REFERER'];

    if(isset($_POST['deleteItem']))
    {
        if(isset($_POST['deleteID'])) {
            if (($key = array_search($_POST['deleteID'], $_SESSION['cart'])) != false)
            {
                unset($_SESSION['cart'][$key]);
            }
        }
    }
}
```

```

ob_start();
while (ob_get_status())
{
    ob_end_clean();
}
header( "Location: $url" );
?>

```

suggestion.php

```

<?php
if(isset($_POST['suggestion'])){
    include_once "connect.php";
    $sql = "INSERT INTO suggestions_data(fname,email,phone,message)
VALUES ('".$_POST['name']."' , '".$_POST['email']."' , '".$_POST['phone']."' , '".$_POST['message']."' )";
    $query = $conn->query($sql);

}
?>

```

Style.css

```

*{
    text-decoration: none ;
    list-style: none;
    scroll-behavior: smooth;
    box-sizing: border-box;
}

body {
    font-family: Arial, Helvetica, sans-serif;
    margin: 0;
    padding: 0;
}

h1{
    text-align: center;
    font-size: 300%;
}

```

```
margin: 0;
}

/* Generic things start here */

.navbar{
  display: flex;
  justify-content: space-between;
  align-items: center;
  background-color: white;
  color: black;
  height: 50%;
}

.navbar .logo{
  margin-left: 5%;
}

.navbar .logo a{
  text-decoration: none;
}

.navbar .logo a img{
  /* height: 1000px; */
  width: 100px;
}

.navbar .logo a{
  color: black;
}

.navbarlinks ul{
  margin: 0;
  padding: 0;
  display: flex;
}

.navbarlinks li{
  list-style:none;
  transition: 0.4s ease-in;
}

.navbarlinks li a{
  text-decoration: none;
}
```

```
        color: black;
        padding: 1rem;
        display: block;
        transition: 0.4s ease-in;
        cursor: pointer;
    }

.navbarlinks li:hover{
    background-color: #00c8fd;
    color: white;
    transition: 0.4s ease-in;
}

.navbarlinks li:hover a{
    color: white;
    transition: 0.4s ease-in;
}

.toggle-button{
    position: absolute;
    padding: 0.2rem;
    right: 1rem;
    display: none;
    flex-direction: column;
    justify-content: space-between;
    height: 1.1rem;
    width: 1.5rem;
}

.toggle-button .bar{
    height: 3px;
    width: 100%;
    background-color: black;
    border-radius: 10px;
}

@media (max-width:800px){
    .toggle-button{
        display: flex;
    }
    .navbarlinks{
        display: none;
        width: 100%;
```

```
}

.navbar{
    flex-direction: column;
    align-items: flex-start;
}

.navbarlinks ul{
    width: 100%;
    flex-direction: column;
}

.navbarlinks ul li{
    text-align: center;
}

.navbarlinks ul li a{
    padding: 0.5rem 1rem;
}

.navbarlinks.active{
    display: flex;
}

}
```

```
.commonContainer{  
  display: flex;  
  flex-wrap: wrap;  
  justify-content: space-evenly;  
}  
  
.commonContainer .commonCard{  
  display: flex;  
  flex-direction: column;  
  justify-content: space-between;  
  align-items: center;  
  box-shadow: 0 .4vh .8vw 0 rgba(0, 0, 0, 0.4);  
  border-radius: 5px;  
  margin: 3%;  
  width: 300px;  
  overflow: hidden;  
  /* height: 900px; */  
  cursor: pointer;
```

```
}

.commonContainer .commonCard img{
  height: 200px;
  flex-grow: 2;
  width: 100%;
}

.commonContainer .commonCard .commonContent{
  display: flex;
  flex-direction: column;
  justify-content: space-between;
  align-items: center;
  /* height: 40%; */
  /* width: 100%; */
  flex-grow: 3;
}

.commonContainer .commonCard .commonName{
  font-size: 22px;
}

.commonContainer .commonCard .commonBuy{
  height: 50px;
  width: 100%;
  margin-top: 5%;
  background: gold;
  border: none;
  padding: 2%;
  transition: 0.4s ease-in;
  cursor: pointer;
}

.commonContainer .commonCard .commonBuy:hover{
  opacity: 0.5;
  transition: 0.4s ease;
}

.commonContainer .commonCard form{
  width: 100%;
}
```

```
.commonCartCard{
  width: 100%;

}

.commonCartCard th{
  height: 20%;
  width: 20%;
}

.commonCartCard img{
  height: 10rem;
  margin: 0;
  padding: 0;
}

.bridalweardataContainer .commonContainer .commonCard{
  height: 500px;
}

.bridalweardataContainer .commonContainer .commonCard img{
  height: 300px;
}

.groomweardataContainer .commonContainer .commonCard{
  height: 500px;
}

.groomweardataContainer .commonContainer .commonCard img{
  height: 250px;
}

.gallerydataContainer .commonContainer .commonCard{
  height: 300px;
  width: 400px;
}

.gallerydataContainer .commonContainer .commonCard:hover{
  opacity: 0.8;
}

/* Generic things end here */

/* Login starts here */
```

```
/* Full-width input fields */

.incorrectcredentials{
  color: red;
  text-align: center;
  display: none;
}

label.signup{
  font-weight: bold;
}

.login{
  width: 40% !important;
  /* height: 100vh !important; */
}

.logincontainer input[type=text],.logincontainer input[type=password] {
  width: 100%;
  padding: 12px 20px;
  margin: 8px 0;
  display: inline-block;
  border: 1px solid #ccc;
  box-sizing: border-box;
}

/* Set a style for all buttons */

.maincontainer button {
  background-color: #04AA6D;
  color: white;
  padding: 14px 20px;
  margin: 8px 0;
  border: none;
  cursor: pointer;
  width: 100%;
}

button:hover {
  opacity: 0.8;
}

/* Extra styles for the cancel button */
```

```
.cancelbtn {  
    width: auto !important;  
    padding: 10px 18px;  
    background-color: #f44336 !important;  
}  
  
/* Center the image and position the close button */  
.txtlogincontainer {  
    text-align: center;  
    margin: 24px 0 12px 0;  
    position: relative;  
    font-size: 70%;  
}  
  
.logincontainer {  
    padding: 16px;  
}  
span.close{  
    /* font-size: 2vw;  
    float: top;  
    */  
    display: none;  
}  
span.signup {  
    float: right;  
    padding-top: 16px;  
}  
span.signup a{  
    color: #888;  
    transition: 0.4s ease-in;  
}  
span.signup a:hover{  
    color: black;  
    transition: 0.4s ease-in;  
}  
  
/* The maincontainer (background) */  
.maincontainer {  
    display: none;  
    /* Hidden by default */  
    position: fixed; /* Stay in place */
```

```
z-index: 1; /* Sit on top */
left: 0;
top: 0;
width: 100%; /* Full width */
height: 100%; /* Full height */
overflow: auto; /* Enable scroll if needed */
background-color: rgb(0,0,0); /* Fallback color */
background-color: rgba(0,0,0,0.4); /* Black w/ opacity */
padding-top: 60px;
}

/* maincontainer Content/Box */
.login {
background-color: #fefefe;
margin: 5% auto 15% auto; /* 5% from the top, 15% from the bottom and centered */
border: 1px solid #888;
width: 80%; /* Could be more or less, depending on screen size */
}

.logincontainer .vanish:hover{
  cursor: pointer;
}
.logincontainer input[type=]

/* The Close Button (x) */
.close {
position: absolute;
right: 25px;
top: 0;
color: #000;
font-size: 35px;
font-weight: bold;
}

.close:hover,
.close:focus {
color: red;
cursor: pointer;
}

/* Add Zoom Animation */
```

```
.animate {
  -webkit-animation: animatezoom 0.6s;
  animation: animatezoom 0.6s
}

@-webkit-keyframes animatezoom {
  from {-webkit-transform: scale(0)}
  to {-webkit-transform: scale(1)}
}
@keyframes animatezoom {
  from {transform: scale(0)}
  to {transform: scale(1)}
}

/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 600px) {
  .login{
    width: 80% !important;
  }
}
@media screen and (max-width: 300px) {
  span.signup {
    display: block;
    float: none;
  }
  .cancelbtn {
    width: 100% !important;
  }
  .login{
    width: 100% !important;
  }
}

/* Login ends here*/
/* home page */
.home-page {
  /* position: relative; */
  left: 0;
  background: url("../assets/imgs/2.png");
  width: 100vw;
  height: 800px;
  /* height: 100vh; */
}
```

```
background-size: cover;
/* background-size: 100vw 100vh; */
/* background-size: auto; */
}

/* services */
.services .carousel{
  width: 100vw;
  height: 100vh;
  position: relative;
  display: flex;
  flex-wrap: wrap;
  align-items: center;
  justify-content: center;
}

.services .carousel-inner{
  width: 60vw;
  height: 80vh;
  background-size: cover;
  position: absolute;
}

.services .carousel .carousel-inner .carousel-item{
  width: 100%;
  height: 100%;
}

.services .carousel .carousel-inner .carousel-item img{
  width: 100%;
  height: 90%;
  object-fit: cover;
  opacity: 1;
  transition: .5s ease;
  backface-visibility: hidden;
}

.services .carousel .carousel-inner .carousel-item .carousel-caption{
  transition: 0.5s ease;
  opacity: 0;
  position: absolute;
  top: 50%;
  left: 50%;
```

```
        transform: translate(-50%,-50%);
        -ms-transform: translate(-50%,-50%);
        text-align: center;
    }

.services .carousel .carousel-inner .carousel-item h6{
    text-align: center;
    font-size: 1.5vw;
}

.services .carousel .carousel-inner .carousel-item:hover img{
    opacity: 0.3;
}

.services .carousel .carousel-inner .carousel-item:hover .carousel-caption{
    opacity: 1;
}

.services .carousel .carousel-inner .carousel-item:hover h6{
    opacity: 0;
}

.plans .combo-plans{
    position: relative;
    display: flex;
    flex-wrap: wrap;
    justify-content: space-evenly;
    /* align-items: center; */
    align-content:center ;
    /* justify-items: center; */
}

.plans .combo-plans .card h1{
    text-align: center;
    color: #8AAAE5;
}

.plans .combo-plans .card{
    box-shadow: 0 .4vh .8vw 0 rgba(0, 0, 0, 0.2);
    width: 300px;
    margin: 2rem;
    padding: 2rem;
    /* text-align: center; */
    /* flex: 25%; */
    /* position: absolute; */
```

```
/* display: block; */
font-family: Arial, Helvetica, sans-serif;
font-size: 1.2rem;
}

.fa-solid.fa-check{
  color: green;
}
.fa-solid.fa-xmark{
  color: red;
}
.plans{
  width: 100%;
  height: 100%;
}
.plans .combo-plans .card ul{
  list-style: none;
}

.plans .combo-plans .card button{
  border: none;
  outline: 0;
  padding: .5vw;
  color: white;
  background-color: #000;
  text-align: center;
  cursor: pointer;
  width: 100%;
  font-size: 1.5rem;
}

.plans .combo-plans .card button:hover {
  opacity: 0.7;
}

/* plans page starts here */
.planspage{
  height: 100%;
}
.planspage .combo-plans .card button{
  text-align: center;
```

```
/* color: #E2D3F4; */
background: #337def;
color: white;
width: 100%;

}

/* plans page ends here */
.homepageCustomers{
    height: 100%;
    margin-bottom: 5%;
}

.customers{
    width: 100%;
    height: 100%;
    margin-left: 5%;
}

.customers .images a{
    margin-top: 5%;
    position: relative;
    display: flex;
    /* flex-direction: row; */
    flex-wrap: wrap;
}

.customers .images a img{
    box-shadow: 0 .4vh .8vw 0 rgba(0, 0, 0, 0.5);
    max-width: 25%;
    margin: 2%;
    /* margin-bottom: 3vw; */
    opacity: 1;
}

.customers .images a img:hover{
    opacity: 0.3;
}

.customers .a,center a{
    text-decoration: none;
    color: blue;
    font-size: 150%;
}
```

```
.footer{  
    background-color: #000;  
    color: white;  
    margin-bottom: 0;  
    bottom: 0;  
    /* position: fixed; */  
    width: 100%;  
}  
.footer a{  
    text-decoration: none;  
    color: white;  
}  
.footer a:hover{  
    color: #f8ce0b;  
}  
.footer .upperbox{  
    display: flex;  
    flex-wrap: wrap;  
    justify-content: space-evenly;  
}  
.footer .message{  
    text-align: center;  
    margin: 0;  
    padding: 2%;  
}  
.footer .social-media a{  
    text-decoration: none;  
}  
.footer .planning{  
    display: flex;  
    flex-direction: column;  
}  
.footer .planning .totalpart{  
    display: flex;  
    justify-content: space-between;  
    flex-direction: column;  
}  
.fa-facebook{  
    color: white;
```

```
}

.fa-twitter{
  color: white;
  /* color: #1DA1F2; */

}

.fa-youtube{
  color: white;
  /* color: #FF0000; */

}

.fa-instagram{
  color: white;
  /* color: #E1306C; */

}

.fa-linkedin{
  color: white;
  /* color: #0077b5; */

}
```

```
.contact{
  width: 100vw;
  height: 100vh;

}

.contact h1{
  text-align: center;
  font-size: 5vw;
}

.contact .card{
  position: relative;
  display: flex;
  /* flex-wrap: wrap-reverse; */
  text-align: center;
}

.contact .card form{
  box-shadow: 0 .4vh .8vw 0 rgba(0, 0, 0, 0.2);
  max-width: 30vw;
  margin: 2vw;
  padding: 2vw;
  text-align: left;
  /* flex: 25%; */
```

```
/* position: absolute; */
display: block;
/* font-family: Arial, Helvetica, sans-serif; */
font-size: 1.2vw;
}

/* Cart Page Starts Here */
.cartPage{
  height: 100%;
}

.nocartitems{
  max-width: 80%;
  max-height: 30%;
}

.cartTable{
  border-collapse: collapse;
  width: 90%;
  margin: 5%;
}

.cartTable img{
  width: 100%;
  height: 100%;
}

.cartTable th{
  border: 1px solid #ddd;
  padding: 1%;
  font-weight: 200;
}

.cartTable tr:nth-child(even){
  background-color: #f2f2f2;
}

.cartTable tr:hover{
  background-color: #ddd;
}

.cartTable .commonCartHeading{
  padding-top: 12px;
  padding-bottom: 12px;
  background-color: #04AA6D;
  color: white;
}
```

```
.cartTable .commonCartHeading th{
  font-weight: bold;
}

.cartTable .commonCartHeading:hover{
  background-color: #04AA6D;
}

.costSection{
  display: flex;
  flex-direction: column;
  margin: 10% 15% 10% 15%;
  box-shadow: 0 .4vh .8vw 0 rgba(0, 0, 0, 0.4);
}

.costSection div{
  display: flex;
  flex-direction: row;
  justify-content: space-between;
  padding: 2%;
}

.costSection .totalCost{
  font-weight: bold;
  font-size: large;
}

.costSection hr {
  border: 0;
  clear:both;
  display:block;
  width: 96%;
  background-color: black;
  height: 2px;
  font-weight: bold;
}

.costSection button{
  width: 20%;
  background-color: gold;
  border: none;
  margin-bottom: 5%;
  padding: 1%;
  font-size: large;
}
```

```
        color: white;
        cursor: pointer;
    }

.commonCartCard input{
    border: none;
    background: none;
    color: red;
    cursor: pointer;
    padding: 5%;
    font-size: 100%;
}

.commonCartCard input:hover{
    background: red;
    color: white;
}

/* Cart Page Ends Here */
/* Services Page Starts Here */

.container{
    display: flex;
    flex-wrap: wrap;
    /* overflow: hidden; */
    /* margin: 3%; */
    /* background: green; */
    justify-content: center;
    background-color: #fbfbfb;

}

.container .card{
    /* margin: 3%; */
    /* padding: 1%; */
    /* margin-top: 2.5%; */
    margin-bottom: 2.5%;
    margin-left: 2.5%;
    margin-right: 2.5%; */
    margin: 2.5%;
    width: 500px;
    height: 150px;
}
```

```
        overflow: hidden;
        display: flex;
        align-items: center;
        border: none;
        background-color: #fbfbfb;
        /* background: yellow; */
    }
    .container .card .element img{
        width: 200px;
        height: 150px;
    }

    .container .card .element{
        margin: 5%;
        opacity: 1;
        transition: .4s ease;
        box-shadow: 0 .4vh .8vw 0 rgba(0, 0, 0, 0.4);
        /* background: gold; */
        background: linear-gradient(to right, #F9ED4E, #F6B042);
        color: #533549;
        /* background: #533549; */
        /* background: #D2302C; */
        /* color: #F7F7F9; */
        display: flex;
        align-items: center;
        width: 400px;
        height: 150px;
        overflow: hidden;
        flex-grow: 1;
        text-decoration: none;
    }
    .container .card .element p{
        /* background: -webkit-linear-gradient( #F6B042 , #F9ED4E);
        -webkit-background-clip: text;
        -webkit-text-fill-color: transparent; */
        padding: 0;
        /* margin: 0; */
        margin-left: 4%;
        margin-right: auto;
        font-size: 1.5rem;
    }
}
```

```
.container .card .element:hover {  
  cursor: pointer;  
  opacity: 0.7;  
}
```

```
/* Services Page Ends Here */
```

```
.container.home .card{  
  height: 180px;  
}
```

```
.container.home .element {  
  height: 180px;  
  /* padding-left: 25%; */  
  display: flex;  
  justify-content: space-between;  
}
```

```
.container.home .element p{  
  margin-right: 5%;  
}  
/* Venue Page Starts Here */
```

```
/* Style the search field */
```

```
.search-panel{  
  margin-top: 5%;  
  margin-bottom: 5%;  
}
```

```
.search{  
  border: none;
```

```
  box-sizing: border-box;
  position: relative;
  display: flex;
  margin-left: 35%;
  max-width: 35vw;
}

.search input[type=text] {
  padding: 10px;
  font-size: 17px;
  border: 1px solid grey;
  border: none;
  float: left;
  width: 80%;
  background: #f1f1f1;
}

/* Style the submit button */
.search i {
  float: left;
  padding: 10px;
  background: #2196F3;
  color: white;
  font-size: 17px;
  border: 1px solid grey;
  border-left: none; /* Prevent double borders */
  cursor: pointer;
}

@media screen and (max-width: 750px) {
  .search{
    margin-left: 5%;
    max-width: 350px;
  }
}

/* Clear floats */
.search::after {
  content: "";
  clear: both;
  display: table;
}

#filterBy{
  border: none;
```

```
    height: 100%;

}

.stars{
    display: inline-block;
    position: relative;
    font-family: FontAwesome;
}

.stars::before{
    content: "\f006 \f006 \f006 \f006 \f006";
}

.stars-inner {
    position: absolute;
    top: 0;
    left: 0;
    white-space: nowrap;
    overflow: hidden;
    width: 0;
}

.stars-inner::before {
content: "\f005 \f005 \f005 \f005 \f005";
color: #f8ce0b;
/* color: orange; */
}

/* .stars{
    color: orange;
} */

.venues-container{
    display: flex;
    flex-wrap: wrap;
    justify-content: center;
    overflow: hidden;
    background-color: #fbfbfb;
}

.venues-container .card{
    width: auto;
    height: 350px;
    margin: 5%;
```

```
  box-shadow: 0 .4vh .8vw 0 rgba(0, 0, 0, 0.4);
  display: flex;
  flex-direction: column;
  /* justify-content: center; */
  /* align-content: center; */
  /* justify-items: center; */
  align-items: center;
}

.venues-container .card img{
  width: auto;
  height: 150px;
}

.pagination{
  text-align: center;
  margin: 5%;
}

.pagination a{
  display: inline-block;
  padding: 8px 16px;
}

.pagination a:hover{
  background-color: #00c8fd;
  color: white;
}

.changePage{
  text-decoration: none;
  font-size: 30px;
  color:#00c8fd;
  padding: 1vw;
  border-radius: 50%;
  /* background-color: #f1f1f1; */
}

#activePage{
  color: blue;
}
```

```
#activePage:hover{
    color:white;
}

.chanePage:hover{
    color: white;
    font-size: 30px;
}

/*
Venue Page Ends Here */

/* cards page starts here*/

.gen-container{
    display: flex;
    flex-wrap: wrap;
    justify-content: center;
    background-color: #fbfbfb;
}

.gen-container .card{
    box-shadow: 0 .4vh .8vw 0 rgba(0, 0, 0, 0.4);
    width: 300px;
    height: 522.5px;
    margin: 5%;
    overflow: hidden;
    text-align: center;
    display: flex;
    flex-direction: column;
    justify-content: space-between;
}

.gen-container .card img{
    width: 300px;
    height: 350px;
}

.gen-container .card button{
    width: 300px;
    height: 50px;
    margin-bottom: 0;
    border: none;
    background: gold;
}
```

```
    color: white;
}

.gen-container .card button:hover{
    transition: 0.4s ease;
    cursor: pointer;
    background: lightblue;
    color: white;
}
```

```
/* Decoration starts here */
```

```
.gen-container .decoration{
    width: 325px;
    height: 460px;
    overflow: hidden;
    object-fit: contain;
}
```

```
.gen-container .decoration img{
    width: 325px;
    height: 250px;
}
```

```
.gen-container .decoration button{
    width: 325px;
}
```

```
/* Decoration ends here */
```

```
/* Catering Starts here */
```

```
.gen-container .catering{
    height: 380px;
}
```

```
.gen-container .catering img{
    height: 200px;
}
```

```
/* Catering Ends here */

/* .cropped { */
/* width: 400px; */
/* height: 300px; */
/* overflow: hidden; */
/* } */

/* .cropped img { */
/* margin: -30px 0px 0px -350px; */
/* margin: -80px 0px 0px -50px; */
/* style="margin: -80px 0px 0px -300px;" */
/* } */

/* cards page ends here */

/* Contact page starts here */

.front{
  background: #00c8fd;
  background-size: cover;
  height: 100%;
  color: white;
}

.front h1{
  font-size: 4vw;
  padding-top: 2.5%;
  margin-bottom: 5%;
}

.container-contact-1{
  display: flex;
  flex-wrap: wrap;
  justify-content: space-evenly;
}

.container-contact-1 .box{
  margin-left: 4%;
  margin-right: 4%;
  display: flex;
  flex-direction: column;
```

```
    align-items: center;
}

.container-contact-1 .box i{
    font-size: 2vw;
    margin-bottom: 5%;
}

.container-contact-2 form{
    display: flex;
    flex-direction: column;
    align-items: center;
}

.container-contact-2 form .box-out{
    display: flex;
    flex-wrap: wrap;
    width: 100%;
}

.container-contact-2 form .box-out .box{
    display: flex;
    flex-direction: column;
    width: 40%;
    margin-top: 2%;
    margin-left: 5%;
    margin-right: 5%;
}

.container-contact-2 form .box-out .box textarea{
    width: 100%;
    height: 100%;
}

.container-contact-2 input[type=text], select, textarea{
    /* width: 100%; */
    padding: 4px;
    border: 1px solid #ccc;
    border-radius: 5px;
    box-sizing: border-box;
    margin-top: 3%;
```

```
margin-bottom: 3%;  
resize: none;  
}  
  
.container-contact-2 input[type=submit] {  
background-color: white;  
color: black;  
padding: 1% 2%;  
border: none;  
border-radius: 5px;  
cursor: pointer;  
width: 100px;  
margin:2%;  
}  
  
.container-contact-2 input[type=submit]:hover {  
/* background-color: #45a049; */  
background-color: lightblue;  
color: white;  
}  
  
.container-contact-2 {  
border-radius: 5px;  
/* background-color: #f2f2f2; */  
padding: 20px;  
}  
  
/* Contact page ends here */  
  
/* write media query for width <1050 to change background image */  
  
@media screen and (max-width: 1050px) {
```

```
.home-page{
  background: url("../assets/imgs/6.png");
  width: 100vw;
  height: 600px;
  background-size: cover;
}

/*
 * write media query for width <500 to change background image */
}

@media screen and (max-width: 500px) {
  .container .card .element p{
    font-size: 1.25rem;
  }
}

@media screen and (max-width: 800px) {
  .services .carousel .carousel-inner .carousel-item:hover h6{
    opacity: 1;
  }
}

@media screen and (max-width:450px) {
  /* .customers .images a img{
    flex-direction: column;
    flex: 25%;
  } */
  .home .card .element p{
    font-size: 1rem;
    margin-left: 5%;
    padding-left: 15%;
    font-weight: 500;
  }
  .container .card .element img{
    width: 55%;
  }
}

}


```

script.js

```
function navBarPlaceHolder() {
    $("#nav-placeholder").load("nav.html");
}

// function openLoginPage() {
//     console.log("working1");
//     $("#login-placeholder").load("../assets/php/login.html");
//     console.log("working2");
// }

// function closeLoginPage() {
//     // Get the maincontainer
// }

function temp1() {
    console.log("HI");
}

const ratings = {
    hotel_a : 2.8,
    hotel_b : 3.3,
    hotel_c : 1.9,
    hotel_d : 4.3,
    hotel_e : 4.74,
    hotel_a : 2.8,
    hotel_b : 3.3,
    hotel_c : 1.9,
    hotel_d : 4.3
};

const starTotal = 9;
function starAllocation() {

    for(const rating in ratings) {
        // 2
        const starPercentage = (ratings[rating] / starTotal) * 100;
    }
}
```

```

// 3
const starPercentageRounded = `${(Math.round(starPercentage / 10) * 10)}%`;
// 4
document.querySelector(`.stars-inner`).style.width = starPercentageRounded;
}

}

const catering_count = 6;
const clothes_count = 14;
const cards_per_page = 4;
var i_cakes = 1;

var current_page = 1;

// function doesFileExist(urlToFile) {
//     var xhr = new XMLHttpRequest();
//     xhr.open('HEAD', urlToFile, false);
//     xhr.send();

//     return xhr.status !== 404;
// }

// function count_items(item) {
//     var temp =0;
//     do{
//         temp++;
//     }while(doesFileExist("./assets/imgs/"+item+temp+".png"));
//     if(temp==1) return 0;
//     return temp;
// }

// const cakes_count = count_items("cakes");

// var max_pages = Math.floor(((cakes_count%cards_per_page==0) ? 0 : 1)
+cakes_count/cards_per_page);

function changeContent(page_no=1){
    i_cakes = (page_no-1)*cards_per_page + 1;
    var x = document.getElementsByClassName("cakes");
    console.log(x.length);
}

```

```

console.log("qwe");
// ./assets/imgs/cakes
for(var i =0;i<x.length;++i){
  if(i_cakes<=cakes_count&&i<cards_per_page){

    x[i].style.height = "400px";
    var y = x[i].getElementsByTagName("img")[0].src;
    for(var j=y.length-1;j>=0&&y[j]!='/' ;--j) {}
    var z = y.substring(0,j+1)+"cakes"+(i_cakes)+".png";
    var exist = doesFileExist("./assets/imgs/cakes"+i_cakes+".png");
    if(exist){

      x[i].getElementsByTagName("img")[0].src= z;
      x[i].style.display= "flex";
    }else{
      i--;
    }
    i_cakes++;
  }else{
    x[i].style.display = "none";
  }
}

function previous_page(){
  if(current_page!=1){
    current_page--;
    changeContent(current_page);
    window.scrollTo(0,0);
  }
}

function next_page(){
  if(current_page!=max_pages){
    current_page++;
    changeContent(current_page);
    window.scrollTo(0,0);
  }
}

```

```

var type =
['venue','decoration','catering','photographers','makeup','bridalwear','groomwear','cake','jewlery','customer'];

function cardsPlaceHolder() {
    $("#cardsPlaceHolder").load("cards.html");
}

// Title,stars,location,type,range,cost,buy

// Venue - Title,stars,location,type,people-limit
// Decoration - Title, stars, location, cost - buy
// Catering - Title, stars,location, people limit ,price/plate

const display = [
    [1,1,1,1,1,0,0],
    [1,1,1,0,0,1,1],
    [1,1,1,0,1,1,0],
    [1,1,1,0,0,1,0],
    [1,1,1,0,0,1,0],
    [1,1,1,0,0,1,0],
    [1,1,0,0,0,1,1],
    [1,1,0,0,0,1,1],
    [1,1,0,0,0,1,1],
    [1,1,0,0,1,1],
    [1,1,0,0,0,1,0]
]
// Photographers - Title,stars,location,price/day

// Make Up - Title, stars, location, cost

// Bridal Dress - Title, stars, price - buy

// Groom Dress - Title, stars, price - buy

// Cakes - Title, stars, price/kg - buy

```

```

// Jewellery - Title, stars, price - buy

// Honey moon - Title, stars, price/head


const cartStuff = new Set();

// function addToCart(id_of_service){
//     console.log(id_of_service);
//     cartStuff.add(id_of_service);
//     console.log(cartStuff);
// }

function addToCart(id_of_service){
    console.log("hello");
    var x = document.getElementById(id_of_service);
    $.ajax({
        type:"POST",
        url:"echo.php",
        data:'idof='+id_of_service,
        success:function(result){

        }
    })
}

```

[fontawesome.min.css](#)

[all.min.css](#)

[jquery-1.10.2.js](#)