

# Shell-Scripting Assignment

Write a shell script to change the values in a file(i.e sig.conf) according to the input passed to the script. The script should ask for all four inputs from the user & also validate the input.

Below are the details of input. In full bracket options are given, you have to restrict the user pass single value for each input from the provided options in the full bracket.

Input:-

1) Component Name [INGESTOR/JOINER/WRANGLER/VALIDATOR]

2) Scale [MID/HIGH/LOW]

3) View [Auction/Bid]

4) Count [single digit number]

Explanation of a conf file line.

<view> ; <scale> ; <component name> ; ETL ; vdopiasample= <count>

Note:- vdopiasample stands for Auction & vdopiasample-bid is for Bid


The script should change the values in the file according to the input provided. At a time only one line of the conf file should be altered.

---

## Create the sig.conf file

```
echo "Auction ; MID ; INGESTOR ; ETL ; vdopiasample= 1" > sig.conf
```

## Create the update\_sig\_conf.sh file



```
sigmoid@sigmoid-ThinkPad-T470: /home/shashank
sigmoid@sigmoid-ThinkPad-T470:/home/shashank$ echo "JOINER ; LOW ; INGESTOR ; ETL ; vdopiasample=2" > sig.conf
sigmoid@sigmoid-ThinkPad-T470:/home/shashank$ cat sig.conf
JOINER ; LOW ; INGESTOR ; ETL ; vdopiasample=2
sigmoid@sigmoid-ThinkPad-T470:/home/shashank$ nano update_sig_conf.sh
sigmoid@sigmoid-ThinkPad-T470:/home/shashank$
```

## update\_sig\_conf.sh

```
#!/bin/bash
```

```
validate_input() {  
    input="$1"  
    allowed="$2"  
    if [[ ! " $allowed " =~ " $input " ]]; then  
        echo "Invalid input. Allowed options are: $allowed"  
        exit 1  
    fi  
}  
  
validate_count() {  
    count="$1"  
    if [[ ! "$count" =~ ^[0-9]$ ]]; then  
        echo "Invalid count. Please enter a single digit number (0-9)."  
        exit 1  
    fi  
}
```

```
echo          "Please          enter          the          Component          Name  
[INGESTOR/JOINER/WRANGLER/VALIDATOR]:"  
read -r component_name  
validate_input "$component_name" "INGESTOR JOINER WRANGLER VALIDATOR"
```

```
echo "Please enter the Scale [MID/HIGH/LOW]:"  
read -r scale  
validate_input "$scale" "MID HIGH LOW"
```

```
echo "Please enter the View [Auction/Bid]:"  
read -r view  
validate_input "$view" "Auction Bid"
```

```
echo "Please enter the Count (single digit number 0-9):"  
read -r count  
validate_count "$count"
```

```
if [[ "$view" == "Auction" ]]; then  
    view_name="vdopiasample"
```

```
else
    view_name="vdopiasample-bid"
fi

new_line="$view ; $scale ; $component_name ; ETL ; $view_name-etl= $count"

echo "The new configuration line to be inserted is:"
echo "$new_line"

update_line_in_file() {
    file="$1"
    new_line="$2"

    sed -i "0,/{s|.*|$new_line|;b}" "$conf_file"
}

conf_file="sig.conf"

if [[ ! -f "$conf_file" ]]; then
    echo "Configuration file '$conf_file' not found!"
    exit 1
fi

update_line_in_file "$conf_file" "$new_line"

echo "Configuration updated successfully!"
```

```
sigmoid@sigmoid-ThinkPad-T470:/home/shashank$ ./update_sig_conf.sh
Please enter the Component Name [INGESTOR/JOINER/WRANGLER/VALIDATOR]:
VALIDATOR
Please enter the Scale [MID/HIGH/LOW]:
MID
Please enter the View [Auction/Bid]:
Bid
Please enter the Count (single digit number 0-9):
5
The new configuration line to be inserted is:
Bid ; MID ; VALIDATOR ; ETL ; vdopiasample-bid-etl= 5
Configuration updated successfully!
sigmoid@sigmoid-ThinkPad-T470:/home/shashank$ cat sig.conf
Bid ; MID ; VALIDATOR ; ETL ; vdopiasample-bid-etl= 5
sigmoid@sigmoid-ThinkPad-T470:/home/shashank$ ./update_sig_conf.sh
Please enter the Component Name [INGESTOR/JOINER/WRANGLER/VALIDATOR]:
INGESTOR
Please enter the Scale [MID/HIGH/LOW]:
HIGH
Please enter the View [Auction/Bid]:
Auction
Please enter the Count (single digit number 0-9):
7
The new configuration line to be inserted is:
Auction ; HIGH ; INGESTOR ; ETL ; vdopiasample-etl= 7
Configuration updated successfully!
sigmoid@sigmoid-ThinkPad-T470:/home/shashank$
```