




Customer	
1	customer_id [PK] (varchar 25)
2	customer_name (varchar 100)
3	Segment (varchar 15)
4	location_id [FK] (varchar 25)
5	Comp KEY (Customer_id,Loction_id)

Location	
1	location_id [PK] (varchar 25)
2	country (varchar 50)
3	city (varchar 100)
4	cust_state (varchar 100)
5	postal_code (varchar 10)
6	region (varchar 10)

Product	
1	product_id [PK] (varchar 50)
2	Category (varchar 20)
3	sub_category (varchar 50)
4	product_name (varchar 255)

Order	
1	order_id [PK] (varchar 25)
2	customer_id [FK] (varchar 25)
3	location_id [FK] (varchar 25)
4	order_date (Date)

Shipment_Info	
1	shipment_date (Date)
2	Shipment_Mode (varchar 25)
3	shipment_id [PK] (Varchar 25)
4	order_id [FK] (varchar 25)

Customer_Purchase	
1	CustomerID [FK] (varchar 25)
2	ProductID [FK] (varchar 50)
3	LocationID [FK] (varchar 25)
4	Order ID [PK] (varchar 50)
5	ShipmentID [FK] (varchar 25)
6	Sales (float)
7	Quantity (int)
8	Discount (float)
9	Profit (float)
10	Order_Date (Date)

Customer_Returns	
1	CustomerID [FK] (varchar 25)
2	ProductID [FK] (varchar 50)
3	LocationID [FK] (varchar 25)
4	Order ID [PK] (varchar 50)
5	ShipmentID [FK] (varchar 25)
6	Sales (float)
7	Quantity (int)
8	Discount (float)
9	Profit (float)
10	Order_Date (Date)

