Read around the hit, measured

Day 11: send the sections next to each hit, then test it fairly.

THE ANSWER WAS NEXT DOOR

Day 10's held-out miss

"My phone was stolen on a business trip. Who should I tell?"

Security Incident Reporting, in document order




previous of hit 3: added

the top 3: answer missing · + neighbours: in the context

52 NEW QUESTIONS: ANSWER IN THE CONTEXT?

written first



as many, further down: as many sections as the expansion sent, from the ranking

THE BAR, SET IN ADVANCE: BEAT THE CONTROL

it found 2 the top 3 missed; the control found those and 1 more

section expansion: not adopted

more context always finds more: compare with the same amount

Hits first, then their neighbours

Section expansion, with an off-switch and a trace.

1. **SEARCH, FILTERED**
   the weighted fusion's top 3: the hits
2. **LOOK UP AROUND EACH HIT**
   the section before and after, same document
3. **MAY THIS USER READ IT?**
   a lookup isn't a search: check again
4. **FITS 300 WORDS?**
   whole sections; skip what doesn't fit

THE TRACE: WHY EACH SECTION IS THERE

		the stolen phone
hit 1	Safety while travelling	sent ✓
hit 2	After you report	sent ✓
hit 3	What not to do	sent ✓
previous of hit 3	How to report	sent: the answer ✓
next of hit 3	After you report	already sent

5 sections, 188 words: the hits are always sent first

THE OFF-SWITCH

```
EXPANSION = "off"
```

exactly Day 10's top 3, every query

WHICH NEIGHBOURS? A DEV RULE

both: 90 of 90 found

previous, next, parent: 89

committed before the test

Same words, chosen two ways

The control: as many sections, from further down the ranking.

AROUND THE HITS

top 3 + neighbours

51 of 52

199 words

FURTHER DOWN

top m, m = sections sent

52 of 52

199 words

the top 3 alone: 49 of 52, 110 words

THE TOP 3'S THREE MISSES

	each ranked 5th	
	around	down
a train ticket I paid for Submitting a claim: next to hit 1	✓	✓
I clicked a suspicious link How to report: next to hit 1	✓	✓
a taxi from the airport another document: expense policy	✗	✓

neighbours can't leave the hits' document; the ranking can

WHY THE CONTROL

vs the top 3 it can't lose: it sends the top 3 first

only a control says whether structure helped, or size

A lookup is not a search

Before you ship any step that adds context.

ONE SECTION RESTRICTED TO MANAGERS

in memory, as alice

✓	the search returns it	0 of 155
×	an unchecked neighbour lookup	10 of 155
✓	the checked expansion	0

neighbours, parents, linked docs: check permissions again

COST

words: 114 → 214

tokens: 137 → 259

mean per answerable query

the lookup itself: microseconds

IN CONTEXT ≠ ANSWERED

the suspicious-link question

How to report: now sent

the reader copies:

"Do not try to investigate..."

Day 12 grades answers

EVERY ADVANCED RETRIEVAL STEP NEEDS

an off-switch	back to the old context, no deploy
a trace per query	why each section was sent
a permission check	on everything it fetches
a budget	and what it skipped, logged
a control	the same amount, chosen simply