



SEMA GUIDE

AI SUPPORT AGENT

Canonical Detailed Wireframe & Engineering Handoff Specification

FINAL BUILD SPECIFICATION | VERSION 1.0

Public identity: Sema Guide + persistent AI badge

Internal service: sema-guide-agent

CANONICAL LOCK

NAME	Sema Guide
ROLE	AI support, onboarding and task-resolution agent
SURFACES	Public website, authenticated app, desktop and mobile
LANGUAGE	British English
STATUS	Final engineering handoff - no approval gate remains

Document Control

Field	Locked decision
Document	Zoiko Sema - Sema Guide Canonical Detailed Wireframe & Engineering Handoff Specification
Document ID	ZS-SG-WF-01 v1.0
Status	Final build specification - recommendations incorporated; no approval gate remains
Public identity	Sema Guide with a separate, persistent AI badge
Formal descriptor	Zoiko Sema AI support, onboarding and task-resolution agent
Internal service identifier	sema-guide-agent
Owner	Zoiko Sema Product and Engineering
Consumers	Product, UI/UX, Web, App, AI, Platform, Security, Privacy, Support, QA and Analytics
Surfaces	Public website; authenticated web app; desktop app; mobile app; in-meeting help panel
Language convention	British English
Date	13 July 2026
Classification	Internal engineering and product handoff

Canonical lock

The customer-facing name is Sema Guide. “AI” is a disclosure badge, not part of the core name. “Chatbot”, “bot”, “virtual agent” and human-style names are prohibited in primary UI. Sema Interpreter remains the separate live spoken-language interpretation agent.

Document Map

- 1. Executive lock and critical revisions
- 2. Naming, semantics and product taxonomy
- 3. Product scope, boundaries and operating modes
- 4. Reference review of the supplied Zoom interface
- 5. Experience principles and non-negotiables
- 6. Information architecture and surface rules
- 7. Launcher, shell and canonical desktop wireframe
- 8. Conversation components and response-card system
- 9. Contextual quick actions and intent routing
- 10. Human handoff and support operations
- 11. Identity, permissions, entitlement and tenant policy
- 12. Tool governance and consequential actions
- 13. AI orchestration, grounding and response validation
- 14. Privacy, retention, consent and data residency
- 15. Security, abuse prevention and Confidential Mode
- 16. Accessibility, localisation and responsive behaviour
- 17. Administrator controls and operational management
- 18. APIs, data contracts, state model and events
- 19. Failure handling, observability and quality metrics
- 20. Delivery phases, QA matrix and release gates
- Appendices A-D: canonical copy, tool registry, event schema and prohibited patterns

1. Executive Lock and Critical Revisions

Sema Guide is the canonical Zoiko Sema support identity. It is designed as a governed AI support and task-resolution agent, not a decorative FAQ widget. The experience must answer verified questions, guide users through product tasks, execute authorised low-risk actions, and transfer context to a human without forcing repetition.

1.1 Revisions incorporated

Defect in the earlier direction	Final correction
The public identity was not fully separated from the underlying technology.	Use Sema Guide as the product identity; display AI as a persistent disclosure badge; keep “agent” in the descriptor and internal architecture.
Public website, authenticated support and in-meeting help were treated too similarly.	One platform, three policy-aware modes with different data access, quick actions, authentication and tool permissions.
Quick actions mixed support, sales, navigation and account tasks.	Rank actions by surface, page context, identity, role, plan, recent failure and incident state; show no more than six at once.
The visual shell risked duplicating Zoiko Sema branding.	Show the full wordmark in a standalone website panel; show only favicon + Sema Guide when the host product header already carries the wordmark.
The generic AI disclaimer was too broad.	Use precise, contextual qualification: identify AI, identify data use, expose sources, and require confirmation for consequential actions.
Transcript and retention controls were not separated.	Model live processing, support history, export, analytics, safety logs, model-improvement use and legal retention as distinct purposes and controls.
Human escalation was framed as a last resort.	Permit direct human requests at any time; preserve authorised context; expose what will be shared before transfer.
Tool execution requirements were incomplete.	Every tool declares role, entitlement, policy, confirmation, idempotency, audit, rollback and failure behaviour.
Accessibility was treated as a checklist rather than behaviour.	Define keyboard, focus, screen-reader announcement, target size, reflow, reduced-motion and recoverable-help rules per component.
Knowledge grounding did not define precedence.	Tenant policy and live account state outrank general product documentation; unrestricted web retrieval is off by default.
No hard line existed between support help and meeting content.	Opening Sema Guide in a meeting does not grant access to meeting audio, video, chat, files or confidential content.
The earlier specification lacked implementation sequencing.	Ship in gated phases: grounded answers, support handoff, account-aware diagnostics, low-risk actions, then governed task execution.

1.2 Release position

- Sema Guide is approved as the canonical name and UI identity.
- The official Zoiko Sema wordmark and favicon supplied with this specification are the only approved brand assets.
- The panel is a support surface; it is not a meeting participant and is excluded from participant counts.
- No consequential action may be executed without an explicit preview and confirmation unless the action is reversible, user-initiated and pre-authorised by policy.
- Enterprise customer content is not used for foundation-model training by default.

2. Naming, Semantics and Product Taxonomy

2.1 Final name: Sema Guide

“Guide” is the strongest functional noun for this role. It conveys direction through unfamiliar product, support and administrative tasks without pretending to be a person. The phrase reads naturally, is easy to pronounce, remains understandable across markets, and scales from explanation to governed action.

Criterion	Weight	Sema Guide	Why it wins
Immediate clarity	20%	19/20	Users understand that it helps them find a path or complete a task.

Criterion	Weight	Sema Guide	Why it wins
Enterprise trust	15%	15/15	Professional and non-anthropomorphic; does not imitate a human representative.
Global usability	15%	14/15	Short, pronounceable and semantically accessible.
Product extensibility	15%	15/15	Supports FAQ, onboarding, diagnostics, workflow guidance and authorised actions.
Brand fit	15%	15/15	Creates a clean family with Sema Interpreter, Sema Notes and Sema AI.
Distinctiveness	10%	9/10	More ownable than Virtual Agent or Support Bot while staying descriptive.
Accessibility of meaning	10%	10/10	Avoids idiom, metaphor and specialist vocabulary.
Total	100%	97/100	Canonical selection.

2.2 Rejected alternatives

Candidate	Decision	Reason
Sema Virtual Agent	Reject	Category label rather than a product identity; impersonal and generic.
Sema Translator / Sema Translator AI	Reject for this surface	Reserved conceptually for language translation; conflicts with Sema Interpreter and does not describe support.
Sema Assist	Reject	Clear but generic; reads more like a feature verb than a durable service identity.
Sema Concierge	Reject	Premium but hospitality-coded, culturally less universal and prone to over-promising white-glove service.
Sema Navigator	Reject	Strong directional meaning but biased toward navigation rather than issue resolution.
Sema Companion	Reject	Overly anthropomorphic and consumer-oriented.
Sema Bot	Prohibited	Technically reductive and below the product's enterprise position.
Human personal name	Prohibited	Creates identity ambiguity and weakens AI transparency.

2.3 Canonical naming architecture

Layer	Required string
Public product name	Sema Guide
Visible classification	AI
Header subtitle	Zoiko Sema support
Formal descriptor	AI support, onboarding and task-resolution agent
Launcher tooltip	Ask Sema Guide
Accessible launcher name	Open Sema Guide, Zoiko Sema's AI support agent
Sender label	Sema Guide · AI
Internal agent ID	sema-guide

Layer	Required string
Internal service ID	sema-guide-agent
Conversation service	sema-guide-conversation-service
Orchestrator	sema-guide-orchestrator

2.4 Product family boundary

Capability	Role	Must not be confused with
Sema AI	Umbrella intelligence layer across Zoiko Sema.	A single chatbot or support widget.
Sema Guide	Support, onboarding, product guidance and governed task resolution.	Sema Interpreter or an ordinary human support representative.
Sema Interpreter	Live spoken-language interpretation during meetings and calls.	Website support, document translation or customer-service chat.
Sema Notes	Meeting notes, summaries and follow-up artefacts.	Support transcripts or customer-service case notes.

3. Product Scope, Boundaries and Operating Modes

3.1 Core jobs to be done

1. Answer product questions using approved Zoiko Sema knowledge and clearly expose the source.
2. Guide users to the correct page, control or workflow without creating navigation loops.
3. Diagnose common meeting, browser, device, account and integration problems.
4. Explain plans, quotas, entitlements, policy restrictions and Confidential Mode behaviour.
5. Perform approved low-risk actions through governed tools.
6. Prepare consequential actions for explicit user review and confirmation.
7. Create support cases and transfer authorised context to a human specialist.
8. Adapt language, copy and controls to identity, role, plan, tenant policy, jurisdiction and accessibility needs.

3.2 Explicit non-goals

- It is not a general-purpose open-web assistant.
- It does not listen to meeting audio or read meeting content simply because it is opened in a meeting.
- It does not impersonate a person, present a human photograph, or claim emotions or personal experience.
- It does not provide irreversible administrative, security or billing actions autonomously.
- It does not replace the Help Centre, status page, product navigation or human support; it orchestrates them.
- It does not silently use customer conversations to train foundation models.

3.3 Operating modes

Mode	Primary context	Data access	Permitted outcomes
Public guidance	Anonymous or pre-authenticated website visitor.	Public product content, public status information, session-local context.	Answer, route, qualify sales interest, troubleshoot generic access, create verified contact request.
Authenticated support	Signed-in user in web, desktop or mobile app.	User profile, plan, entitlements, authorised workspace and diagnostic data.	Account-aware answers, diagnostics, support history, low-risk actions and support case creation.
Administrator support	Authorised tenant administrator.	Role-scoped tenant policy, audit, billing, integration and entitlement data.	Explain and prepare administrative changes; execute only tools allowed by policy.
In-meeting help	Participant or host opens the panel during a meeting.	Meeting shell metadata only; no content access by default.	Device help, control guidance, policy explanation, support handoff.

4. Reference Review of the Supplied Zoom Interface

The supplied Zoom panel is a useful baseline for recognisable placement, a persistent composer, quick actions and a small overflow menu. It is not the target experience. The Zoiko Sema implementation must correct the following structural weaknesses visible in the reference.

Observed pattern	Assessment	Zoiko Sema requirement
"Zoom Virtual Agent" header	Generic category name; no ownable identity.	Use Sema Guide with a separate AI badge.
Photographic headset avatar plus "BOT" label	Creates avoidable human/AI ambiguity.	Use the official Zoiko Sema favicon; never a human portrait.
Three-message introduction: "Hi", "One moment", "How can I help?"	Adds latency and message clutter without user value.	One concise disclosure and immediate context-aware actions.
Quick actions mix upgrade, meeting access, missing meetings and sales.	No clear intent grouping or contextual ranking.	Separate recommended, support and commercial actions; rank by page and identity.
"Mute Chat" menu item	Ambiguous: could mean audio, bot output or notifications.	Use "Mute notifications".
Download transcript and end chat	Useful controls but insufficient privacy explanation.	Expose export eligibility, retention, deletion scope and enterprise policy.
Generic retention statement at the bottom	Broad purpose; no period, choice or tenant-specific policy.	Use a contextual privacy panel with precise purposes and current retention.
No visible sources or confidence boundary	Users cannot distinguish documented guidance from generated language.	Expose source, scope and verification state on factual answers.
Sales representative is the only human route	Not a general support escalation path.	Provide direct support handoff at any time with consented context transfer.
No action-governance distinction	Navigation, explanation and account changes appear equivalent.	Preview, confirm, authorise and audit every consequential action.

5. Experience Principles and Non-Negotiables

Principle	Engineering interpretation
Resolve before deflecting	Optimise for verified resolution and task progress, not containment or raw chatbot deflection.
AI transparency without visual noise	Persistent AI badge, explicit opening disclosure and distinct AI/human sender states; no repeated warnings in every message.
Grounded by default	Use approved knowledge, tenant policy and live account state; mark unverified answers explicitly.
Context, not surveillance	Use only the context required for the user's task and make sensitive data access visible.
Action with control	No hidden tool execution. Consequential actions require a preview, explicit confirmation and an audit record.
Human access is a right, not a failure	A user may request a person at any time; repeated AI failure automatically promotes the handoff option.
Progressive disclosure	Show the answer and next action first; place technical detail, logs and privacy explanations behind clear controls.
Accessible by construction	Keyboard, screen-reader, zoom, reflow and reduced-motion behaviours are designed per state and tested as release gates.
Policy-aware everywhere	Role, entitlement, tenant policy, jurisdiction, data residency and Confidential Mode are enforced server-side.
One identity, multiple modes	The name and visual identity remain stable while permissions, copy and quick actions adapt to the surface.

6. Information Architecture and Surface Rules

6.1 Launcher

Attribute	Desktop / web	Mobile
Default position	Bottom-right with collision detection for cookie banners, accessibility tools and fixed CTAs.	Entry from Help tab, floating launcher where permitted, or in-product support menu.
Size	56 x 56 px; 44 x 44 px minimum interactive target.	56 x 56 px; safe-area offset.
Visual	Official Zoiko Sema favicon, original colours, restrained shadow, optional status dot.	Same favicon; no permanent animation.
Tooltip	Ask Sema Guide.	Not required; accessible name remains mandatory.
Open behaviour	Docked panel, 400-440 px wide; preserve underlying page.	Full-screen sheet; never a narrow floating panel.
Dismissal	Escape or Close; focus returns to launcher; session preserved unless explicitly ended.	Native back and Close; session preserved.

6.2 Header branding rule

- Standalone website panel: full official Zoiko Sema wordmark in the shell header; favicon beside the Sema Guide identity row.
- Authenticated product shell already showing the Zoiko Sema wordmark: do not duplicate it; use favicon + Sema Guide + AI badge.
- Never reconstruct the supplied wordmark with live text. Never recolour, distort, crop or replace the supplied favicon.

6.3 Header controls

Control	Canonical label	Behaviour
Minimise	Minimise Sema Guide	Return to launcher; preserve unread state and session.
Overflow	More options	Open notifications, language, privacy, export, clear and end-session controls.
Close	Close Sema Guide	Close the surface; do not imply deletion.
Status	Online / Connecting / Human joined / Degraded / Offline	Expose service state in text, not colour alone.

6.4 Overflow menu

Notifications	On >
Language	English >
Privacy and data	>
Download conversation	>
Clear conversation	>

End support session	

“Mute chat” is prohibited. Use “Mute notifications”. “Clear conversation” must explain the difference between clearing the local view, deleting support history and records retained by security, legal or enterprise policy.

7. Canonical Desktop Wireframe




Figure 1. Standalone website welcome state using the official Zoiko Sema wordmark, favicon and colour system.

7.1 Welcome copy

Canonical introduction

Hello - I'm Sema Guide, Zoiko Sema's AI support agent. I can answer questions, help you complete common tasks and connect you with a person when needed.

Element	Required copy / rule
AI disclosure	You are interacting with an AI system.
Privacy summary	Messages are processed to answer your request. Enterprise retention and data-use settings may apply.
Privacy action	How your data is handled
Composer placeholder	Ask about Zoiko Sema...
Footer qualification	AI-generated guidance. Verify consequential details.
Agent sender	Sema Guide · AI
Human sender	[Name] · Zoiko Sema Support · Human specialist

7.2 Welcome-state quick actions

Show four primary actions by default and no more than six. The server returns ranked actions; the client renders only authorised actions. The first slot is reserved for the most likely user goal.

Context	Default ranked actions
Anonymous homepage	Explore Zoiko Sema; Compare plans; Join a meeting; Contact support.

Context	Default ranked actions
Join a Meeting page	Join with meeting ID; I cannot join; Test audio and video; Contact support.
Pricing page	Compare plans; Explain AI usage; Estimate seats; Contact sales.
Authenticated home	Join my next meeting; Start a meeting; Schedule a meeting; Fix audio or video.
Administrator console	AI and agentic controls; Meeting policies; Audit and compliance; Billing and entitlements.
System Status page	Current incidents; My affected services; Notify me; Contact support.

7.3 Visual layout rules

- Panel width: 400-440 px; maximum height: viewport minus 48 px; 24 px edge offset.
- Header height: 64-72 px; identity row: 72-84 px; composer remains sticky.
- Message content width never exceeds 70 characters per line at default zoom.
- Primary actions use Sema action violet; links and informative secondary actions use approved logo blue.
- Red is reserved for destructive action, hard failure or service unavailability.
- No decorative animation while the user is reading or typing. Processing animation respects reduced-motion preferences.

8. Conversation Components and Response-Card System




Figure 2. Verified answer and explicit action-preview patterns.

8.1 Message construction

Layer	Rule
Lead answer	One direct answer or status statement. Do not begin with filler.
Qualification	State any condition, policy dependency, uncertainty or missing context immediately.

Layer	Rule
Evidence	Expose source title, source class and reviewed/updated time where relevant.
Next action	Offer one primary action and up to two secondary actions.
Escalation	Expose a human route when unresolved, high-impact, repeatedly failed or explicitly requested.
Length	No more than three short paragraphs before expandable detail; use cards for structured data.

8.2 Required cards

Card	Minimum fields	Action policy
Grounded answer	Answer, scope, source, source status, reviewed date, tenant override where applicable.	Read-only; links may navigate.
Diagnostic	Detected condition, evidence, ordered fix, retest control, diagnostic-data disclosure.	Read-only until user invokes a test or permission action.
System status	Service, state, scope, last update, incident link.	May subscribe user only after consent.
Plan and entitlement	Feature, required plan, user plan, entitlement state, policy override.	Upgrade or sales actions remain separate from support resolution.
Action preview	Exact proposed change, affected objects, consequences, policy, audit note.	Explicit confirmation required.
Action result	Success/failure, object reference, changes made, rollback route.	Never imply success before the tool confirms.
Support case	Reference, priority, response target, attachments and diagnostics shared.	Case creation requires identity and data-sharing confirmation.
Human queue	Channel, estimated wait or response window, notification behaviour, cancellation.	No repeated AI interruption after handoff is queued.

8.3 Processing status

Operation	Visible status
Knowledge retrieval	Searching Zoiko Sema Help...
Workspace lookup	Checking your workspace settings...
Diagnostic	Testing your microphone access...
Action preparation	Preparing the change for your review...
Tool execution	Applying the confirmed change...
Handoff	Connecting you with Zoiko Sema Support...

Do not emit “One moment” as a standalone message. For operations longer than three seconds, show the current task, a cancellable state where safe, and a fallback if the operation fails.

9. Contextual Quick Actions and Intent Routing

9.1 Ranking inputs

- Current surface and page route.
- Authentication state, user role and workspace.
- Plan, entitlement and tenant policy.
- Recent failed action or diagnostic result.
- Active service incident affecting the user.
- User locale, language and accessibility preferences.

- Campaign or referral context only when consented and relevant.

9.2 Ranking rules

1. Filter prohibited, unauthorised and unavailable actions before ranking.
2. Prioritise recovery from the user's current failure over product discovery or sales.
3. Keep support and commercial intents visibly separated.
4. Do not show an upgrade action as the primary response to a technical problem unless lack of entitlement is the verified cause.
5. Use no more than two rows of actions in the welcome state.
6. After the first user message, replace generic quick actions with task-relevant follow-ups.
7. Never return an action that the client cannot execute or route successfully.

9.3 Intent classes

Class	Examples	Default route
Information	What is Confidential Mode? Which plan includes recording?	Grounded answer.
Navigation	Where are meeting policies?	Deep link with explanation.
Troubleshooting	My microphone is not working.	Diagnostic workflow.
Account-aware lookup	What is my plan? Why is this locked?	Authenticated read-only tool.
Low-risk action	Create a support case; subscribe to incident updates.	Tool call with disclosure or consent.
Consequential action	Schedule a meeting; change a policy; upgrade a plan.	Action preview and explicit confirmation.
Human request	Talk to a person.	Immediate handoff workflow.
Unsupported / risky	Request outside scope, secrets, prohibited content.	Refuse or redirect; preserve support access where safe.

10. Human Handoff and Support Operations

Human handoff and authenticated administrator mode



Sema Guide

Connect to Zoiko Sema Support

Choose what is shared with the human specialist.

- ☒ This conversation
- ☒ Conversation summary
- ☒ Browser and app version
- ☐ Device diagnostics
- ☐ Meeting identifier

Connect to support

Edit what is shared

A human may receive only the information selected above.



Sema Guide · Administrator mode

Signed in as Workspace Administrator

Recommended for this page

[Explain AI and agentic controls](#)

[Review meeting policies](#)

[Audit and compliance help](#)

[Check billing entitlements](#)

[Open an administrator case](#)

Access is limited by role, entitlement and tenant policy.

Every sensitive action is previewed, confirmed and audited.

Figure 3. Consent-based context transfer and administrator mode.

10.1 Handoff triggers

- Explicit request for a human, person, representative, support specialist or sales specialist.
- Two unsuccessful resolution loops for the same verified intent.
- High-impact billing, security, account-lockout, data-loss or compliance issue.
- Unsupported language or accessibility need that prevents effective AI interaction.
- Policy requires human approval or the required tool is unavailable.
- Low-confidence answer where incorrect guidance could cause consequential harm.

10.2 Consent and transfer payload

Data item	Default	User control
Conversation transcript	On	May deselect unless required for the selected channel.
Structured conversation summary	On	May review before transfer.
Browser and app version	On for technical support	May deselect.
Device diagnostics	Off	Explicit opt-in.
Meeting identifier	Off	Explicit opt-in or system-required with explanation.
Workspace and entitlement context	On when authenticated	Role-scoped and server-enforced.
Attachments	Off unless already submitted for support	List files and classifications before transfer.

10.3 Queue and human state

- Present expected wait or response window only when backed by the support system.
- Allow the user to close the panel and receive an in-product or email notification, subject to consent.
- When a human joins, the header changes to the specialist's verified name and "Human specialist".
- Sema Guide moves into background assist mode and does not reply unless the human invokes it or leaves.
- The human receives the task, verified facts, steps attempted, tool outcomes and consented diagnostics - not an unfiltered hidden transcript summary.

11. Identity, Permissions, Entitlement and Tenant Policy

State	Allowed data	Blocked data / action
Anonymous	Public documentation, public status, session-local diagnostics.	Account, billing, meeting and workspace data.
Authenticated user	Own profile, plan, usage, meetings and authorised workspace context.	Other users' private data; administrator-only controls.
Guest participant	Minimum meeting-shell metadata required for access help.	Roster export, content, recordings, tenant administration.
Workspace administrator	Policy, role, audit, entitlement and integration data within assigned permissions.	Owner-only or security-restricted actions unless separately authorised.
Support specialist	Data explicitly shared through support policy and case permissions.	Broad tenant access outside the case purpose.

11.1 Enforcement order

1. Resolve identity and tenant.
2. Resolve role and delegated authority.
3. Resolve plan and feature entitlement.
4. Apply tenant policy, deny precedence and jurisdiction controls.
5. Apply session risk and step-up authentication requirements.
6. Authorise knowledge source and tool.

7. Execute or return a policy-safe alternative.
8. Record the policy decision and correlation ID.

11.2 Step-up authentication

Require recent authentication, passkey or equivalent step-up for sensitive account, billing, identity, export, policy and security operations. The agent must never collect credentials or one-time authentication codes in chat.

12. Tool Governance and Consequential Actions

12.1 Tool contract

Required field	Purpose
tool_id and version	Stable audit and compatibility reference.
purpose	User-facing explanation of why the tool is invoked.
required_role	Minimum role or delegated authority.
required_entitlement	Plan or feature gate.
policy_scope	Tenant, jurisdiction and Confidential Mode restrictions.
input schema	Validated, minimal and classified fields.
confirmation class	None, disclosure, explicit confirmation or human approval.
idempotency key	Prevents duplicate execution.
timeout and retry	Bounded failure behaviour; no unsafe repeated writes.
rollback	Reversal path where supported.
audit fields	Actor, target, before/after, policy decision, correlation and result.
failure route	Retry, alternative workflow or support handoff.

12.2 Action classes

Class	Examples	Rule
Read-only	Check status, retrieve plan, inspect entitlement, locate documentation.	No confirmation; expose data source and scope.
Low-risk reversible	Subscribe to incident updates, open device test, create a standard case.	Clear disclosure; confirmation where personal data or notifications are involved.
Consequential	Schedule a meeting, change a setting, invite attendees, change notification preferences, upgrade.	Preview exact outcome; explicit confirmation; audit; idempotency.
Human-controlled	Change enterprise security policy, remove owner, alter retention, export confidential data.	Agent may explain and prepare; authorised human performs or approves.
Prohibited autonomous	Delete account, disable audit, expose secrets, make irreversible billing change.	No agent execution path.

12.3 Action preview requirements

- Exact object and target tenant or workspace.
- Before and proposed after state.
- People affected and notifications that will be sent.
- Financial, privacy, retention or access consequence.
- Whether the action is reversible and for how long.
- Policy or administrator approval that applies.

- Primary Confirm action; secondary Edit and Cancel actions.

13. AI Orchestration, Grounding and Response Validation

13.1 Canonical execution order

Request intake

- > identity and tenant resolution
- > input safety and secret detection
- > intent and risk classification
- > policy and entitlement decision
- > clarification gate, if required
- > approved knowledge retrieval and/or tool planning
- > source rerank and tenant-policy precedence
- > response or action-preview composition
- > citation, policy, safety and action validator
- > response contract
- > ordered audit and analytics events

13.2 Knowledge precedence

1. Live tenant policy and current account state.
2. Live entitlement, billing and service-status systems.
3. Approved Zoiko Sema product documentation.
4. Approved support procedures and integration documentation.
5. Curated external vendor documentation for enabled integrations.
6. General model knowledge only for non-factual explanation and never as a hidden source of current product truth.

13.3 Source states

State	Visible treatment
Tenant verified	Based on your workspace settings.
Live system verified	Based on current Zoiko Sema service data.
Documentation verified	Verified from Zoiko Sema Help.
Curated external	Based on approved [vendor] documentation.
General guidance	General guidance - not verified against your workspace.
Unable to verify	I could not verify this from approved information.

13.4 Validator release blocks

- Unsupported source claim or fabricated citation.
- Answer contradicts tenant policy, entitlement or live system state.
- Consequential action offered without confirmation metadata.
- Sensitive data disclosed beyond the authorised scope.
- Human identity ambiguity or missing AI classification.
- Unqualified current-state claim without a current source.
- Unsafe instruction, secret request or tool argument leakage.

14. Privacy, Retention, Consent and Data Residency

14.1 Separate processing purposes

Purpose	Default treatment	User / tenant control
Live inference	Required to answer the current request.	End session; disable the feature at tenant level where supported.
Conversation history	Off for anonymous sessions after expiry; tenant-defined for authenticated support.	Clear local view; request deletion; administrator retention policy.
Support case record	Stored according to support and legal policy.	Case-specific disclosure and deletion rights subject to obligations.
Security and abuse logs	Minimal metadata with controlled retention.	Administrator and privacy policy; not presented as model training.
Product analytics	Minimised event data; content-free by default.	Consent and tenant analytics controls where required.
Quality review	Sampled and access-controlled; redacted where possible.	Enterprise opt-out and reviewer audit.
Model improvement / training	Off for enterprise customer content by default.	Separate explicit programme and lawful disclosure if ever enabled.
Transcript export	Disabled unless identity and policy allow.	User-initiated; auditable; export classification applies.

14.2 Contextual privacy panel

How this conversation is handled

Used to answer your request Yes
 Stored in support history 30 days - workspace policy
 Used to improve foundation models No
 Shared with a human if you request support: Only with your confirmation
 Data region United Kingdom

[Manage privacy choices] [Read privacy notice]

14.3 Data minimisation

- Collect the minimum identity and diagnostic data required for the selected task.
- Redact credentials, authentication codes, private keys, payment-card data and obvious secrets before model processing or storage.
- Do not attach meeting content, recordings, transcripts or files to a support case without explicit selection and policy approval.
- Use regional processing and storage according to tenant residency policy; record the selected region in the audit event.

15. Security, Abuse Prevention and Confidential Mode

15.1 Security controls

Control	Requirement
Session security	Short-lived signed session token; CSRF protection; secure cookie or token storage; replay resistance.
Rate limiting	Per IP, identity, tenant, session and tool; stronger limits for anonymous and write operations.
Input protection	Malware scanning, secret detection, prompt-injection filtering and attachment type validation.

Control	Requirement
Output protection	Sensitive-data filtering, source validation, safe link allow-list and action-schema validation.
Tool isolation	Brokered execution; no model-direct credentials; scoped service identities; network and tenant isolation.
Audit integrity	Ordered immutable or tamper-evident events for policy and tool actions.
Support access	Case-bound, least-privilege, time-limited access with human audit.
Incident mode	Disable tools or the full agent independently; retain Help Centre and human support routes.

15.2 Confidential Mode


Confidential Mode active

Sema Guide can help with settings and controls but cannot access meeting audio, video, chat, shared files, transcripts or other meeting content.

- Opening the panel does not create a participant, media stream or hidden listener.
- Meeting content attachment is blocked unless an explicit policy-approved secure support workflow exists.
- No automatic transcript, summary, recording or AI context is taken from the meeting.
- Only shell metadata needed to troubleshoot access or controls may be used, and that access must be visible and auditable.

16. Accessibility, Localisation and Responsive Behaviour

Mobile full-screen sheet



- 1 Full-screen sheet; no cramped floating panel.
- 2 Sticky composer above the safe area.
- 3 Native back-button and Escape behaviour.
- 4 44 px minimum touch targets.
- 5 Session preserved after minimisation.

Figure 4. Mobile implementation uses a full-screen support sheet and sticky composer.

16.1 WCAG 2.2 AA release requirements

Area	Release requirement
Keyboard	Every control reachable; logical order; Escape closes overlays; focus returns to launcher.
Focus	Visible indicator; never obscured by sticky composer, menu or cookie banner.
Screen reader	Named regions, labelled controls, AI/human sender identity, polite announcements, no focus theft on new messages.
Touch	44 x 44 px minimum primary targets; spacing prevents accidental activation.
Zoom and reflow	Usable at 200% text zoom and 400% browser zoom; no two-dimensional scrolling for ordinary content.
Colour and status	Text/icon accompanies colour; contrast meets AA; brand assets retain original colours.
Motion	Reduced-motion mode; no pulsing launcher or continuous decorative animation.
Time	No forced response timer; warn before authenticated session expiry and preserve draft where safe.
Help consistency	The support entry point remains in a consistent location across equivalent pages.
Human alternative	Direct human route remains accessible without completing repeated AI steps.

16.2 Localisation

- Externalise all copy, quick actions, errors, dates, numbers and status labels.
- Support right-to-left layout, bidirectional content and locale-aware line breaking.
- Do not infer the language from nationality or workspace location; use user preference and explicit switching.
- Preserve product names, plan names and policy terms according to the approved glossary.
- Human handoff must retain the detected language and request a matching queue where available.

16.3 Responsive behaviour

Viewport	Behaviour
Desktop >= 1024 px	Docked 400-440 px panel; optional resize within tested limits.
Tablet 768-1023 px	Docked panel up to 48% of viewport; underlying task remains visible.
Mobile < 768 px	Full-screen sheet with compact header and sticky composer.
Embedded in meeting	Side panel integrated with the meeting shell; never represented as a participant tile.

17. Administrator Controls and Operational Management

Control group	Required capabilities
Availability	Enable/disable by tenant, surface, user group, role, region and incident state.
Brand and copy	View locked identity; configure approved greeting variants and supported languages without altering the name or AI disclosure.
Knowledge	Approve sources, set precedence, publish versions, review stale content and roll back.
Tools	Enable tools, assign roles, set confirmation class, define limits and emergency-disable.

Control group	Required capabilities
Handoff	Configure channels, queues, hours, languages, consented payload and escalation rules.
Privacy	Retention, transcript export, analytics, residency, quality review and model-improvement settings.
Safety	Blocked topics, abuse thresholds, attachment rules, prompt-injection controls and support overrides.
Quality	Resolution, source coverage, unanswered intents, tool failures, handoff quality and accessibility defects.
Audit	Search policy decisions, tool calls, configuration changes, exports and support access.
Release management	Draft, test, approve, stage, publish, version, compare and roll back configuration.

17.1 Administrator restrictions

- Administrators cannot rename Sema Guide, remove the AI badge or substitute a human avatar.
- Configuration cannot grant a tool more permission than the server-side product role and tenant policy allow.
- Production knowledge and tool changes require versioning, test evidence and an attributable publisher.
- Analytics dashboards must not encourage deflection at the expense of user resolution or access to humans.

18. APIs, Data Contracts, State Model and Events

18.1 Response contract

```
{
  "conversation_id": "sgc_01J...",
  "message_id": "sgm_01J...",
  "agent": {
    "id": "sema-guide",
    "display_name": "Sema Guide",
    "classification": "ai"
  },
  "mode": "authenticated_support",
  "response_type": "grounded_answer",
  "message": "Cloud recording is enabled for your workspace.",
  "verification": {
    "state": "tenant_verified",
    "as_of": "2026-07-13T09:40:00Z"
  },
  "sources": [{
    "title": "Recording in Zoiko Sema",
    "source_type": "zoiko_sema_help",
    "version": "2026-07-12",
    "uri": "/help/recording"
  }],
  "actions": [{
    "id": "open_recording_settings",
    "label": "Open recording settings",
    "class": "navigation",
    "requires_confirmation": false
  }],
  "policy": {
    "decision": "allow",
    "restrictions": []
  },
  "correlation_id": "corr_..."
}
```

18.2 Conversation states

CLOSED -> WELCOME -> INTENT_DETECTION
 -> GROUNDED_ANSWER
 -> COLLECT_REQUIRED_CONTEXT
 -> AUTHENTICATION_REQUIRED
 -> PREPARE_ACTION -> AWAIT_CONFIRMATION -> EXECUTE_ACTION -> ACTION_RESULT
 -> HUMAN_HANDOFF -> QUEUED -> HUMAN_JOINED
 -> POLICY_BLOCKED
 -> DEGRADED
 -> UNRESOLVED -> HUMAN_HANDOFF
 -> SESSION_ENDED

18.3 Core event model

Event	Minimum payload
guide.opened	surface, route, mode, locale, anonymous/authenticated flag.
intent.detected	intent class, confidence band, risk band, clarification required.
knowledge.retrieved	source IDs, versions, precedence, tenant scope, latency.
answer.delivered	verification state, citation count, response type, validator result.
action.previewed	tool, target, confirmation class, policy decision.
action.confirmed	actor, authentication strength, idempotency key.
action.completed	result, before/after hash, rollback availability, latency.
handoff.requested	reason, channel, consented data classes.
handoff.joined	queue, specialist ID, wait time, context-transfer result.
privacy.changed	setting, old/new value, actor, tenant.
session.ended	resolution state, feedback, retention policy applied.

19. Failure Handling, Observability and Quality Metrics

19.1 Canonical failure copy

Failure	Required response
No verified answer	I could not verify that from approved Zoiko Sema information. I can search a different help area or connect you with support.
Tool failed before change	I found the correct setting, but I could not update it. No changes were made.
Tool failed after partial change	State exactly what changed, what did not, recovery steps and case reference; never use a generic success state.
Policy blocked	Your organisation does not permit this action through Sema Guide. [View policy] [Contact your administrator]
Authentication required	Please sign in to view account-specific information. [Sign in] [Continue with general help]
Service degraded	Sema Guide is temporarily limited. Zoiko Sema meetings remain available. [System status] [Help Centre] [Contact support]
Attachment rejected	Explain file type, size, malware, secret or policy reason and offer a safe alternative.

19.2 Success metrics

Metric	Definition / guardrail
Verified resolution rate	User task resolved with a verified answer or confirmed action.
First-contact resolution	No repeat support contact for the same intent within the defined window.
Time to useful answer	From user submission to first verified, actionable content.
Tool success rate	Confirmed tool executions completed once and with correct result.
Unsupported-answer rate	Answers delivered without adequate approved grounding; target approaches zero.
Citation coverage	Share of factual product/account answers with appropriate verification metadata.
Human handoff quality	Context accepted, no repetition, correct queue and resolution outcome.
Repeat failure rate	Same intent cycles without meaningful progress.
Accessibility defect rate	Automated and manual failures by component and assistive technology.
Safety and privacy events	Secret detections, over-broad data access, blocked exports and policy violations.
User satisfaction	Resolution-specific feedback; do not use satisfaction alone as proof of correctness.

19.3 Observability

- End-to-end correlation ID across client, gateway, policy, retrieval, model, tool, support and audit systems.
- Separate latency budgets for shell open, first token, grounded answer, tool preview and tool execution.
- Dashboards by tenant, mode, language, surface, intent, source, model version and tool version.
- Alert on source outage, citation drop, policy divergence, tool retries, duplicate writes, handoff failure and safety spikes.
- No raw customer content in general telemetry; use classified, minimised diagnostic fields.

20. Delivery Phases, QA Matrix and Release Gates

20.1 Phased implementation

Phase	Scope	Exit gate
Phase 0 - Shell and governance	Official branding, launcher, AI disclosure, privacy shell, identity modes, accessibility baseline, event pipeline.	No production model or tools until shell, policy and audit tests pass.
Phase 1 - Grounded guidance	Approved Help Centre retrieval, citations, page-aware quick actions, unsupported-answer handling.	Source accuracy, no fabricated citations, accessibility AA and safe anonymous mode.
Phase 2 - Support handoff	Case creation, consented context transfer, queue status, human state and transcript policy.	No user repetition in supported cases; consent and access audits pass.
Phase 3 - Account-aware diagnostics	Plan, entitlement, meeting, device and integration read-only tools.	Role/tenant isolation, current-state accuracy and data minimisation pass.
Phase 4 - Governed actions	Low-risk and consequential tools with preview, confirmation, idempotency and rollback.	Zero duplicate writes; policy and audit evidence complete.
Phase 5 - Optimisation	Multilingual expansion, proactive incident context, quality learning and administrator tuning.	Fairness, language quality, operational and privacy review pass.

20.2 Release-blocking acceptance criteria

1. The supplied official Zoiko Sema wordmark and favicon render without alteration on all supported themes and resolutions.
2. Sema Guide is the visible identity and AI remains persistently disclosed.
3. No human portrait, personal name, "BOT", "virtual agent" or generic chatbot label appears as the primary identity.

4. Public, authenticated, administrator and in-meeting modes enforce different data and tool permissions.
5. Quick actions are context-ranked, authorised and limited to six.
6. Every factual product, policy, entitlement and current-state answer exposes the appropriate verification state.
7. Unverified answers are qualified and cannot trigger consequential actions.
8. Users can request a human at any time; transfer shows and records the selected data.
9. Consequential actions show a complete preview and require explicit confirmation.
10. All write tools are idempotent, policy-checked, audited and recoverable or safely escalated.
11. Credentials, authentication codes, keys and full payment-card data are never requested in ordinary chat.
12. Attachments are type-checked, scanned, classified and policy-limited.
13. Enterprise customer conversation content is not used for foundation-model training by default.
14. Privacy, retention, export and deletion behaviour is available in context and reflects tenant policy.
15. Confidential Mode content is inaccessible to Sema Guide unless a separately approved secure support workflow explicitly grants access.
16. The interface meets WCAG 2.2 AA through automated and manual assistive-technology testing.
17. AI and human messages are visually and programmatically distinct.
18. Failure messages accurately state whether any change occurred.
19. No silent unrestricted web retrieval is available.
20. All policy decisions, tool calls, exports, support access and configuration changes produce attributable audit events.

20.3 Minimum QA matrix

Test domain	Mandatory coverage
Functional	Every state, intent class, card, menu item, tool class, handoff route and session lifecycle.
Identity and policy	Anonymous, user, guest, administrator, support specialist, cross-tenant and revoked-role cases.
Accessibility	Keyboard-only, screen readers, 200% text, 400% reflow, high contrast, reduced motion, touch and voice input.
Security	Prompt injection, data exfiltration, cross-tenant access, tool abuse, replay, duplicate write, attachment malware and secret leakage.
Privacy	Consent, retention, delete, export, residency, quality review, human transfer and model-training defaults.
Resilience	Knowledge outage, model outage, policy outage, tool timeout, partial execution, support queue outage and offline state.
Localisation	Long strings, RTL, mixed scripts, locale dates/numbers, unsupported language and human queue matching.
Performance	Cold open, warm open, first useful answer, retrieval, tool preview, execution and handoff latency budgets.

Appendix A - Canonical Copy Catalogue

State / component	Approved copy
Launcher	Ask Sema Guide
Accessible launcher	Open Sema Guide, Zoiko Sema's AI support agent
Identity	Sema Guide [AI]
Subtitle	Zoiko Sema support
Introduction	Hello - I'm Sema Guide, Zoiko Sema's AI support agent. I can answer questions, help you complete common tasks and connect you with a person when needed.
AI disclosure	You are interacting with an AI system.
Composer	Ask about Zoiko Sema...
Notifications	Mute notifications
Privacy link	How your data is handled

State / component	Approved copy
Human action	Connect to support
Unsupported answer	I could not verify that from approved Zoiko Sema information.
Policy block	Your organisation does not permit this action through Sema Guide.
Confidential Mode	Sema Guide can help with settings and controls but cannot access meeting content.
End session	End support session

Appendix B - Example Tool Registry Record

```

tool_id: schedule_meeting.v1
purpose: Create a Zoiko Sema meeting after user review
required_role: authenticated_user
required_entitlement: meetings.schedule
policy_scope:
  confidential_mode: allowed
  guest_user: denied
confirmation_class: explicit
idempotency: required
inputs:
  title: restricted_text
  start_at: datetime
  end_at: datetime
  timezone: iana_timezone
  attendees: personal_data
  ai_notes: boolean
  recording: boolean
before_execute:
  - resolve tenant policy
  - validate attendee permissions
  - show exact action preview
audit:
  - actor_id
  - tenant_id
  - before_state
  - requested_state
  - policy_decision
  - correlation_id
rollback: cancel_created_meeting
failure_route: preserve draft and offer support

```

Appendix C - Prohibited UI and Behaviour Patterns

Prohibited pattern	Reason
Human photographic avatar for Sema Guide	Creates identity ambiguity.
Primary label "BOT", "Chatbot" or "Virtual Agent"	Weakens product identity and enterprise position.
Sema Guide AI as the only visible name	AI is a classification badge, not the identity.
Standalone "One moment" messages	Adds noise without information.
"Mute chat"	Ambiguous control language.
Upgrade CTA as default response to a support fault	Conflicts with resolution-first support.
Hidden tool execution	Removes user control and audit clarity.
Generic success before tool confirmation	May misrepresent system state.

Prohibited pattern	Reason
Silent web search	Introduces unapproved and potentially stale sources.
Meeting-content ingestion on panel open	Violates purpose limitation and Confidential Mode boundary.
Permanent animated launcher	Distracting and inaccessible.
Dismissal that deletes data without explanation	Conflates close, clear, delete and end-session semantics.

Appendix D - Final Engineering Lock



Locked item	Build value
Public identity	Sema Guide
Visible classification	Persistent AI badge
Header subtitle	Zoiko Sema support
Internal service	sema-guide-agent
Brand assets	Only the supplied official Zoiko Sema wordmark and favicon
Human handoff	Direct, consent-based and context-preserving
Confidential Mode	No meeting-content access by default
Foundation-model training	Enterprise customer content excluded by default
Change control	Versioned architecture and product change record required

Build exactly this identity

This specification is the build baseline for product, design, engineering, AI, platform, security, privacy, support and QA. Sema Interpreter remains the separate live spoken-language interpretation agent. Any deviation affecting identity, AI disclosure, data access, tool permissions, Confidential Mode, human handoff, privacy or accessibility requires a versioned architecture and product change record.